

Pharmacy Enterprise Customization System (PECS)

User Guide



Version 6.2

June 2021

Department of Veterans Affairs (VA)

Office of Information and Technology (OIT)

Product Development (PD)

Revision History

Date	Version Patch No.	Description/Authors
June 2021	PECS v6.2 PREC*6.2*1	<ul style="list-style-type: none"> • Updated PECS version 6.1 references to 6.2 in the Title page and Footers • Updated formatting of most figures, tables, and styles to reflect more current VA standards • Updated Title page, Revision History, Table of Contents, List of Figures, List of Tables, and Footers Liberty ITS
July 2017	PECS v6.1 PREC*6.1*1	Updates for 2FA Compliance and IAM SSOi integration for PIV authentication: System Configuration , User Access Levels , & Login . – REDACTED
May 2016	PECS v6.0 PREC*6.0*1	Document wide updates: New version, Section 508 compliance, grammar/format. Added SFTP to acronyms . Replaced FTP with SFTP. – REDACTED & REDACTED
Nov 2014	PECS v5.0 PREC*5.0*1	Document wide updates: New version, Section 508 compliance, grammar/format. Corrected internal document links. Clarified sentence describing the Pre-Production and Production environments , and Customize Settings . All references to FDB MedKnowledge Framework were reverted to FDB-DIF to correct an inaccuracy; the product name does not change until the 4.x series, not the 3.3 version of the FDB product deployed with PECS v5.0. – REDACTED
July 2014	PECS v3.0 PREC*3.0*1	Document wide updates: Section 508 compliance and grammar/format. Changed FDB-DIF to FDB MedKnowledge Framework. Made additional changes per CPS. Made changes per CPS: graphics caption formatting, added links, created new heading for cross-reference purposes: Drug Pair Customization and Modifying Records . – REDACTED
April 2014	PECS v3.0 PREC*3.0*1	Document wide updates: grammar/format. Section 508 Compliance updates to Getting Started . Edits to screen shots for Drug Pair Detail Screen for Multiple Customization. – REDACTED
Mar 2014	PECS v3.0 PREC*3.0*1	Document wide updates: Section 508 compliance and grammar/format. Added Reverse DDIs . – REDACTED
Jan 2014	PECS v3.0 PREC*3.0*1	Document wide updates: Section 508 compliance. Completed PECS by Tab . Rearranged and rewrote major portions of guide. – REDACTED
Feb 2013	PECS v3.0 PREC*3.0*1	Document wide updates: New version, Section 508 compliance, grammar/format. Added FDB Drug Pair content. – REDACTED & REDACTED

Date	Version Patch No.	Description/Authors
Feb 2013	PECS v2.2 PREC*2.2*1	Document wide updates: Section 508 compliance and grammar/format. – REDACTED
June 2012	PECS v2.2 PREC*2.2*1	Document wide updates: Section 508 compliance and grammar/format. Replaced screen shots for Requestor & Approver home pages. Updated Quick Drug Pair selection. Added screen capture and write-up to contain info about the date from the FDB update to Null Drug Pair section. Updated Release Manager information. Added information about CCR5122 in the Notification of Drug Pairs Needing Action for an Approved Drug-Drug Interaction section. Edited and obtained new screen shots for Multiple DDI records to one FDB. – REDACTED, REDACTED, & REDACTED
Mar 2012	PECS v2.1 PREC*2.2*1	Drafted Drug Pair Notification. Record Locking. Creating Multiple Custom DDIs to One FDB Record and Prevention of Duplicate DP on Single Record. Forward/Reverse Monographs. – REDACTED
Feb 2012	PECS v2.1 PREC*2.2*1	Section 508 compliance completed for screen captures. Completed Record Locking. Made a few changes to the text on Edit panels. Created text for Not Editing Single Drug Pair. REDACTED
Nov 2011	PECS v2.1 PREC*2.2*1	Edited information from customer on Action Statuses, and added information on Saved Queries. – REDACTED
April 2011	PECS v2.1 PREC*2.2*1	Document wide updates: New version, Section 508 compliance, and grammar/format. Added information on potential Easy Search/PECS Record discrepancy. REDACTED, REDACTED, REDACTED
Dec 2010		Initial Release. – REDACTED & REDACTED

Table of Contents

1. Introduction	1
1.1. Purpose	1
1.2. Overview	1
1.3. Project References	2
1.3.1. Information	2
1.3.2. Coordination	3
1.3.3. Help Desk	3
1.4. Organization of the Manual	3
1.5. Acronyms and Abbreviations	4
2. System Summary	5
2.1. System Configuration	6
2.1.1. Deployment Design – PECS	7
2.1.2. Hardware/Software Components	8
2.1.3. Production Environment	8
2.2. Data Flows	9
2.2.1. Process Flow	9
2.2.2. Transaction Flow	11
2.3. User Access Levels	13
2.3.1. Identity Management	13
2.3.2. Role Assignment	13
2.3.3. Role Descriptions for Identify Management	13
3. Customization Information	13
3.1. Drug-Drug Interaction and Professional Monograph	14
3.2. Duplicate Therapy	15
3.3. Dose Range	15
4. Getting Started	15
4.1. Login	16
4.1.1. Logging into PECS	17
4.1.2. Authentication Explanation	17
4.2. Application Organization	18
4.2.1. Welcome and Update Information	19
4.2.2. General Page Structure and Navigation	19
4.2.3. Home Page	20
5. PECS by Tab	20
5.1. Home	20
5.2. Advanced Query/Customization	21
5.3. Easy Search	22
5.4. Drug Pair Lookup	23

5.5.	Reports	24
5.6.	Contact Us	25
5.7.	Custom Updates	26
5.8.	Administration	26
5.9.	Help	27
6.	Using Advanced Query/Customization	28
6.1.	Accessing the Advanced Query/Customization Page	28
6.2.	Build a Query Panel	29
6.3.	Create a Query	30
6.3.1.	Query Filters	32
6.3.2.	And/Or Usage Examples	33
6.3.3.	Query Specifics	33
6.3.4.	Add Default DRC Query	34
6.4.	Save a Query	35
6.5.	Run a Saved Query	35
6.6.	Rename a Saved Query	36
6.7.	Delete a Saved Query	36
6.8.	Query Results	37
6.8.1.	Sort Query Results	37
6.8.2.	Re-Order Results Columns	38
6.9.	Export Query Results	38
6.10.	Query Errors	40
6.10.1.	Database Timeout (Too Many Results)	40
6.10.2.	Inappropriate Value	40
7.	Working with Customization Requests	40
7.1.	Create a Customization Request	40
7.1.1.	Customize a Drug-Drug Interaction Record	41
7.1.2.	Customize Other Record Types	41
7.1.3.	Create Customization from a Blank Form	42
7.2.	Modify Customization Requests	43
7.3.	Review Customization Requests	44
7.4.	Approve Customization Requests	45
7.5.	Reject Customization Requests	46
7.6.	Delete Customization Requests	47
7.7.	Record Locking Feature	48
7.7.1.	Record in Use	48
7.7.2.	Record Recently Modified	48
7.7.3.	Record Time-Out Lock	48
7.7.4.	Record Navigation	49
8.	User Roles and Tasks	49
8.1.	Requestor	49

8.1.1.	Requestor Home Page	50
8.1.2.	My Request History: Requestor	50
8.1.3.	Additional Tools Available to Requestors	51
8.2.	Approver	52
8.2.1.	Approver Home Page	54
8.2.2.	My Request History: Approver	56
8.2.3.	My Assigned Requests for Review	57
8.2.4.	My Assigned Requests for Approval	58
8.2.5.	My Assigned Requests for Deletion	58
8.2.6.	Unassigned Requests	59
8.2.7.	All Requests	59
8.2.8.	Additional Tools Available to Approvers	59
8.3.	Release Manager	60
8.3.1.	Release Manager Home Page	60
8.3.2.	Custom Update Tab	60
8.3.3.	Custom Update Overview	61
8.3.4.	Update Files Explained	61
8.3.5.	Create a Custom Update	63
8.3.6.	Review Custom Update History	63
8.3.7.	Additional Tools Available to Release Managers	64
8.4.	Administrator	64
8.4.1.	Administrator Home Page	65
8.4.2.	Administration Tab	65
8.4.3.	Customize Settings	65
8.4.4.	Change Field Display Order	69
8.4.5.	Update User Roles	69
8.4.6.	Null Drug Pair Removal Process	72
8.4.7.	Editing Contact Us	73
8.4.8.	Add a Contact Link	74
8.4.9.	Edit a Contact Link	75
8.4.10.	Additional Tools Available to Administrators	75
9.	Easy Search	75
9.1.	Easy Search Drug-Drug Interaction with Professional Monograph and/or Duplicate Therapy Query	75
9.2.	Easy Search Interactions for a Single Drug Query	80
9.3.	Easy Search Dose Range Query	82
9.4.	Potential Easy Search Result and PECS Record Discrepancy	86
10.	Drug Pair Lookup	87
10.1.	Performing a Drug Pair Lookup Query	88
10.2.	Export Query Results	89

11. Detail Pages	91
11.1. Detail Page Overview	91
11.1.1. Informational and Warning Messages.....	93
11.2. Using Detail Pages	93
11.2.1. Viewing Record Details	93
11.2.2. Edit a Record	94
11.2.3. Print a Record.....	94
11.2.4. Add Pre-Customization Comments	95
11.2.5. View Associated Record Links	96
11.2.6. History Report.....	97
11.2.7. Field-Level History Table	98
11.2.8. Export Date	98
11.3. Drug-Drug Interaction Detail	99
11.3.1. Multiple VA Customizations for One FDB Record	100
11.3.2. Create Multiple Customizations from One FDB Record	101
11.3.3. Cannot Add Identical Drug Pairs to Same DDI.....	101
11.3.4. Reverse Drug-Drug Interactions.....	102
11.3.5. Working with Drug Pairs within the DDI	103
11.3.6. Fields.....	104
11.4. Drug Pair Detail	106
11.4.1. Fields and Other Information	107
11.4.2. Finding Drug Pairs.....	108
11.4.3. FDB Drug Pair Detail Page	109
11.4.4. VA Customized Drug Pair Detail Page	112
11.5. Drug Pair Customization (Non 508-Compliant) Detail	113
11.5.1. Drug Pairs Panel	114
11.5.2. Notification of Drug Pairs Needing Action for an Approved Drug-Drug Interaction	115
11.5.3. Customizing Drug Pairs from the Selection List	118
11.5.4. Review a Drug Pair	121
11.6. Section 508 Compliant Drug Pair Customization Detail	122
11.6.1. Select Drug Pairs to Add to the Above VA Custom Interaction Panel .	123
11.7. Professional Monograph Detail	126
11.7.1. Fields.....	127
11.7.2. Buttons	128
11.7.3. Forward and Reverse Professional Monograph	128
11.8. Duplicate Therapy Detail	130
11.8.1. Fields.....	131
11.8.2. Buttons	132
11.9. Dose Range Detail	132
11.9.1. Dose Range Concept Types.....	133

11.9.2. Fields.....	133
11.9.3. Buttons.....	137
12. Sample Modification Scenarios.....	137
12.1. Duplicate Therapy Modification	137
12.1.1. Process Steps	137
12.2. Duplicate Therapy Approval	138
12.2.1. Process Steps	138
12.3. Drug Interaction Research	139
12.3.1. Process Steps for Severity Check, Case 1	139
12.4. Drug Interaction Severity Change.....	139
12.4.1. Process Steps for Editing Case 1	140
12.5. Drug Interaction Severity Change.....	141
12.5.1. Process Steps for Editing Case 2.....	141
12.6. Remove Drug Pair from Interaction	142
12.6.1. Process Steps	142
12.7. Create Professional Monograph	142
12.7.1. Process Steps	143
13. Contact Us	144
14. Reports.....	145
14.1. Active Customization Reports	146
14.1.1. FDB Custom Dose Range Report	147
14.1.2. FDB Custom Drug-Drug Interaction Report	148
14.1.3. FDB Custom Duplicate Therapy Report	149
14.1.4. FDB Custom Professional Monograph Report	150
14.1.5. Deleted Monograph Customization Report.....	150
14.1.6. Null Drug Pairs Customization Report	151
14.2. FDB Comparison Reports	152
14.2.1. FDB Comparison Drug-Drug Interaction/Drug Pair Report.....	154
14.2.2. Structure of the FDB Comparison Report	157
14.2.3. FDB Comparison Duplicate Therapy Report	160
14.2.4. FDB Comparison Dose Range Report.....	162
15. Online Help	166
15.1. Accessing Online Help	167

List of Tables

Table 1: Acronyms and Abbreviations	4
Table 2: Build a Query Panel Fields	29
Table 3: Query Filters	32
Table 4: And/Or Example 1	33
Table 5: And/Or Example 2	33
Table 6: My Request History Columns	50
Table 7: My Request History Columns	56
Table 8: All Request Columns	59
Table 9: Customize Table Settings Columns	66
Table 10: Interactions for a Single Drug Report Fields	81
Table 11: DDI Fields	104
Table 12: Field Descriptions for Drug Pair Detail	107
Table 13: Drug Pair-related Information	113
Table 14: Drug Pair Fields	114
Table 15: Drug Pair Buttons	114
Table 16: Professional Monograph Fields	127
Table 17: Professional Monograph Buttons	128
Table 18: Forward and Reverse Professional Monograph Pairs	129
Table 19: Duplicate Therapy Detail Fields	131
Table 20: Duplicate Therapy Detail Buttons	132
Table 21: Dose Range Detail Fields	133
Table 22: Dose Range Detail Buttons	137
Table 23: FDB Comparison Drug-Drug Interaction/Drug Pair Report Fields	154
Table 24: FDB Comparison Drug-Drug Interaction/Drug Pair Report Fields	156
Table 25: FDB Interaction ID-Drug Pairs Fields	157
Table 26: FDB Comparison Report Row Fields	158
Table 27: FDB Comparison Report Statuses	158
Table 28: FDB Comparison Duplicate Therapy Report Fields	160
Table 29: FDB Comparison Dose Range Report	162

List of Figures

Figure 1: Logical Deployment Design for the PRE PECS Application	7
Figure 2: PECS High Level Deployment Design	8
Figure 3: Production Environment for PECS	9
Figure 4: PECS Customization Life Cycle	10
Figure 5: Action Statuses.....	11
Figure 6: Drug-Drug Interaction Relationship	14
Figure 7: IAM Single Sign-On Screen.....	16
Figure 8: PECS Help Window	17
Figure 9: PECS Help Window	17
Figure 10: PECS Tab Groups Displayed.....	18
Figure 11: Welcome Text and Update Information	19
Figure 12: PECS Tab Groups with “Go to Main Content” Link	19
Figure 13: Requestor Home Page	20
Figure 14: Advanced Query/Customization Window with Sample Data	21
Figure 15: Initial Easy Search Window	22
Figure 16: Drug-Drug Pair Lookup Window	23
Figure 17: List of Reports	24
Figure 18: Example of Contact Us Data	25
Figure 19: Custom Updates Tab for Release Manager	26
Figure 20: Administrator's Home Page	27
Figure 21: PECS Help Window	27
Figure 22: Advanced Query/Customization Tab	28
Figure 23: Advanced Query/Customization Footer Link	28
Figure 24: PECS Help Window	29
Figure 25: Advanced Query/Customization Build a Query Panel – New Query	29
Figure 26: Build a Query Concept Field	30
Figure 27: Query Data Field.....	30
Figure 28: Query Criteria Field Selection	31
Figure 29: Query Filter Field	31
Figure 30: Query Value Field	31

Figure 31: Query And/Or Option	31
Figure 32: Query Record Links for Details	32
Figure 33: Bad Query Value Error Message.....	34
Figure 34: Default Dose Range Query Window, with Default Dose Range Query	34
Figure 35: Results from Building a Dose Range Query with Default DRC Query	34
Figure 36: Running a Saved Query	36
Figure 37: Example Query Results	37
Figure 38: Sort Direction Indicator	37
Figure 39: Dragging a Column to a New Position	38
Figure 40: Re-positioned "Severity Level Code" Column.....	38
Figure 41: Exporting Query Button	38
Figure 42: Options Dialog Box for Exported Results.....	38
Figure 43: Exported Query Reporting Fields in the Excel Spreadsheet.....	39
Figure 44: Query Criteria Tab in the Exported Excel Spreadsheet	39
Figure 45: Export Query Line Limit Message	39
Figure 46: Generic Query Error	40
Figure 47: Open Blank Form Button	42
Figure 48: Record in Use	48
Figure 49: Record Recently Modified.....	48
Figure 50: Editing Time-Out Warning.....	48
Figure 51: Navigation Causing Loss of Changes Warning	49
Figure 52: Requestor's Home Page.....	50
Figure 53: My Request History	50
Figure 54: Home Tab Summary - Pre-Defined Query.....	51
Figure 55: Query Results	51
Figure 56: Approver's Home Page	55
Figure 57: My Request History	56
Figure 58: Home Tab Summary - Pre-Defined Query.....	57
Figure 59: Query Results	57
Figure 60: My Assigned Request for Review Example.....	57
Figure 61: Approver's List of Requests for Approval	58
Figure 62: Approver's List of Requests for Deletion.....	58

Figure 63: Approver's List of Unassigned Requests	59
Figure 64: Release Manager's Home Page	60
Figure 65: The Custom Update Tab	60
Figure 66: Custom Update Zip File	62
Figure 67: Custom Update Text File	62
Figure 68: Custom Drug-Drug Interaction Full Update File	63
Figure 69: Newly Created Update Files	63
Figure 70: Existing Custom Updates by Year and Month	64
Figure 71: Administrator's Home Page	65
Figure 72: The Administration Tab	65
Figure 73: The Customize Setting Panel	66
Figure 74: Customize Settings Example (Drug Pairs)	66
Figure 75: Example of Display in Query Column of Radio Button Choices	67
Figure 76: Example of Display in Details Column of Radio Button Choices	68
Figure 77: Example of Include In Reports Column of Radio Button Choices	68
Figure 78: Display Order List	69
Figure 79: Update User Roles Panel	69
Figure 80: User Roles Save Message	70
Figure 81: Update User Roles Option	71
Figure 82: List of User Roles	71
Figure 83: User Roles Save Message	71
Figure 84: Null Drug Pair Removal Button on Administration Tab	72
Figure 85: Null Drug Pair Removal Process Complete	72
Figure 86: Edit Content Option in the Contact Us Tab	73
Figure 87: Contact Us Edit Page	73
Figure 88: Save Button on the Contact Us Edit Page	73
Figure 89: Create Link Button on the Contact Us page	74
Figure 90: URL Field for an Email Address	74
Figure 91: Description Field for an Email Address	74
Figure 92: Target List	74
Figure 93: Completed Link Properties	74
Figure 94: Easy Search Results Page	76

Figure 95: Easy Search Query Selection Drop Down Menu	76
Figure 96: Select Information Type Panel	76
Figure 97: Search and Select Drugs Panel	77
Figure 98: Search Results	77
Figure 99: Easy Search Results for DDI with PM, Drugs Checked.....	78
Figure 100: DDIs Shown Applicable to Drugs Checked.....	78
Figure 101: The Professional Monograph Associated with the DDI/PM Easy Search	79
Figure 102: Duplicate Therapy Easy Search Results	79
Figure 103: Select Search Type Drop Down Menu.....	80
Figure 104: Select Information Types Radio Buttons	80
Figure 105: Search and Select Drugs.....	80
Figure 106: Excel Report for Drug Pair Interaction	81
Figure 107: Select Search Type Drop Down Menu.....	82
Figure 108: Drug Information Search Results	83
Figure 109: Dose Route Selection for a Selected Drug	83
Figure 110: Demographic Information	83
Figure 111: Dosing Information	84
Figure 112: Results for a Dose Range Easy Search	84
Figure 113: PECS Unable to Retrieve Dose Information Message.....	85
Figure 114: Easy Search DDI Record	86
Figure 115: Referenced PECS Record with Name Discrepancy	87
Figure 116: Drug Pair Descriptions and Severity Level Codes.....	88
Figure 117: Drug Pairs Matching the Query Display	88
Figure 118: Drug Pair Selection List	89
Figure 119: Interaction ID Link	89
Figure 120: VA and FDB Results to Export.....	89
Figure 121: Internet Explorer Download Screen.....	90
Figure 122: Drug Pair Tab of the Excel Exported Report	90
Figure 123: Criteria Tab of Excel Spreadsheet.....	90
Figure 124: Export Query Line Limit Message	91
Figure 125: FDB DDI Record	91
Figure 126: VA Custom DDI	92

Figure 127: Informational and Warning Messages	93
Figure 128: Example of a Detail Page	93
Figure 129: Use the Edit button to Modify Record Details	94
Figure 130: Print Page Button	94
Figure 131: Add Comment Button	95
Figure 132: Enter Comments Dialog Box	95
Figure 133: Example of Pre-Customization Comment History	95
Figure 134: VA Custom Record ID Links	96
Figure 135: VA Custom and FDB Record Links	96
Figure 136: History Button	97
Figure 137: Internet Explorer Download Dialog Box	97
Figure 138: Example of an Excel Report with Changed Data	97
Figure 139: At-a-Glance History Icon	98
Figure 140: On-Screen History Table from Icon	98
Figure 141: Detail Page of VA Customized DDI Top	99
Figure 142: Detail Page of VA Customized DDI Bottom.....	99
Figure 143: Multiple VA Custom DDIs to One FDB Record	100
Figure 144: FDB ID Record	101
Figure 145: Error for Duplicate Drug Pairs for One DDI	101
Figure 146: Error for Duplicate Drug Pairs in Reverse Order for One DDI	101
Figure 147: FDB DDI with a Customization and a Reverse Customization	102
Figure 148: Choosing the Reverse VA DDI Customization	102
Figure 149: Reverse FDB Interaction ID	103
Figure 150: The Drug Pair Detail Page – VA.....	106
Figure 151: Drug Pair Detail Page - FDB	106
Figure 152: Example of Informational Messages for Drug Pair Detail	107
Figure 153: Un-Customized FDB Drug Pair	109
Figure 154: FDB Drug-Drug Interaction without Customized Drug Pairs	110
Figure 155: Drug Pair Detail Page (Read Only)	110
Figure 156: FDB Drug Pair Message One.....	111
Figure 157: FDB Drug Pair Message Two.....	112
Figure 158: VA Customized Drug Pair	112

Figure 159: Drug Pair Customization Window	113
Figure 160: Drug Pair List Filters	115
Figure 161: Approved DDIs with Pending Drug Pairs on Home Page	116
Figure 162: My Assigned DDIs with Pending Drug Pairs List	116
Figure 163: DDIs with Needed Drug Pairs – Add with Drug Pairs Button	117
Figure 164: Assigned To: Drop-Down.....	117
Figure 165: Drug Pair Selection List	118
Figure 166: Large Group of Selected Drug Pair for Batch Update	119
Figure 167: Select Drug Pairs Source List	119
Figure 168: Range Selection of Routed Generic Drugs	120
Figure 169: Individual Selection of Routed Generic Drugs	120
Figure 170: Drug Pairs List Selection List	120
Figure 171: Drug Pairs List.....	120
Figure 172: Drug Pairs Button	121
Figure 173: Edit Button on the Drug Pair Customization Page	121
Figure 174: Drug Panel for Selecting Drug Pairs	121
Figure 175: Assigned To List	122
Figure 176: Buttons Available to Choose From.....	122
Figure 177: Link to Access 508-Compliant Drug Pair Selection Page	122
Figure 178: Routed Generic Drug List on 508-Compliant Page	123
Figure 179: Corresponding FDB Drug Pairs, 508-Compliant Page Top	124
Figure 180: Corresponding FDB Drug Pairs, 508-Compliant Page Bottom.....	124
Figure 181: Drug Pair List Filters	125
Figure 182: Professional Monograph Detail Top	126
Figure 183: Professional Monograph Detail Bottom	126
Figure 184: Forward/Reverse DDIs with Professional Monographs, Custom Update File Created by Release Manager	129
Figure 185: Duplicate Therapy Detail.....	130
Figure 186: Dose Range Detail Top	132
Figure 187: Dose Range Detail Bottom	133
Figure 188: Duplicate Therapy Modification	138
Figure 189: Creating a Professional Monograph	143

Figure 190: Contact Us Example	144
Figure 191: List of Reports	145
Figure 192: Sample Active Customization Report	146
Figure 193: Sample Custom Dose Range Report	147
Figure 194: Sample Custom DDI Report	148
Figure 195: Sample Custom Duplicate Therapy Report	149
Figure 196: Sample Custom Professional Monograph Report	150
Figure 197: Sample Deleted Monograph Report	150
Figure 198: Sample Drug Pairs Customization Report	151
Figure 199: Changed Data in Report	152
Figure 200: FDB Incremental Update Date Samples	153
Figure 201: DDI-DP FDB Comparison Report	155
Figure 202: FDB Interaction ID-Drug Pairs Tab	156
Figure 203: Sample FDB Comparison Report - Duplicate Therapy	157
Figure 204: FDB Incremental Updates	159
Figure 205: Report with No Differences.....	159
Figure 206: FDB Comparison Duplicate Therapy Report	160
Figure 207: FDB Incremental Update Dates	161
Figure 208: FDB Comparison Dose Range Report	162
Figure 209: PECS Online Help Window	166
Figure 210: The Help Tab	167
Figure 211: The Page Help Link.....	167
Figure 212: The Show Link	167

1. Introduction

The Pharmacy Enterprise Customization System (PECS) is a Graphical User Interface (GUI) application that currently allows the VA's Pharmacy Benefits Management (PBM) pharmacists and Automated Data Processing Application Coordinators (ADPACs) to customize the contents of the following five business concepts:

- Drug-Drug Interaction
- Drug Pair
- Duplicate Therapy
- Dose Range
- Professional Monograph

1.1. Purpose

The purpose of this user guide is to provide a general overview of the PECS application, as well as more detailed working information. It also provides reference material and task-based instructions for entering and approving Drug-Drug Interaction, Drug Pair, Duplicate Therapy, Dose Range, or Professional Monograph Customization Requests.

1.2. Overview

When a VA provider orders a drug for a patient (either through CPRS [Computerized Patient Record System] or VistA), the Medication Order Check Healthcare Application (MOCHA) performs order checks on that drug, and alerts the provider if the drug they are ordering has any of the following anomalies:

- Causes an interaction with other drugs the patient is taking
- Is in the same Therapeutic Class as other drugs the patient is taking
- Is prescribed in a dose that is incompatible with patient factors such as age, weight and Body Surface Area (BSA)

The drug information used as a basis for these order checks comes from a Commercial Off the Shelf (COTS) product provided by First Databank (FDB) called the Drug Information Framework (FDB-DIF).

Sometimes, the information provided by FDB is not optimal for the VA Providers or the Veteran community they serve. The primary purpose of the Pharmacy Enterprise Customization System (PECS) is to give Pharmacy Benefits Management (PBM) the ability to customize the drug information provided by FDB so the order checks and resulting alerts are based on drug information tailored specifically for the VA.

The major users of PECS are Pharmacy Benefits Management (PBM) personnel and the Automated Data Processing Application Coordinators (ADPACs) who will research and request the customization of FDB data. Once approved by the National Drug File (NDF) committee members, the changes made will affect all of the VA sites throughout the country to where the data is sent and used in the enhanced order check. The order check is used by VA physicians and

pharmacists to see if any serious drug conflicts occur with the patients' existing medication. It will also check for duplication of therapy of other prescribed drugs also taken by the VA patient.

The advantages to the VA for using PECS are as follows:

- All customizations will be performed at the National level to provide consistent order checks between facilities.
- Use of First Databank for drug interaction, duplicate therapy, and dosing data.
- More specificity in drug interaction order checks with the ability to include or exclude dose routes.
- More specificity in duplicate therapy order checks with FDB data.
- Weekly FDB updates with monthly customization updates.
- More frequent customization updates when needed.

1.3. Project References

This User Guide relies on the following documents, which can be found here:

http://vaww.REDACTED/projects/pre/PRE_IPT_Rev/PRE_IPT_Rev_PECS/Lists/PECS%20v50%20Review/AllItems.aspx

Note: Due to policy constraints, active links cannot be included in this document. Please copy and paste the URLs into your browser.

- PECS Requirements Specification Document (RSD)
- Pharmacy Reengineering (PRE) Configuration Management Plan (CMP)
- PECS Database Design Document
- PEPS Style Guide
- PECS Project Architecture Document
- PECS Interface Control Document
- PECS Production Operations Manual (POM)

1.3.1. Information

Note: Due to policy constraints, this document cannot support live links. Please copy and paste the links into your browser.

Project contacts for PD PRE PECS project are as follows:

- Office of Information & Technology (OIT) Product Development (PD) Program Manager
- OIT PD Project Manager PECS
- Business Sponsor/Stakeholder
- Business Subject Matter Expert (SME)/Lead Clinical Analyst

The current names of those serving these roles can be found in the organization chart for PD PRE: Be sure to look at the tab for PECS:

http://vaww.REDACTED/projects/pre/OverArchiving%20Documents/PRE_Organization_Chart_all%20tabs.pdf

These people can be contacted through the Global Address List (GAL).

1.3.2. Coordination

Any coordination activities that must occur will take place between the PBM group and their ADPACs. If something has to be escalated, the ADPACs will have specific procedures for each site.

1.3.3. Help Desk

Each site needs to use the help desk escalation that they normally use. Since each site is different, the only instructions for users are to go their ADPACs and to report issues.

See the Contact Us tab in the PECS Application for guidance.

1.4. Organization of the Manual

Introduction

An overview of the PECS system and this User Guide

System Summary

A more detailed description of the PECS system including a non-technical overview of the product design, data flow, and application access

Customization Information

Provides a brief overview of customizations and how they're created in PECS

Getting Started

Discusses logging into PECS and the organization of the application

PECS by Tab

PECS functions are organized into Tabs. PECS by Tab describes the tabs found in PECS

Using Advanced Query/Customization

Instruction on using Advanced Query/Customization feature

Working with Customization Requests

Instruction on how to create and process customization requests

User Roles and Tasks

Information on PECS User Roles and the functions they perform

Easy Search

Instruction on using the Easy Search feature

Drug Pair Lookup

Instruction on using the Drug Pair Lookup feature

Detail Pages

Description of the Detail Pages

Sample Modification Scenarios

Sample scenarios on why a record would be customized and the steps to make the customization

Contact Us

Information about the Contact Us page

Reports

Information about PECS Reports

1.5. Acronyms and Abbreviations

Acronyms and Abbreviations used in this document.

Table 1: Acronyms and Abbreviations

Term	Definition
ADPAC	Automated Data Processing Application Coordinator
AITC	Austin Information Technology Center
API	Application Program Interface
BSA	Body Surface Area
COTS	Commercial Off-the-Shelf
CPRS	Computerized Patient Record System
DATUP	Application that implements the FDB-DIF update business logic using the FDB Updater APIs to process the update file
FDB	First Databank
FDB-DIF	First Databank Drug Information Framework database
FTP	File Transfer Protocol
GCN	Generic Code Number
GUI	Graphical User Interface
J2EE	Java 2 Enterprise Edition
KAJEE	Kernel Authentication and Authorization for J2EE
NDF	National Drug File

Term	Definition
OIT/OI&T	Office of Information and Technology (verify which to use).
PBM	Pharmacy Benefits Management
PD	Product Development
PECS	Pharmacy Enterprise Customization System
PEPS	Pharmacy Enterprise Product System
PRE	Pharmacy Reengineering
RSD	Requirements Specification Document
SFTP	Secure File Transfer Protocol
URL	Uniform Resource Locator
VA	Department of Veterans Affairs
VAMC	VA Medical Center
VistA	Veterans Health Information Systems and Technology Architecture
VPN	Virtual Private Network

2. System Summary

The Pharmacy Enterprise Customization System (PECS) was born out of the need to support enhanced order checks. A decision was made to replace the home-grown order checking process, implemented in M, with a COTS product (FDB-DIF). However, the VA desired to be able to customize the drug information (such as drug interaction severity, monographs etc.) existing in FDB. PECS will satisfy this need, while adhering to stringent requirements intended to ensure patient safety.

The PECS application is designed with the following functionality:

- Allows customization of FDB data used in the enhanced order checking by National Drug File (NDF) Managers
- Provides access to GUI customization application by facility users to request custom changes
- Provides role based system accessibility
- Provides a report to list all customizations created to date compared against corresponding FDB standard reference data
- Provides a process to allow drug interaction information in VistA to be transferred to the custom tables
- Provides a process via Secure File Transfer Protocol (SFTP) to update from a national database to all local/regional instances of FDB standard and custom tables

PECS is developed to allow easy customization of FDB standard reference tables such as Duplicate Therapy, Dose Range, Drug-Drug Interaction, and Drug-Drug Interaction Professional Monograph, which are used in the enhanced order checking by the MOCHA system.

In more detail, PECS does the following:

- Allows users to customize the FDB standard reference tables used in the enhanced order checking that will be used by the Pharmacy Benefits Management (PBM) group, the Automated Data Processing Application Coordinators (ADPACs), and National Drug File (NDF) managers or designees to enter and update the custom table values.
- Allows users to do the following customizations:
 - A custom drug-drug interaction, and any important attributes for that interaction
 - Drug pairs associated with a custom drug-drug interaction
 - A custom Professional Monograph for a drug-drug interaction, including any important attributes
 - A custom duplication allowance value for a duplicate therapy class
 - Custom values for attributes associated with a custom dose range check table
- Provides a Searching capability for a user to see Drug-Drug Interaction, Duplicate Therapy, or Professional Monograph information separately or together, for chosen drugs.
- Provides the following reports:
 - History of custom changes for each of the five concepts
 - Exportable FDB or Custom Data - Individual query data can be exported from the five FDB-DIF or Custom tables. The available format is Excel
 - FDB Comparison Reports to compare incoming updated FDB data against VA customized data to help determine if the VA customized data needs to be modified
- Provides a process via SFTP to transfer Custom data from a National server to all local/regional instances servers.
- Leverages the existing FDB data loader utility at each site that is used to update the FDB-DIF databases.

Custom table content distribution involves using an automated utility, Data Update (DATUP). The distribution method supports the following data content scenarios:

- Only FDB standard reference table data.
- FDB standard reference table data and Custom table data.
- Only Custom table data.

Custom table content distribution supports both periodic and as-needed releases.

2.1. System Configuration

PECS is installed in two environments at the Austin Information Technology Center (AITC) in Austin, TX: Pre-Production and Production. The new PECS build, database changes (updates),

security patches, etc., are first applied to PECS Pre-Production and then on successful deployment promoted to PECS Production.

2.1.1. Deployment Design – PECS

Figure 1 shows the overview of the logical deployment design for the PRE PECS Application.

Application Server

The WebLogic Application Server 12.1.3 will host PRE PECS and its business services.

Data Base Server

The Database Server software is Oracle 11g running on Red Hat Linux Enterprise version RHEL6. It will host the Custom Table Staging database and FDB-DIF database.


Failover Server

The Failover Server will host both the BEA WebLogic Application Server and Oracle Database Server to provide redundancy.

IAM SSOi Interface

Identity and Access Management Single Sign On internal service used for PIV authentication.


Figure 1: Logical Deployment Design for the PRE PECS Application



2.1.2. Hardware/Software Components

The Hardware/Software components and deployment architecture of the Pre-Production and Production environments are the same. The PECS Application and database are kept in synchronization for both.


Figure 2: PECS High Level Deployment Design



2.1.3. Production Environment

Figure 3 shows the Production environment that will be supported, and the local networks to which they will be attached for Local VA Medical Centers (VAMC), where PECS users are located.

Figure 3: Production Environment for PECS




2.2. Data Flows

2.2.1. Process Flow

Figure 4 shows the life cycle of a customization change from the Requestor entry to the point the record is ready to be sent to the production FDB Drug Information Framework (DIF) custom table. The updates and changes are made and maintained in a Staging Table. Records are not extracted until the Release Manager submits approved changes. Records are then formatted and placed in a directory where they will be updated to production. The process that updates these records uses software named DATUP.


Figure 4: PECS Customization Life Cycle



2.2.2. Transaction Flow

Figure 5 depicts the Action Statuses of a record's transition from creation to approval.

Figure 5: Action Statuses



Action Statuses

This list displays the different Action Statuses a VA customized record may go through as it steps through the approval workflow within PECS. Note that only seven of the following eleven states are displayed in the user interface - in other words, some of this information is “behind-the-scenes.” It is included here for informational purposes only.

- **New** - A new customization request has been created. If a user has the appropriate authority, they may modify the request (Modified) to be completed at a later point. Then, if they have the proper authority, they may submit the request as reviewed (Reviewed).
- **Modified** - A user can make changes to their own New requests. The record will remain Modified until a user with the proper authority (Approver role) reviews the request and submits the request as Reviewed.
 - **Modified After Approve** - (*displays as Modified*) A user with the proper authority has requested a change in the Approved customization that requires another approval process.
 - **Modified After Delete** - (*displays as Modified*) A user with the proper authority has requested the deleted record be considered again for Approval with or without modifications. This requires another approval process.
- **Reviewed** - This is the first stage of approval. A user with the proper authority (Approver role) reviews the new or modified customization request and submits it as Reviewed. The approver may also reject or modify the request. Note that an approver can review their own requests but not approve them.
 - **Reviewed After Approve** - (*displays as Reviewed*) Modifications were made to an approved record. A user with the proper authority (Approver role) reviews the request and submits it as Reviewed. The Approver may also reject the request, in which case the record returns to the Approved state, or they may modify it.
 - **Reviewed After Delete** - (*displays as Reviewed*) Modifications were made to a deleted record. A user with the proper authority (Approver role) reviews the request and submits it as Reviewed. The Approver may also reject the request, in which case the record returns to Deleted state, or they may modify it.
- **Rejected** - The customization request is in a Rejected state. At this point the user may make changes, resubmit, or allow the customization to remain in Rejected state. All records that are rejected or not approved will remain in that state and will be available to the user for any future changes.
- **Approved** - This is the second stage of approval. A user with the proper authority (Approver role) who did *not* submit the request as Reviewed will review the record and may approve, reject, or modify the request.
- **Delete Reviewed** - The record remains active but a user with the proper authority (Approver role) has requested deletion of an existing approved customization.
- **Deleted** - A user in the Approver role who did *not* submit the request for Deletion may delete the customization. If an Approver confirms the deletion, the record will remain active for potential future modifications.

2.3. User Access Levels

The PECS application is accessible only by users signed directly into the VA network, or by users signed into the VA network via approved virtual private network (VPN) software. User authentication into the VA network is a precondition of PECS application access. Application authentication and authorization will be controlled by the VA two factor authentication (2FA) using IAM SSOi. Privileges are granted by PECS Administrators.

In order to log in to the application, each user must have a valid PIV card. At the SSOi login screen, users are prompted to login using their PIV or Windows credentials.

2.3.1. Identity Management

Access to PECS is a two-step process. Authentication is handled through the IAM SSOi service and user role-based authorization is handled within the PECS application. The roles (Requestor, Approver, Release Manager and Administrator) have a set of permissions within PECS that allow them to perform specific tasks. A PECS user can hold multiple roles and would have access to all the functions associated with each role. All VA users have the default Requestor role. The requests for other roles with more privilege must go to the PBM NDF Managers and the roles can be granted through the PECS UI.

2.3.2. Role Assignment

In addition to the PIV authentication, users must be assigned to roles by a PECS Administrator in User Roles. The exception is the Requestor role (the least-privileged access to PECS), which does not require specific assignment by an Administrator. See Update User Roles for additional information.

2.3.3. Role Descriptions for Identify Management

Following is a list of roles available within the application, and a description of what each role can do:

- Requestor: Creates Customization Requests.
- Approver: Creates Customization requests and Reviews and Approves Customization Requests created by other users
- Release Manager: Generates Custom Update Files; Reviews existing Custom Updates.
- Administrator: Grants/Removes User Role privileges; Updates Concepts Settings; Edits content on the Contact us page.


3. Customization Information

The Customization Information section describes the customizations that can be done through PECS.

3.1. Drug-Drug Interaction and Professional Monograph

Figure 6 displays how a Drug-Drug Interaction is tied to Drug Pairs and Professional Monographs: More information on Drug-Drug Interactions, Drug Pairs, and Professional Monographs is provided later in the manual.

Figure 6: Drug-Drug Interaction Relationship



FDB Drug-Drug interaction severity levels:

- 1 = Contraindicated
- 2 = Severe
- 3 = Moderate
- 9 = Undetermined severity – Alternate therapy

Within the VA system an FDB or VA Custom drug-drug interaction of severity level 1 will return a Critical order check and severity level 2 will return a Significant order check. Severity levels 3 and 9 will not return an order check.

Types of drug-drug interaction customizations include:

- Change in severity level
- Add or remove drug pairs
- Create drug interactions not found in FDB

Note: Due to the millions of possible drug pair combinations, you must be very specific on which two products are involved when reporting problems with the system.

3.2. Duplicate Therapy

The Duplicate Therapy concept allows you to specify the maximum number (0, 1, 2, 3, or 4) of duplicate therapy matches that can occur within a therapeutic class without creating an order check. A '0' duplicate allowance means only 1 medication from that therapeutic class can be on the patient profile without getting an order check (zero duplication). If a second drug from that class is added, then the provider gets the order check. If the allowance is '1', two drugs can be on the patient profile at once, the 3rd drug added would get the check (one duplication), etc.

The only type of Duplicate Therapy customization allowed is to increase or lower the duplicate therapy allowance for a therapeutic category.

3.3. Dose Range

A Dose Range is the allowable dosage of a drug based on a number of factors such as patient age, weight, and Dose Route. PECS allows you to modify the Dose Ranges included in the FDB-DIF product.

- Dosing is based on the GCN (Generic Code Number) Sequence Number (GCNSEQNO), a number specific to all drug products with the same generic ingredient(s), route of administration, drug strength(s) and dosage form.
- Dosing is age-specific for most products. FDB has dosing for neonatal, infant, adolescent, adult, and geriatric. All ages are by days, for example, 18 years x 365= 6570 days.
- FDB also has indication-specific dosing, and dosing type. Examples of dosing type are loading, maintenance, single, and initial.
- A typical product may have 30 or more dosing records when all variables are taken into consideration.
- The initial implementation of dosing order checks within VistA looks at the maximum single dose and daily dose range order checks using a common indicator.


4. Getting Started

The Getting Started section provides information that is essential for a user to get started with PECS.

4.1. Login

PECS requires the user to login to prevent unauthorized users from accessing the system and to establish identity for their actions within the application. Note that authentication is handled using the IAM SSOi service via PIV authentication. Authorization is handled using a number of roles for users (Requestor, Approver, Release Manager and Administrator) and each role has a set of permissions. All VA users have the default Requestor role. The roles with higher privileges can be granted through the PECS UI by the [PBM NDF Managers](#). To see the list, refer to the Identity Management section.

Figure 7: IAM Single Sign-On Screen




4.1.1. Logging into PECS

To login to PECS:


1. On the SSOi Login Screen, choose Sign in using VA PIV Card and enter PIN

Figure 8: PECS Help Window



2. After entering PIV credentials, PECS displays the Confidentiality Statement. You must agree to this statement to continue. Click Agree.

Figure 9: PECS Help Window



4.1.2. Authentication Explanation

Application authentication is controlled by VA two factor authentication (2FA) with PIV using the IAM SSOi system. On successful login, the system displays the PECS Home page.

4.2. Application Organization

PECS is organized into a set of tabs. Only tabs that are relevant to the users role are displayed; for example, a Requestor user will see different tabs than an Approver user.

Figure 10: PECS Tab Groups Displayed



All available tabs in PECS are listed below. Tab availability by user role and function will be discussed in more detail later in the User Guide.


- Home
- Advanced Query / Customization
- Easy Search
- Drug Pair Lookup
- Reports
- Help
- Contact Us
- Custom Updates
- Administration

See PECS by Tab for additional information.

4.2.1. Welcome and Update Information

The Welcome and Update Information section at the top of the Home page displays the current user's account name and the dates of the last FDB-DIF Update and the last Custom Update.

Figure 11: Welcome Text and Update Information



To Those Using Screen-Reading Assistive Technology

The window that displays the PECS tab groups also contains a link at the top, “Go to Main Content.” This link is for screen readers to jump directly to the main content of the selected tab and not read each and every tab every time a tab is selected.

Figure 12: PECS Tab Groups with “Go to Main Content” Link



4.2.2. General Page Structure and Navigation

All PECS application pages have certain features that provide information and help navigate the system.

Header

The PECS Header shows the Name of the current user and contains a Logout link for exiting the PECS application.

Tabs

The Tab row is used to access PECS functions.

Content

The tools (such as build a query) or content (such as a customization request) are displayed here.

Footer

The footer contains navigation links; this is a duplicate of the tabs. The application version is also displayed here.

4.2.3. Home Page

The Home Page is the first page that the user sees after logging into PECS, and is organized into panels containing specific information; only panels that are appropriate to the role of the current user are displayed. The Home page provides summary counts of the number of active customization records accessible to the current user. Additionally, it displays when the last update to the First Databank DIF database tables occurred and when the last customization update file was created.

5. PECS by Tab

Tabs provide the organization for the functions provided by PECS. This section provides an overview of the tabs and their functions. The tabs themselves are explained in more detail later in the user guide.

5.1. Home


The Home tab is available to the following type of PECS users:

- Requestor
- Approver
- Release Manager
- Administrator

The PECS Home tab is the first page you see after a successful login, and can be used to return to this page at any time. The appearance of the home tab is role-specific; what appears on the page is different depending on the role associated with your login credentials.

See the Home Page section in Getting Started for additional information, as well as the role-specific home page sections in User Roles and Tasks.

Figure 13: Requestor Home Page



5.2. Advanced Query/Customization

The Advanced Query/Customization tab is available to the following type of PECS users:

- Requestor
- Approver
- Release Manager
- Administrator

Searching for records is the one common task for all roles in PECS. It is done from the Advanced Query/Customization tab which is available to all users.

The Query Builder Panel on the Advanced Query/Customization page allows you to retrieve a specified set of records from the VA Custom Tables, the FDB standard tables, or both in order to perform research, make customizations, make customization changes, or export data. You can use it to create a new query, load a query you have previously saved, or load a query saved by another user.

Figure 14: Advanced Query/Customization Window with Sample Data

The screenshot displays the PECS (Pharmacy Enterprise Customization System) interface. At the top, it shows the United States Department of Veterans Affairs logo and the user's name, THREE_APPROVER. The main navigation bar includes links for Home, Advanced Query/Customization, Easy Search, Drug Pair Lookup, Reports, Contact Us, and Help. The current page is titled "Advanced Query/Customization" and features a "Build a Query" section. This section includes a "Select Concept" dropdown set to "Drug-Drug Interaction" and a "Select VA, FDB, or Both" dropdown set to "VA records". Below this, there are four rows of filter criteria, each with a "Fields" dropdown, a "Filter" dropdown, a "Value" text input, and an "And/Or" dropdown. The filters are: 1) Request Assigned To = UNASSIGNED (AND), 2) Action Status = Approved (AND), 3) Action Status = Deleted (AND), and 4) Action Status = Rejected (AND). A "Query" button is located at the bottom right of the filter section, and an "Include Historical Records" checkbox is at the bottom left.

For detailed information on Advanced Query/Customization, see Using Advanced Query/Customization.


5.3. Easy Search

The Easy Search tab is available to the following type of PECS users:

- Requestor
- Approver
- Release Manager
- Administrator

Easy Search provides a simple way to display commonly-requested PECS information. Easy Search differs from other methods for finding information in that the results are display-only; the records displayed as a result of an Easy Search query cannot be modified. However, in some cases, a link is provided to an editable version of the resulting records.

Figure 15: Initial Easy Search Window



For additional information, see Easy Search for additional information.

5.4. Drug Pair Lookup

The Drug Pair Lookup tab is available to the following type of PECS users:

- Requestor
- Approver
- Release Manager
- Administrator

The Drug Pair Lookup tab provides the ability to perform a quick search on the most common elements of a drug pair: Generic Drug Name A, Generic Drug Name B, Interaction, and the Severity Code.

Figure 16: Drug-Drug Pair Lookup Window

UNITED STATES
DEPARTMENT OF VETERANS AFFAIRS
PECS PHARMACY ENTERPRISE
CUSTOMIZATION SYSTEM

Welcome, FOUR_APPROVER | [Logout](#)

[Home](#) | [Advanced Query/Customization](#) | [Easy Search](#) | [Drug Pair Lookup](#) | [Reports](#) | [Contact Us](#) | [Help](#)

Drug Pair Lookup [Page Help](#)

The Drug Pair Lookup page allows users to search for VA custom drug pairs and FDB drug pairs based on the information provided in the form below. If you enter numeric values against DrugA, DrugB, Interaction and/or select a value for Severity Level Code, an exact match is performed. If you enter description values against Drug A, Drug B, and/or Interaction, records that contain the given description anywhere in the specified field will be returned.

To begin your search for drug pairs, complete any of the fields below. Note that at least one field must be specified.

Drug A (Generic):

Drug B (Generic):

Interaction:

Severity Level Code:

[Query](#)

[Home](#) | [Advanced Query/Customization](#) | [Easy Search](#) | [Drug Pair Lookup](#) | [Reports](#) | [Contact Us](#) | [Help](#)

PECS Software

For additional information, see Drug Pair Lookup.

5.5. Reports


The Reports tab is available to the following type of PECS users:

- Approver
- Administrator

Note to Assistive Technology Users:	Please refer to the documentation included with your screen reader for commands related to reading column and row headers.
--	--

The Reports tab displays a list of available reports in PECS.

Figure 17: List of Reports



There are two types of Reports:

- Active Customization Reports
- FDB Comparison Reports

Reports are generated in the form of Excel spreadsheets. To run a Report, click the associated link. For additional information, see Reports.

5.6. Contact Us


The Contact Us tab is available to the following type of PECS users:

- Requestor
- Approver
- Release Manager
- Administrator

The Contact Us page contains a list of PECS Project Contacts should you need additional information about the PECS product. The content of the Contact Us page is decided by users with the Administrator role. Contact Us may include links that allow you to send that person (or group) an email.

Note: Clicking the link opens your mail application and a new email message to the person specified in the properties of the link. This may produce a warning message. This is normal.

Figure 18: Example of Contact Us Data



The screenshot shows a 'Contact Us' page with a dark blue header. Below the header, there is a paragraph of text: 'For general questions or comments about PECS, please contact [PECS Product Manager - \(000\) 000-0000](#)'. Below this is another line: 'Contact the [PECS Workgroup](#)'. Underneath, there is a section titled 'Key Members:' followed by three lines of contact information: '[Clinical Pharmacist - \(999\) 888-7777](#)', '[Pharmacist Specialist - \(666\) 555-4444](#)', and '[PBM Lead - \(333\) 222-1111](#)'.

Note that the above example is only an example – it can be changed to display just about anything.

See Contact Us for additional information.


5.7. Custom Updates

The Custom Updates tab is available to the following type of PECS users:

- Release Manager

The Custom Updates tab is seen and used by a Release Manager to generate a zip file containing files for each Order Check in the FDB update file format. Both update files are created by clicking the "Create New Update" button.

Figure 19: Custom Updates Tab for Release Manager




5.8. Administration

The Administration tab is available to the following type of PECS users:

- Administrator

The Administration tab is used only by PECS users with Administrator privileges to perform specialized tasks such as modifying certain aspects of the PECS environment, adding or deleting Approver users, and removing Null Drug Pairs.

Figure 20: Administrator's Home Page



See Administrator for additional information.


5.9. Help

The Help tab is available to the following type of PECS users:

- Requestor
- Approver
- Release Manager
- Administrator

The Help tab launches the PECS Online Help System and displays the "front page" of the Help System. To get context-sensitive help, click the Page Help link on the page you need help with.

Figure 21: PECS Help Window



See Online Help for additional information.

6. Using Advanced Query/Customization

Searching for records is a task common to all PECS roles. Advanced Query/Customization is the most comprehensive way to find PECS records. Advanced Query/Customization can be used to find both VA customizations and FDB records so that they can then be customized.

6.1. Accessing the Advanced Query/Customization Page

Use the Query Builder (Build a Query) Panel on the Advanced Query/Customization page to retrieve a specified set of records from either the VA Custom Tables, the FDB standard tables, or both. This allows you to perform research, make customizations, change existing customization, or export data. In the Query Builder Pane, you can create new queries or load previously-saved queries (either yours or a query saved by another user).

There are three ways to display the Advanced Query/Customization page:

1. Click the Advanced Query/Customization tab on the navigation bar near the top of the page. This will open a blank query:

Figure 22: Advanced Query/Customization Tab



2. Click the Advanced Query/Customization link on the footer near the bottom of the page. This will open a blank query:

Figure 23: Advanced Query/Customization Footer Link



3. Click a link from one of the summary tables displayed on the Home tab. This will generate a query appropriate to the context of the link that was clicked. In the example below, a query displaying criteria to display the unassigned Drug-Drug Interaction records will be produced.

Figure 24: PECS Help Window

Unassigned Requests	
Concept	Unassigned
Drug-Drug Interaction	35
Professional Monograph	7
Duplicate Therapy	18
Dose Range	31
Approved Drug Drug Interactions With Pending Drug Pairs	2

6.2. Build a Query Panel

To build a new query first select a Concept (type of record) and the source for the record you want to find. The concepts are Drug-Drug Interaction, Drug Pair, Professional Monograph, Duplicate Therapy, and Dose Range.

Figure 25: Advanced Query/Customization Build a Query Panel – New Query

Advanced Query/Customization	
Build a Query	
Select Concept	<input type="text"/>
Select VA, FDB, or Both	<input type="text"/>

After selecting values for the Select Concept and Select VA, FDB, or Both fields, additional fields display, through which you can create your Query.

Table 2: Build a Query Panel Fields

Field Name	Definition
Fields	Select the field you want to query from the Fields list. The available fields are specific to the selected Concept.
Filter	Select a filter for the field from the Filter list (Contains, Equal To, etc.) See Query Filters for additional information.
Value	Enter search criteria in the Value field. Appropriate values are dictated by what was selected from the Fields list.
And/Or	Use the And/Or field to create complex queries by adding additional search criteria. If the query must meet multiple criteria, use AND; if a value from a list of criteria is acceptable, use OR. AND and OR can be combined when building the query. See And/Or Usage Example for additional information.
Query button	Click Query to run the query you have built or loaded
Add Default DRC Query button	Dose Range Queries Only: Adds two standard criteria (Concept Type = '6' and AGEHIGHINDAYS >= '6570) to the query. You should enter your specific criteria before clicking Add Default DRC Query.


Field Name	Definition
'Include Historical Records' checkbox	Select Include Historical Records to include inactive historical records in the Query results. Historical records can only be viewed not modified. A Historical Record is any previous version of a record.
'Clear Query' button	Click Clear Query to delete the current query; only the Concept Type and record source will remain.
'Query Name'	Enter a name for the current query if you want to save it. The name should be as descriptive as possible so that you (and other users) will understand what results the query will produce.
'Save Query' button	Click Save Query to save the current query for later use. If the Query Name field is blank, this button is inactive.

6.3. Create a Query

To create a query:


1. On the Advanced Query/Customization tab, select a Concept.

Figure 26: Build a Query Concept Field




2. Select the data you want to view – VA, FDB, or Both.

Figure 27: Query Data Field




3. In the "Enter a value to build a query" area, select the Field you want to use as a query criteria. The available field options will be determined by the Concept you selected earlier.

Figure 28: Query Criteria Field Selection



4. Select the Filter you want to impose on the Field. See Query Filters for additional information.

Figure 29: Query Filter Field




5. Enter a Value to use as your query criteria. The Value must be appropriate for the selected Field and Filter or an error message is displayed in the Results panel. See Query Specifics for additional information.

Figure 30: Query Value Field



6. To add additional criteria to the query, make a selection from the And/Or list.

Figure 31: Query And/Or Option



- AND indicates the results must match the new criteria and all the AND-connected criteria above it.
 - OR indicates that the results must match either the new criteria or the AND-connected criteria above it. See And/Or Usage Example for additional information.
7. To include Historical Records in the query, select the Include Historical Records check box.
 8. When all criteria have been added select the Query button. The results will display in the Results panel appropriate to the query being performed (VA or FDB).
 9. To see details of the record follow the link in the Select column. The links are either Active (current VA record), Historical (old version of an active VA record), or Open (FDB record).

Figure 32: Query Record Links for Details

Select	Concept Type	Concept ID Number	Concept ID D
Active	6	15532	BCG LIVE IN (SDV,MDV OF
Active	6	22222222	
Historical	6	476	NITROGLYC TABLET,SUB
Historical	6	1234	POTASSIUM BICARBONA CITRATE/CIT

6.3.1. Query Filters

The Advanced Query/Customization query function provides Filters that allow you to control what data is returned by the query. The filters are:

Table 3: Query Filters

Filter Name	Filter Function
Contains	The contents of the Value field appears somewhere in the database row of the Field being queried. Used primarily for fields containing text data. Contains is the default Filter option. Contains = "25" would match 25, 125, and 250, but not 205.
Equal To	The contents of the Value field exactly matches the contents of the database row of the Field being queried. "Equal To" = "25" would match 25, but not 125, 250, or 205.
Less than or Equal to	The contents of the Value field is less than or equal to the contents of the database row of the Field being queried.
Greater than or Equal to	The contents of the Value field is greater than or equal to the contents of the database row of the Field being queried.
Begins with	The contents of the database row of the Field being queried starts with the contents of the Value field.
Ends with	The contents of the database row of the Field being queried ends with the contents of the Value field.

Filter Name	Filter Function
Greater than	The contents of the Value field is greater than the contents database row of the Field being queried.
Less than	The contents of the Value field is less than the contents database row of the Field being queried.
Not equal to	The contents of the Value field does not exactly match the contents of the database row of the Field being queried.

6.3.2. And/Or Usage Examples

To see approved records with an interaction description equal to "anti" or "Lido", build the query as follows:

Table 4: And/Or Example 1

Field	Filter	Value	And/Or
Interaction description	Equals	anti	And
Status	Equals	approved	Or
Interaction description	Equals	Lido	And
Status	Equals	approved	

If you build the query below, you will get approved records with an interaction description = "anti", but you will get all records with an interaction description of "Lido", regardless of status.

Table 5: And/Or Example 2


Field	Filter	Value	And/Or
Interaction description	Equals	anti	And
Status	Equals	approved	Or
Interaction description	Equals	Lido	

6.3.3. Query Specifics

- Use the YYYY-MM-DD date format for searching date fields within a query
- Date values can only use the following filters
 - Equal to
 - Less than or Equal to
 - Greater than or Equal to
 - Greater than
 - Less than

If a value that is not appropriate for the selected Field and Filter, then an error message is displayed in the Results panel.

Figure 33: Bad Query Value Error Message



6.3.4. Add Default DRC Query

Queries on the Dose Range Concept (DRC) provide a special button that automatically adds predefined query criteria relevant to Dose Range records. These criteria can be used alone or in conjunction with other criteria you provide.

The predefined fields added when using the Add Default DRC Query button are:

- Concept type = 6
- AGEHIGHINDAYS >= (greater than or equal to) 6570 (18 years old)

To add these criteria to your query, click the Add Default DRC Query button.

Figure 34: Default Dose Range Query Window, with Default Dose Range Query




Figure 35: Results from Building a Dose Range Query with Default DRC Query

Select	Concept Type	Concept ID Number	Concept ID Description	Action Status	Age Low In Days
Active	6	63438	CALCIUM CARBONATE/MAGNESIUM OXIDE/CHOLECALCIFEROL (VIT D3) ORAL TABLET 400 MG-167 MG-133 UNIT	Delete Reviewed	30
Historical	6	63438	CALCIUM CARBONATE/MAGNESIUM OXIDE/CHOLECALCIFEROL (VIT D3) ORAL TABLET 400 MG-167 MG-133 UNIT	Approved	30
Historical	6	63438	CALCIUM CARBONATE/MAGNESIUM OXIDE/CHOLECALCIFEROL (VIT D3) ORAL TABLET 400 MG-167 MG-133 UNIT	Reviewed	30
Historical	6	63438	CALCIUM CARBONATE/MAGNESIUM OXIDE/CHOLECALCIFEROL (VIT D3) ORAL TABLET 400 MG-167 MG-133 UNIT	New	30

Select	Concept Type	Concept ID Number	Concept ID Description	Age Low In Days	HITTYPE
Open	5	1049183	MAGNESIUM CHLORIDE ORAL	6570	3
Open	5	1049183	MAGNESIUM CHLORIDE ORAL	23726	3
Open	5	1049183	MAGNESIUM CHLORIDE ORAL	4745	1
Open	5	1049183	MAGNESIUM CHLORIDE ORAL	4745	1
Open	5	1049183	MAGNESIUM CHLORIDE ORAL	0	1
Open	5	1049183	MAGNESIUM CHLORIDE ORAL	0	1
Open	5	1049183	MAGNESIUM CHLORIDE ORAL	180	1
Open	5	1049183	MAGNESIUM CHLORIDE ORAL	180	1
Open	5	1049183	MAGNESIUM CHLORIDE ORAL	365	1
Open	5	1049183	MAGNESIUM CHLORIDE ORAL	365	1
Open	5	1049183	MAGNESIUM CHLORIDE ORAL	1460	1
Open	5	1049183	MAGNESIUM CHLORIDE ORAL	1460	1
Open	5	1049183	MAGNESIUM CHLORIDE ORAL	3285	1
Open	5	1049183	MAGNESIUM CHLORIDE ORAL	3285	1

6.4. Save a Query

PECS allows you to save a complete query so that you and other PECS users can run a specific query without having to re-build it every time.

Note: The state of the Historical Records check box will not be saved with the query; if desired, it must be re-selected after the query is loaded at run-time.

To save a query:

1. Create and run a query in the Build a Query panel. See Build a Query Panel for additional information.
2. Enter a name for the query in the Query Name field. The name must contain at least five characters and cannot be longer than 64 characters.
3. Click Save Query.


6.5. Run a Saved Query

PECS allows you to run a previously saved query with the same Concept and content (VA, FDB, or Both). There are two types of saved queries: My Queries (those that you have saved) or Other Users' Queries (queries saved by other PECS users).

To run a saved query:

1. On the Advanced Query/Customization tab, select a Concept.
2. Select what data you want to view: VA, FDB, or Both.
3. In the Run a Saved Query sub-panel, select either My Queries or Other Users' Queries, then select the query you want to run.
4. Select the Load button. This will add the components of the saved query to the Build a Query panel.

Figure 36: Running a Saved Query



5. Select the Query button to run the query. You may also select additional criteria to alter or enhance the saved query.

6.6. Rename a Saved Query

A saved query can be renamed by loading it then adding a different name in the Query Name field.

To rename a saved query:

1. On the Advanced Query/Customization tab, select a Concept.
2. Select what data you want to view-- VA, FDB, or Both.
3. In the Run a Saved Query sub-panel, select My Queries, then select the query to be renamed; a saved query created by another user cannot be renamed.
4. Enter a new name into the Query Name field.
5. Select Save Query. The new query name will appear in the My Queries list in place of the original query.

6.7. Delete a Saved Query

You can delete queries you have created and saved. Note that the delete operation is immediate; you will not be warned that the query is about to be deleted and there is no undo option.

To delete a Saved Query:

1. On the Advanced Query/Customization tab, select a Concept.
2. Select what data you want to view-- VA, FDB, or Both.
3. In the Run a Saved Query sub-panel, select My Queries, then select the query to be deleted; a query created by another user cannot be deleted.
4. Select the Delete button to delete the query.

6.8. Query Results

The results of the query will appear in either one or two panels: VA Table Results or FDB Table Results, depending on the type of records being queried. The results can be re-ordered, sorted by specific criteria, and exported.

Figure 37: Example Query Results

VA Tables Results					
Select	Action Status	Interaction Description	Severity Level Code	Interaction ID	Monograph ID
Active	Deleted	VA Custom DIGOXIN/VERAPAMIL; MIBEFRADIL	1	2021253	212
Active	Approved	TIPRANAVIR/FLUCONAZOLE	2	2020253	2036

FDB Tables Results					
Select	Interaction Description	Severity Level Code	Interaction ID	Monograph ID	Clinical Effect Code 1
Open	QUINOLONES, ORAL/IRON SALTS, ORAL (MONO DELETED)	2	253	253	DEF
Open	VOLATILE ANESTHETIC AGENTS/ST. JOHN'S WORT	9	1253	1253	ARF
				2253	INF

6.8.1. Sort Query Results

You can change the sort order of results of your query by clicking on the column headings in the display grid. Clicking once will display the records in ascending order (A to Z, 1-2-3 etc.) based on the contents of the column of the header selected; clicking a second time display the records in descending order (Z to A, 3-2-1, etc.). A small arrow indicates the direction of the current sort and the primary sort field.

Figure 38: Sort Direction Indicator

Select	Action Status	Interaction Description	Severity Level
Active	Approved	TIPRANAVIR/FLUCONAZOLE	2
Active	Deleted	VA Custom DIGOXIN/VERAPAMIL; MIBEFRADIL	1

Sort Direction Indicator

For VA records, the default sort order is by 'Action Date', from newest to oldest. This puts the VA Customizations that have been updated most recently at the top of the returned list. By default, FDB records are displayed in the order they appeared in the update file sent by FDB. However, they can be re-sorted by clicking a column header.

Note: Due to technical database restrictions, not all fields can be used to determine the sort order. For example, Concept ID Description on a Dose Range query cannot be used to

sort the query results. Clicking these columns will have no result and the current sort order will be retained

6.8.2. Re-Order Results Columns

You can also move the columns in these tables and compare different fields side-by-side. Click the heading and drag and drop it:

Figure 39: Dragging a Column to a New Position

Action Status	Interaction Description	Severity Level Code
Approved	TIPRANAVIR/FLUCONAZOLE	2
Deleted	VA Custom DIGOXIN/VERAPAMIL; MIBEFRADIL	1

Figure 40: Re-positioned "Severity Level Code" Column

Action Status	Severity Level Code	Interaction Description
Approved	2	TIPRANAVIR/FLUCONAZOLE
Deleted	1	VA Custom DIGOXIN/VERAPAMIL; MIBEFRADIL

6.9. Export Query Results

You can export query results for both VA and FDB records to an Excel spreadsheet.

To export the query results:

1. On the appropriate query results panel, select the Export button.

Figure 41: Exporting Query Button

Select	Action Status	Interaction Description
Active	Deleted	VA Custom DIGOXIN/VERAPAMIL; MIBEFRADIL
Active	Approved	TIPRANAVIR/FLUCONAZOLE

2. Select one of the following options from the dialog box:
 - Open
 - Save
 - Cancel
3. Select Open to display the exported data in the spreadsheet; select Save to save a copy of the report to your system, or Cancel to abandon the export operation.

Figure 42: Options Dialog Box for Exported Results



4. The spreadsheet contains two tabs:
 - a. The [Name of Concept] tab (either VA or FDB) displays the results of the query.

Figure 43: Exported Query Reporting Fields in the Excel Spreadsheet

Record Type	Action Status	Interaction Description	Severity
Active	Deleted	VA Custom DIGOXIN/VERAPAMIL; MIBEFRADIL	1
Active	Approved	TIPRANAVIR/FLUCONAZOLE	2

- b. The Criteria tab displays the criteria used in the query.

Figure 44: Query Criteria Tab in the Exported Excel Spreadsheet

Query Criteria
from Drug-Drug Interaction where Interaction ID like 253

For Drug-Drug Interaction, Drug Pair, Professional Monograph, and Duplicate Therapy records, there is a 1,000,000 line limit for exporting to the spreadsheet; for Dose Range records, the limit is 100,000. If the query returned more than the allowable number of records and the records were submitted for export anyway, the Criteria tab on the report will give the following message: “The number of rows returned in the search (XXXXXX) is greater than the maximum number of rows that can be exported (YYYYYY).”


Figure 45: Export Query Line Limit Message

Query Criteria
from Drug Pair where Routed Generic #1 Description like as
The number of rows returned in the search (1,939,142) is greater than the maximum number of rows that can be exported (1,000,000)

6.10. Query Errors

After running a query an error message may appear in the Results panel. This is usually caused by one of the following:

Figure 46: Generic Query Error



6.10.1. Database Timeout (Too Many Results)

The database may timeout if the query produces too many results. If this error happens frequently, try re-writing the queries to be more specific, or add additional criteria that will limit the results when possible.

6.10.2. Inappropriate Value

Entering a value that is not appropriate for the selected Field and Filter will also produce an error message in the Results panel. For example Export Date > "Z" produces an error because "Z" is not a date value.

7. Working with Customization Requests

As suggested by the name of the application (Pharmacy Enterprise *Customization* System), customizations are the primary focus of PECS. The process of creating a customization may involve many steps, but the process is relatively simple. In its simplest, "happy path" form, the workflow consists of three steps:

1. Customization is Requested
2. Request is Reviewed
3. Request is Approved

7.1. Create a Customization Request

The process for creating a customization request varies with the concept type you are customizing. Customization requests can be made by either Requestor or Approver users.

7.1.1. Customize a Drug-Drug Interaction Record

Customizing a Drug-Drug Interaction record is more complicated than other record types in that Drug Pairs associated with the record must also be selected and customized.

To customize a Drug-Drug Interaction record:

1. Find the Drug-Drug Interaction record to be customized in the FDB database using Advanced Query/Customization. See Using Advanced Query/Customization for additional information.
2. Select the Open link next to the record to be customized.
3. Select the Edit button.
4. Make changes to the record. At minimum, text must be added into the Current Action Reason field.
5. Select Customize. The system will confirm that the customization request has been entered and will be reviewed, that the Drug Pairs have not been approved, or that no Drug Pairs have been associated.
6. Select the Drug Pairs button.
7. Associate one or more drug pairs with the customized Drug-Drug Interaction. See Drug Pair Customization (Non 508-Compliant) Detail for additional information.
8. All the components are now in place for the Drug-Drug Interaction record for review and approval.

7.1.2. Customize Other Record Types

Customizing Professional Monograph, Duplicate Therapy, and Dose Range records is relatively straight-forward; there are no associated records (as in Drug-Drug Interactions) that must be modified or selected.

To customize a Professional Monograph, Duplicate Therapy, or Dose Range record:

1. Find the record to be customized in the FDB database using Advanced Query/Customization. See Using Advanced Query/Customization for additional information.
2. Select the Open link next to the record to be customized.
3. Select the Edit button.
4. Make changes to the record. At minimum, text must be added into the Current Action Reason field.
5. Select Customize. The system will confirm that the customization request has been entered and will be reviewed.

7.1.3. Create Customization from a Blank Form

To create a new record use the Open Blank Form button. This method can be used to create new Drug-Drug Interaction, Professional Monograph, and Dose Range records. It cannot be used to create a Duplicate Therapy record.

Figure 47: Open Blank Form Button



To Create a New Record:

1. Perform an Advanced Query/Customization Query for the record type (Concept) on both VA and FDB Records you want to create.
2. Select the Open Blank Form button at the bottom of the page.
3. Complete the form with as much information as possible. Fields marked as Required must be completed before the record can be saved. Some record types (concepts) have other requirements that must be met before the record can be created. See New Record Requirements by Concept Type for additional information.

New Record Requirements by Concept Type

Some records have specific requirements for new records that are not indicated by the Required label.

Drug-Drug Interaction

For a completely new record, the interacting drugs must be separated by a forward slash (/) character.

Professional Monograph

Custom Professional Monographs can be associated with Drug-Drug Interactions once they are Approved.

Dose Range

The Concept Type can only be 6 and the Concept ID Number must correspond to an existing FDB record for Concept Type 6.

Duplicate Therapy

New Duplicate Therapy records *cannot* be created using this method. A new Duplicate Therapy customization must be made on the Advanced Query/Customization page.

Drug Pairs

New Drug Pair records *cannot* be created using this method. A new Drug Pair can be added by selecting routed generic drugs associated with a drug-drug interaction.

7.2. Modify Customization Requests

Customization requests can be modified at any time. If a required field is changed (other than Current Action Reason), the customization Action Status will change to Modified; non-required fields do not affect Action Status. Requestors can modify customizations they have requested, but cannot modify customizations requested by other users. Approvers can modify any record at any time. Release Managers and Administrator cannot modify customization requests.

Note: Although the Edit button will appear on customization requests for Release Managers and Administrators (and for Requestors viewing requests other than their own), there is no way to save any changes made.

The links on the Home page can be used to locate records for processing. See the User Roles and Tasks and/or Home Page sections for additional information.

To modify a customization request:

Note: See Section 7.7. Record Locking Feature for images and descriptions of the pop-up windows that may be encountered throughout the process of working with Customization Requests.

1. Select the Advanced Query/Customization tab.
2. Select a Concept to build a Query search using a VA record or FDB record (or both).
3. Select/enter a Field, Filter, and Value.
4. Run a Query search. The results table will be displayed.
5. Select the Active link associated with the record to be modified.
6. Select the Edit button.
7. Make changes to the record. At minimum, text must be added into the Current Action Reason field.
8. Select Modify to save the changes. Select Cancel Edit to abandon the changes and return to the detail page.

7.3. Review Customization Requests

Review is the second step to getting a customization Approved. A Review must be performed by an Approver. Approvers cannot Review customization requests they have created and cannot Approve customization requests they have Reviewed.

The links on the Home page can be used to locate records for processing. See the User Roles and Tasks and/or Home Page sections for additional information.

To Review a customization request:

Note: See Section 7.7. Record Locking Feature for images and descriptions of the pop-up windows that may be encountered throughout the process of working with Customization Requests.

1. Select the Advanced Query/Customization tab.
2. Select a Concept to build a Query search using a VA record or FDB record (or both).
3. Select/enter a Field, Filter, and Value.
4. Run a Query search. The results table will be displayed.
5. Select the Active link associated with the record to be reviewed.
6. Select the Edit button.
7. Review the customization request to be approved.
8. Select Submit as Reviewed to save the changes. Select Cancel Edit to abandon the review and return to the detail page.

7.4. Approve Customization Requests

An Approved customization request is considered valid and should be used in making decisions in veteran pharmaceutical care. Approved customization requests are included in the Custom Updates that are distributed to other pharmacy applications, and are used in Order Checks for veteran prescriptions.

Customization requests are Approved by Approvers. Approvers cannot Approve customization requests they Reviewed; they can Approve customization requests they created once they have been Reviewed by another Approver.

The links on the Home page can be used to locate records for processing. See the User Roles and Tasks and/or Home Page sections for additional information.

To Approve a customization request:

Note: See Section 7.7. Record Locking Feature for images and descriptions of the pop-up windows that may be encountered throughout the process of working with Customization Requests.

1. Select the Advanced Query/Customization tab.
2. Select a Concept to build a Query search using a VA record or FDB record (or both).
3. Select/enter a Field, Filter, and Value.
4. Run a Query search. The results table will be displayed.
5. Select the Active link associated with the record to be approved.
6. Select the Edit button.
7. Review the customization request to be approved.
8. Select Approve to save the changes. Select Cancel Edit to abandon the changes and return to the detail page.

7.5. Reject Customization Requests

Customization requests can be Rejected at all points of the Create/Review/Approve process. Customization requests are Rejected because they are thought to be invalid as written by either the Reviewer or Approver. Customization requests can also be Rejected by the user who initiated the customization request if they determine that request is no longer needed. Rejected customization requests can be modified and re-submitted for Review and Approval.

The links on the Home page can be used to locate records for processing. See the User Roles and Tasks and/or Home Page sections for additional information.

To Reject a customization request:

Note: See Section 7.7. Record Locking Feature for images and descriptions of the pop-up windows that may be encountered throughout the process of working with Customization Requests.

1. Select the Advanced Query/Customization tab.
2. Select a Concept to build a Query search using a VA record or FDB record (or both).
3. Select/enter a Field, Filter, and Value.
4. Run a Query search. The results table will be displayed.
5. Select the Active link associated with the record to be rejected.
6. Select the Edit button.
7. Review the customization request to be certain it is invalid and cannot continue in the Review/Approval process without modification.
8. Select Reject to save the changes. Select Cancel Edit to abandon the Reject process and return to the detail page.

7.6. Delete Customization Requests

If an Approved customization is no longer valid, and should not be used in Order Check decisions, it must be deleted. Deleting a customization request will not remove it from the PECS system, but will remove it from MOCHA during the next Custom Update. Deleted records can be edited and re-submitted for Review and Approval.

Deleting an Approved customization request is a two-step process. One user with Approver privileges must request that the record be deleted, and then a second user with Approver privileges must delete the record. At any time during this process, prior to actual deletion, the deletion request can be Rejected.

The links on the Home page can be used to locate records for processing. See the User Roles and Tasks and/or Home Page sections for additional information.

To Delete a Customization Request:

Note: See Section 7.7. Record Locking Feature for images and descriptions of the pop-up windows that may be encountered throughout the process of working with Customization Requests.

1. Select the Advanced Query/Customization tab.
2. Select a Concept to build a Query search using a VA record or FDB record (or both).
3. Select/enter a Field, Filter, and Value.
4. Run a Query search. The results table will be displayed.
5. Select the Active link associated with the record to be deleted.
6. Select the Edit button.
7. Review the content. Once satisfied that the customization request should be deleted write a brief explanation in the Current Action Reason field.
8. Select the Submit for Delete button.
9. A confirmation pop-up will appear. To continue the deletion process, select OK. This will change the Action Status to Delete Reviewed. Select Cancel to return to Edit mode.

Now another Approver can confirm the Delete Reviewed customization request for deletion, and complete the process.

To confirm a Delete Reviewed customization request for deletion:

1. Find the record to be deleted using Advanced Query/Customization or from the PECS Home page (in My Requests for Deletion).
2. Select the active link associated with the record to be deleted.
3. Select Edit.
4. Enter a comment for agreeing with the Request for Deletion.
5. Select Delete.
6. A confirmation pop-up will appear. To continue the deletion process, select OK. This will change the Action Status to Deleted. Select Cancel to return to Edit mode.

7.7. Record Locking Feature

7.7.1. Record in Use

Records from all five concept types (Drug-Drug Interaction, Drug Pairs, Professional Monograph, Dose Range, and Duplicate Therapy) can be edited only by a single user at a time. If more than one user attempts to edit the same record at the same time, then the user who entered the record first will have precedence and the subsequent users will receive a message that the record is in-use and cannot be edited at the current time.

Figure 48: Record in Use



7.7.2. Record Recently Modified

If an opened record has been modified by another user while in use, then PECS will send an alert message warning that the record has been modified and is no longer current. Select OK to load the modified record.


Figure 49: Record Recently Modified



7.7.3. Record Time-Out Lock

To prevent the record from being locked for an extended amount of time the lock will be automatically removed if no edits are made in two consecutive minutes. Select OK to continue editing the record.

Figure 50: Editing Time-Out Warning



7.7.4. Record Navigation

If a user navigates away from an un-saved record, then a warning dialog box will appear. Select Cancel to continue editing the page or Select OK to return to the read-only display.

Figure 51: Navigation Causing Loss of Changes Warning



8. User Roles and Tasks

PECS users have one of four roles within the application, each with specific tasks they perform.

- Requestor
- Approver
- Release Manager
- Administrator

8.1. Requestor

The primary task of a PECS Requestor is to create customization requests. The Requestor has limited privileges. They can only view and modify the customization requests that they created. The Requestor Home Page reflects this limited privilege.


A Requestor performs the following tasks related to customization requests:

- Create a Customization Request
- Modify Customization Requests

8.1.1. Requestor Home Page

The Home Page for the Requestor role only displays links to the customization requests made by the current user.

Figure 52: Requestor's Home Page



The following information is displayed on the Requestor Home tab:

- My Request History

8.1.2. My Request History: Requestor

My Request History displays customization requests created by the current user. The results are displayed by Action Status of the requests.

Figure 53: My Request History

Concept	New	Modified	Reviewed	Approved	Rejected	Deleted	All
Drug-Drug Interaction	35	6	2	1	2	2	48
Professional Monograph	2	0	1	1	1	2	7
Duplicate Therapy	3	1	6	1	1	1	13
Dose Range	6	4	3	1	1	0	15

The following table defines the columns found on the My Request History window.

Table 6: My Request History Columns

Column Name	Column Definition
New	The number of active records in the "New" status created by the current user.
Modified	The number of active records in the "Modified" status created by the current user.
Reviewed	The number of active records in the "Reviewed" and "Delete Reviewed" status created by the current user.
Approved	The number of active records in the "Approved" status created by the current user.

Column Name	Column Definition
Rejected	The number of active records in the "Rejected" status created by the current user.
Deleted	The number of active records in the "Deleted" status created by the current user.
All	The number of all active records in any status, created by the current user.

Following the links within the summary table opens pre-defined queries to provide details of the requests. For example, clicking the New - Professional Monograph link will display a query with the appropriate criteria and the query results: Concept = Professional Monograph, Request Submitted By = <current user>, Action Status = New.

Figure 54: Home Tab Summary - Pre-Defined Query

Figure 55: Query Results

VA Tables Results					
Select	Monograph Title	Monograph ID	Action Status	Action Date	Action Performed By
Active	Fentanyl/MAOIs va 6152 history	151700	New	2012-11-14 13:59:39	TFCU_APPROVER
Active	Dronedaron/Carbamazepine; Phenobarbital; Phenytoin	151126	New	2012-02-23 15:18:42	TFCU_APPROVER

8.1.3. Additional Tools Available to Requestors

In addition to the Home tab, Requestors see the following tabs on their Home page:

- Advanced Query/Customization – See Using Advanced Query/Customization for additional information.
- Easy Search – see Easy Search for additional information.
- Drug Pair Lookup – see Drug Pair Lookup for additional information.
- Contact Us – see Contact Us for additional information.
- Help – see Online Help for additional information.

8.2. Approver

The PECS Approver creates and processes customization requests. In addition to being able to request a customization themselves, they can also Review, Modify, Reject, Approve, and Delete customization requests made by other PECS users.

An Approver performs the following tasks related to customization requests:

- Create a Customization Request
- Modify Customization Requests

Customization requests can be modified at any time. If a required field is changed (other than Current Action Reason), the customization Action Status will change to Modified; non-required fields do not affect Action Status. Requestors can modify customizations they have requested, but cannot modify customizations requested by other users. Approvers can modify any record at any time. Release Managers and Administrator cannot modify customization requests.

Note: Although the Edit button will appear on customization requests for Release Managers and Administrators (and for Requestors viewing requests other than their own), there is no way to save any changes made.

The links on the Home page can be used to locate records for processing. See the User Roles and Tasks and/or Home Page sections for additional information.

To modify a customization request:

Note: See Section 7.7. Record Locking Feature for images and descriptions of the pop-up windows that may be encountered throughout the process of working with Customization Requests.

1. Select the Advanced Query/Customization tab.
 2. Select a Concept to build a Query search using a VA record or FDB record (or both).
 3. Select/enter a Field, Filter, and Value.
 4. Run a Query search. The results table will be displayed.
 5. Select the Active link associated with the record to be modified.
 6. Select the Edit button.
 7. Make changes to the record. At minimum, text must be added into the Current Action Reason field.
 8. Select Modify to save the changes. Select Cancel Edit to abandon the changes and return to the detail page.
- Review Customization Requests

Review is the second step to getting a customization Approved. A Review must be performed by an Approver. Approvers cannot Review customization requests they have created and cannot Approve customization requests they have Reviewed.

The links on the Home page can be used to locate records for processing. See the User Roles and Tasks and/or Home Page sections for additional information.

To Review a customization request:

Note: See Section 7.7. Record Locking Feature for images and descriptions of the pop-up windows that may be encountered throughout the process of working with Customization Requests.

1. Select the Advanced Query/Customization tab.
 2. Select a Concept to build a Query search using a VA record or FDB record (or both).
 3. Select/enter a Field, Filter, and Value.
 4. Run a Query search. The results table will be displayed.
 5. Select the Active link associated with the record to be reviewed.
 6. Select the Edit button.
 7. Review the customization request to be approved.
 8. Select Submit as Reviewed to save the changes. Select Cancel Edit to abandon the review and return to the detail page.
- Approve Customization Requests

An Approved customization request is considered valid and should be used in making decisions in veteran pharmaceutical care. Approved customization requests are included in the Custom Updates that are distributed to other pharmacy applications, and are used in Order Checks for veteran prescriptions.

Customization requests are Approved by Approvers. Approvers cannot Approve customization requests they Reviewed; they can Approve customization requests they created once they have been Reviewed by another Approver.

The links on the Home page can be used to locate records for processing. See the User Roles and Tasks and/or Home Page sections for additional information.

To Approve a customization request:

Note: See Section 7.7. Record Locking Feature for images and descriptions of the pop-up windows that may be encountered throughout the process of working with Customization Requests.

1. Select the Advanced Query/Customization tab.
 2. Select a Concept to build a Query search using a VA record or FDB record (or both).
 3. Select/enter a Field, Filter, and Value.
 4. Run a Query search. The results table will be displayed.
 5. Select the Active link associated with the record to be approved.
 6. Select the Edit button.
 7. Review the customization request to be approved.
 8. Select Approve to save the changes. Select Cancel Edit to abandon the changes and return to the detail page.
- Reject Customization Requests

Customization requests can be Rejected at all points of the Create/Review/Approve process. Customization requests are Rejected because they are thought to be invalid as written by either

the Reviewer or Approver. Customization requests can also be Rejected by the user who initiated the customization request if they determine that request is no longer needed. Rejected customization requests can be modified and re-submitted for Review and Approval.

The links on the Home page can be used to locate records for processing. See the User Roles and Tasks and/or Home Page sections for additional information.

To Reject a customization request:

Note: See Section 7.7.Record Locking Feature for images and descriptions of the pop-up windows that may be encountered throughout the process of working with Customization Requests.

1. Select the Advanced Query/Customization tab.
 2. Select a Concept to build a Query search using a VA record or FDB record (or both).
 3. Select/enter a Field, Filter, and Value.
 4. Run a Query search. The results table will be displayed.
 5. Select the Active link associated with the record to be rejected.
 6. Select the Edit button.
 7. Review the customization request to be certain it is invalid and cannot continue in the Review/Approval process without modification.
 8. Select Reject to save the changes. Select Cancel Edit to abandon the Reject process and return to the detail page.
- Delete Customization Requests

8.2.1. Approver Home Page

The Home Page for the Approver role displays links to customization requests in many different states:

- Customization requests made by the current user (My Request History: Approver)
- Customization requests made by other users that are assigned to the current user for review (My Assigned Requests for Review)
- Customization requests made by other users that are assigned to the current user for approval (My Assigned Requests for Approval)
- Customization requests made by other users that are assigned to the current user for deletion (My Assigned Requests for Deletion)
- Customization requests made by other users that are not currently assigned to an Approver (Unassigned Requests)
- Customization requests made by any user in any state (All Requests)

Figure 56: Approver's Home Page

UNITED STATES
DEPARTMENT OF VETERANS AFFAIRS

PECS

PHARMACY ENTERPRISE
CUSTOMIZATION SYSTEM

Welcome, TANG_APPROVER | [Logout](#)

[Home](#)
[Advanced Query/Customization](#)
[Easy Search](#)
[Drug Pair Lookup](#)
[Reports](#)
[Contact Us](#)
[Help](#)

Welcome TANG_APPROVER [Page Help](#)

Last update to First DataBank DIF database occurred on: 11-23-2012 version: 3.3
Last customization update file creation occurred on: 05-07-2013

My Request History

Concept	New	Modified	Reviewed	Approved	Rejected	Deleted	All
Drug-Drug Interaction	3	1	0	0	1	0	5
Professional Monograph	0	0	0	0	0	0	0
Duplicate Therapy	0	1	0	1	0	0	2
Dose Range	3	1	1	0	0	0	5

My Assigned Requests for Review

Concept	Awaiting Review
Drug-Drug Interaction	1
Professional Monograph	0
Duplicate Therapy	0
Dose Range	0
Approved Drug Drug Interactions With Pending Drug Pairs	0

My Assigned Requests for Approval

Concept	Awaiting Approval
Drug-Drug Interaction	0
Professional Monograph	0
Duplicate Therapy	0
Dose Range	0
Approved Drug Drug Interactions With Pending Drug Pairs	0

My Assigned Requests for Deletion

Concept	Awaiting Deletion
Drug-Drug Interaction	0
Professional Monograph	0
Duplicate Therapy	0
Dose Range	0
Approved Drug Drug Interactions With Pending Drug Pairs	0

Unassigned Requests

Concept	Unassigned
Drug-Drug Interaction	53
Professional Monograph	14
Duplicate Therapy	22
Dose Range	54
Approved Drug Drug Interactions With Pending Drug Pairs	4

All Requests

Concept	New	Modified	Reviewed	Approved	Rejected	Deleted	All
Drug-Drug Interaction	43	27	13	830	84	157	954
Professional Monograph	7	5	10	28	4	12	77
Duplicate Therapy	8	10	18	8	1	15	58
Dose Range	42	7	15	70	4	13	151

[Home](#)
[Advanced Query/Customization](#)
[Easy Search](#)
[Drug Pair Lookup](#)
[Reports](#)
[Contact Us](#)
[Help](#)

PECS Software Version: 4.0.00.8058

8.2.2. My Request History: Approver

My Request History displays active customization records created by the current user (Requestor and Approver roles only). The results will be broken down into numbers of active records, created by the current user by the following Action Statuses: New, Modified, Reviewed, Approved, Rejected, Deleted and All.

Figure 57: My Request History

My Request History							
Concept	New	Modified	Reviewed	Approved	Rejected	Deleted	All
Drug-Drug Interaction	35	6	2	1	2	2	48
Professional Monograph	2	0	1	1	1	2	7
Duplicate Therapy	3	1	6	1	1	1	13
Dose Range	6	4	3	1	1	0	15

The following table defines the columns found on the My Request History window.

Table 7: My Request History Columns

Column Name	Column Definition
New	The number of active records in the "New" status created by the current user.
Modified	The number of active records in the "Modified" status created by the current user.
Reviewed	The number of active records in the "Reviewed" and "Delete Reviewed" status created by the current user.
Approved	The number of active records in the "Approved" status created by the current user.
Rejected	The number of active records in the "Rejected" status created by the current user.
Deleted	The number of active records in the "Deleted" status created by the current user.
All	The number of all active records in any status, created by the current user.

Following the links within the summary table opens pre-defined queries to provide details of the requests. For example, clicking the New - Professional Monograph link will display a query with the appropriate criteria and the query results: Concept = Professional Monograph, Request Submitted By = <current user>, Action Status = New.

Figure 58: Home Tab Summary - Pre-Defined Query

Advanced Query/Customization

Build a Query

Select Concept: Professional Monograph | Select VA, FDB, or Both: VA records

Enter a value to build a query

Fields: Request Submitted By | Filter: Equal to | Value: TFCLOFFICER | And/Or: AND

Fields: Action Status | Filter: Equal to | Value: New | And/Or: | Query

Include Historical Records

Query Name:

[Save Query](#) [Clear Query](#)

Figure 59: Query Results

VA Tables Results

[Export](#)

Select	Monograph Title	Monograph ID	Action Status	Action Date	Action Performed By
Active	Fentanyl/MAOIs via 6152 history	151700	New	2012-11-14 13:59:39	TFCLOFFICER
Active	Dronedaronel/Carbamazepine; Phenobarbital; Phenytoin	151126	New	2012-02-23 15:18:42	TFCLOFFICER

8.2.3. My Assigned Requests for Review

My Assigned Requests for Review are active customization records assigned to the current user to be reviewed. The Awaiting Review count is the number of records that are in the "New" or "Modified" status, that have been assigned to the current user for review. To see the records, select the corresponding link.

Figure 60: My Assigned Request for Review Example

My Assigned Requests for Review

Concept	Awaiting Review
Drug-Drug Interaction	2
Professional Monograph	0
Duplicate Therapy	0
Dose Range	0
Approved Drug Drug Interactions With Pending Drug Pairs	1

8.2.4. My Assigned Requests for Approval

My Assigned Requests for Approval are active customization records assigned to the current user to be approved. These records have been reviewed by another Approver. To see the records, select the corresponding link.

Figure 61: Approver's List of Requests for Approval

My Assigned Requests for Approval	
Concept	Awaiting Approval
Drug-Drug Interaction	2
Professional Monograph	1
Duplicate Therapy	2
Dose Range	1
Approved Drug Drug Interactions With Pending Drug Pairs	0

8.2.5. My Assigned Requests for Deletion

My Assigned Requests for Deletion are active customization records assigned to the logged in user to be deleted. The records have been "delete reviewed" by another "Approver" in the system. To see the records, select the corresponding link.

Figure 62: Approver's List of Requests for Deletion

My Assigned Requests for Deletion	
Concept	Awaiting Deletion
Drug-Drug Interaction	0
Professional Monograph	1
Duplicate Therapy	1
Dose Range	1
Approved Drug Drug Interactions With Pending Drug Pairs	0

8.2.6. Unassigned Requests

Unassigned Requests are either New, Modified, or Reviewed customization requests that have not been assigned to any user. To see the records, select the corresponding link.

Figure 63: Approver's List of Unassigned Requests

Unassigned Requests	
Concept	Unassigned
Drug-Drug Interaction	90
Professional Monograph	28
Duplicate Therapy	27
Dose Range	38
Approved Drug Drug Interactions With Pending Drug Pairs	9

8.2.7. All Requests

All Requests displays all customization requests currently in the system by Action Status. The result detail will display the active records associated with the selected custom table summary.

The categories are:

Table 8: All Request Columns

Column Name	Column Definition
New	The number of active records in the "New" status.
Modified	The number of active records in the "Modified" status.
Reviewed	The number of active records in the "Reviewed" and "Delete Reviewed" status.
Approved	The number of active records in the "Approved" status.
Rejected	The number of active records in the "Rejected" status.
Deleted	The number of active records in the "Deleted" status.
All	The number of all active records in any status.

8.2.8. Additional Tools Available to Approvers

In addition to the Home tab, Approvers see the following tabs on their Home page:

- Advanced Query/Customization – See Using Advanced Query/Customization for additional information.
- Easy Search – see Easy Search for additional information.
- Drug Pair Lookup – see Drug Pair Lookup for additional information.
- Reports – see Reports for additional information.

- Contact Us – see Contact Us for additional information.
- Help – see Online Help for additional information.

8.3. Release Manager

The primary task of a PECS Release Manager is to create Custom Updates. Since they are not directly involved in the creation or processing of customization requests, the customization-related panels that appeared on the Requestor and Approver Home Pages do not appear on the Release Manager Home page.

Custom Updates are created at the instruction of the PECS Administrator and/or the National Drug File (NDF) Support Group. Once the Custom Update has been created, the Release Manager should send an Outlook email to the PECS Administrators.

8.3.1. Release Manager Home Page

The Home Page for the Release Manager does not display links associated with customization requests.


Figure 64: Release Manager's Home Page



8.3.2. Custom Update Tab

The Custom Update tab contains the Release Manager-specific functions and is available only to PECS Release Managers.

Figure 65: The Custom Update Tab



8.3.3. Custom Update Overview

A Custom Update is a set of files that:

- Transmit Approved customization requests to MOCHA (via DATUP) so that the customizations can be used in Order Check decisions.
- Transmit Deleted customization requests so that previously approved customizations can be removed from the MOCHA Order Check decision process
- Transmit updates received from FDB

8.3.4. Update Files Explained

A Custom Update produces two files. The Full Custom Update includes the entire FDB data distribution. The Incremental Update file contains updates from FDB to their database, as well as Approved and Deleted customizations from PECS. These updates will be incorporated in the national and regional databases for use in order check decisions (MOCHA).

Custom Update files use the following file naming standard:

CstmUpdFile_{FDB Version}_{PECS Generated Version Number}_{Date/Time Stamp}.zip

For example, the CstmUpdFile_3.2.751_20120503154622.zip has an FDB Version number of "3.2," a PECS-generated Version Number of "751," and was created on May 3, 2012 at 15:46:22 (military time). The contents of the zip file will determine if this is an Incremental or a Full update.

Incremental Update File

The Incremental Update File contains just the updates delivered by FDB and Approved and Deleted customizations from PECS. The custom zip file contains a proddefinition.xml, FDBPRODCONTROL.DAT and several data files that have an extension of UPD.

Figure 68: Custom Drug-Drug Interaction Full Update File

```

1048627|1050000|2004892|1|VA| |||
1050000|1048627|2004892|2|VA| |||
1048627|1050001|2004892|1|VA| |||
1050001|1048627|2004892|2|VA| |||
1048627|1050014|2004892|1|VA| |||
1050014|1048627|2004892|2|VA| |||
1048627|1050015|2004892|1|VA| |||
1050015|1048627|2004892|2|VA| |||
1048627|1052651|2004892|1|VA| |||
1052651|1048627|2004892|2|VA| |||
1048627|23070090|2004892|1|VA| |||
23070090|1048627|2004892|2|VA| |||

```

8.3.5. Create a Custom Update

Note: Custom Updates can be only be created by Release Managers

To create a Custom Update:

1. Select the Custom Updates tab:
2. Select Create New Update:
3. After processing, the two new update files will appear in the list.

Figure 69: Newly Created Update Files

Select	Created Date	Version Comment
Download	04-13-2012	Incremental Update File Version: 3.2.712, Created by: THREE_CUSTOM
Download	04-13-2012	Full Update File Version: 3.2.713, Created by: THREE_CUSTOM
Download	04-11-2012	Incremental Update File Version: 3.2.710, Created by: THREE_CUSTOM
Download	04-11-2012	Full Update File Version: 3.2.711, Created by: THREE_CUSTOM

4. Verify today’s date in Created Date column. The dates in the Created Date column should match the current date.
5. If an error message is received, report it to PECS Administrator. See Contact Us for additional information.

8.3.6. Review Custom Update History

The existing Custom Updates are organized by Year and Month. Select the Year to display the months containing custom updates for that year, then click a month to display the custom updates performed during that month. The custom updates for more than one month can be displayed simultaneously. Selecting a month for a second time will collapse (hide) the custom updates for that month.

Figure 70: Existing Custom Updates by Year and Month

2015	
March February	
Created Date	Version Comment
2015-02-27 13:01:06.426	Full Update File Version: 3.3.1325, Created by: THREE_CUSTOM
2015-02-27 13:01:04.426	Incremental Update File Version: 3.3.1324, Created by: THREE_CUSTOM
2015-02-26 15:43:59.589	Full Update File Version: 3.3.1323, Created by: THREE_CUSTOM
2015-02-26 15:43:57.869	Incremental Update File Version: 3.3.1322, Created by: THREE_CUSTOM
2015-02-20 15:45:47.502	Full Update File Version: 3.3.1307, Created by: THREE_CUSTOM
2015-02-20 15:45:45.819	Incremental Update File Version: 3.3.1306, Created by: THREE_CUSTOM
2015-02-19 14:51:32.186	Full Update File Version: 3.3.1305, Created by: THREE_CUSTOM
2015-02-19 14:51:30.802	Incremental Update File Version: 3.3.1304, Created by: THREE_CUSTOM
2015-02-19 14:21:03.676	Full Update File Version: 3.3.1303, Created by: THREE_CUSTOM
2015-02-19 14:21:01.64	Incremental Update File Version: 3.3.1302, Created by: THREE_CUSTOM
2014	
2013	
December November October August July June January	
Created Date	Version Comment
2013-01-22 00:00:00.0	Full Update File Version: 3.2.909, Created by: THREE_CUSTOM
2013-01-22 00:00:00.0	Incremental Update File Version: 3.2.908, Created by: THREE_CUSTOM
2012	
2011	
2010	
2009	

8.3.7. Additional Tools Available to Release Managers

In addition to the Home tab and Custom Updates, Release Managers role see the following tabs on their Home page:

- Advanced Query/Customization – See Using Advanced Query/Customization for additional information.
- Contact Us – See Contact Us for additional information.
- Help – See Online Help for additional information.

8.4. Administrator

The PECS Administrator performs limited maintenance on the PECS system through the Administration tab. The administrator can modify the page display for the PECS records (both FDB and VA). Demote existing Approvers, remove Null Drug Pairs, and change what is displayed on the Contact Us page. The Administration tab is displayed only to Administrator users.

Since they are not directly involved in the creation or processing of customization requests, the customization-related panels that appeared on the Requestor and Approver Home Pages do not appear on the Administrator Home page.

The unique tasks performed by an Administrator are:

- Customize Settings
- Change Field Display Order
- Null Drug Pair Removal Process
- Editing Contact Us

Most Administrator functions are performed on the Administration tab. Editing the Contact Us page occurs on the Contact Us page itself.

8.4.1. Administrator Home Page

The Home Page for the Administrator does not display links associated with customization requests.

Figure 71: Administrator's Home Page

Concept	New	Modified	Reviewed	Approved	Rejected	Deleted	All
Drug-Drug Interaction	0	0	0	1	0	0	1
Professional Monograph	0	0	0	0	0	0	0
Duplicate Therapy	0	0	0	0	0	0	0

8.4.2. Administration Tab

The Administration tab contains most of the Administrator-specific functions and is available only to PECS Administrators.

Figure 72: The Administration Tab

Administration

Customize Settings

[Duplicate Therapy](#)
[Dose Range](#)
[Drug-Drug Interaction](#)
[Drug Pair](#)
[Professional Monograph](#)

User Roles

[Update User Roles](#)

Remove Null Drug Pairs

Click the button below to initiate the Null Drug Pair Removal process.

[Null Drug Pair Removal](#)

8.4.3. Customize Settings

The Customize Settings panel allows Administrators to change the label name for the Field (Display Name), and whether the field should appear in Queries, Detail Pages, and Reports. It also allows the administrator to change the order of the individual fields that are displayed on their respective pages.

To access Customize Settings:

1. Log in as an Administrator.

2. Select the Administration tab.
3. Select the appropriate concept to change the way data appears in relation to that concept.

Figure 73: The Customize Setting Panel



Customize Settings Table Description

There are currently five Customize Settings pages, one for each concept: Drug Pair, Drug-Drug Interaction, Dose Range, Duplicate Therapy and Professional Monograph.

Table 9: Customize Table Settings Columns

Column	Description
Name	Name is the database field name for items displayed for the selected concept. Name cannot be changed; it identifies the field in the database table.
Display Name	Display Name is what appears within PECS for the field defined by the entry in the Name column. The contents of Display Name will appear in query selection, data entry field and reports for the selected table.
Display in Query	Display in Query allows you to set if the field will be displayed in the Advance Query/Customization results tables. Some fields are required and cannot be turned off.
Display in Details	Display in Details allows you to set if the field will be displayed on the Detail page of the selected concept.
Include in Reports	Include in Reports allows you to set if the field will be displayed in any applicable reports.
Display Order	A numeric value designating the order the field will be displayed in.

Warning: Changes made on the Settings page will affect all PECS users. Please proceed cautiously.

Figure 74: Customize Settings Example (Drug Pairs)

The screenshot shows a web interface titled 'Customize Drug Pair Settings' with a 'Page Help' link. It contains a table with the following data:

Name	Display Name	Display in Query	Display in Details	Include in Reports	Display Order
RTGENID1_DESC	Routed Generic #1 Des	True <input checked="" type="radio"/> False <input type="radio"/>	True <input type="radio"/> False <input checked="" type="radio"/>	True <input type="radio"/> False <input checked="" type="radio"/>	1 <input type="text"/>
RTGENID2_DESC	Routed Generic #2 Des	True <input checked="" type="radio"/> False <input type="radio"/>	True <input type="radio"/> False <input checked="" type="radio"/>	True <input type="radio"/> False <input checked="" type="radio"/>	2 <input type="text"/>
INTERACTIONID_DESC	Interaction Description	True <input checked="" type="radio"/> False <input type="radio"/>	True <input checked="" type="radio"/> False <input type="radio"/>	True <input type="radio"/> False <input checked="" type="radio"/>	3 <input type="text"/>
SEVERITYLEVELCODE	Severity Level Code	True <input checked="" type="radio"/> False <input type="radio"/>	True <input type="radio"/> False <input checked="" type="radio"/>	True <input type="radio"/> False <input checked="" type="radio"/>	5 <input type="text"/>
ACTION_STATUS	Action Status	True <input checked="" type="radio"/> False <input type="radio"/>	True <input checked="" type="radio"/> False <input type="radio"/>	True <input checked="" type="radio"/> False <input type="radio"/>	6 <input type="text"/>

Change Field Display Name

To change how the name of a field is displayed on the page, modify the contents of the Display Name field.

1. In the Customize <Concept> List, find the name of the database field to be changed.
2. Modify the contents of the field in the Display Name column.
3. Repeat the process as necessary.
4. Select Save to save the changes, select Cancel to abandon the changes and return to the Settings page.

Note: Cancel is immediate. There is no warning that the changes will be lost.

Add/Remove Field from Query Options

To add (or remove) a field from Query options

1. In the Customize <Concept> List, find the name of the database field to be changed.
2. In the Display in Query column, select True to display the field in Query options, select False to prevent the field from displaying in Query options.

Note: Display in Query" options are not available for all fields; some fields are explicitly required to be displayed in the Query options while others are forbidden from being displayed. In these cases, the required display option (True or False) will be the only options displayed and cannot be changed.

Figure 75: Example of Display in Query Column of Radio Button Choices

Display In Query	
True	<input checked="" type="radio"/>
False	<input type="radio"/>
True	<input checked="" type="radio"/>
True	<input checked="" type="radio"/>
True	<input checked="" type="radio"/>
False	<input type="radio"/>
True	<input type="radio"/>
False	<input checked="" type="radio"/>
True	<input checked="" type="radio"/>
False	<input type="radio"/>
True	<input checked="" type="radio"/>
False	<input type="radio"/>
False	<input checked="" type="radio"/>
True	<input checked="" type="radio"/>
False	<input type="radio"/>
True	<input type="radio"/>
False	<input checked="" type="radio"/>

The diagram illustrates the 'Display In Query' column with various radio button options. Three callouts highlight specific cases: 'Must appear in Query' points to a 'True' option that is selected; 'Select Query Display Option' points to a 'False' option that is selected; and 'Cannot be added to Query' points to a 'False' option that is selected, indicating that for some fields, only one option is available.

3. Repeat the process as necessary.

4. Select Save to save the changes, select Cancel to abandon the changes and return to the Settings page.

Note: Cancel is immediate. There is no warning that the changes will be lost.

Add/Remove Field from Detail Pages

To add (or remove) a field from Detail pages

1. In the Customize <Concept> List, find the name of the database field you want to change.
2. In the Display in Detail column, select True to display the field on the concept Detail page, select False to prevent the field from displaying on the concept Detail page.

Figure 76: Example of Display in Details Column of Radio Button Choices

Display In Details	
True	<input checked="" type="radio"/>
False	<input type="radio"/>
True	<input type="radio"/>
False	<input checked="" type="radio"/>
True	<input checked="" type="radio"/>
False	<input type="radio"/>

3. Repeat the process as necessary.
4. Select Save to save the changes, select Cancel to abandon the changes and return to the Settings page.

Note: Cancel is immediate. There is no warning that the changes will be lost.

Add/Remove Field from Reports

To add (or remove) a field from Reports

1. In the Customize <Concept> List, find the name of the database field you want to change.
2. In the Include in Reports column, select True to display the field on concept-related reports, select False to prevent the field from displaying on the concept-related reports.

Figure 77: Example of Include In Reports Column of Radio Button Choices

Include In Reports	
True	<input checked="" type="radio"/>
False	<input type="radio"/>
True	<input type="radio"/>
False	<input checked="" type="radio"/>
True	<input checked="" type="radio"/>
False	<input type="radio"/>

3. Repeat the process as necessary.
4. Select Save to save the changes, select Cancel to abandon the changes and return to the Settings page.

Note: Cancel is immediate. There is no warning that the changes will be lost.

8.4.4. Change Field Display Order

To change the order that the fields appear in Detail pages and drop-down lists, change the adjacent number in the Display Order field. Note that changing the Display Order is an entirely manual process; each field must be changed individually and the order is not validated in any way. Multiple fields can have the same display order.

When all changes are complete, Select Save, select Cancel to abandon the changes and return to the Settings page.

Figure 78: Display Order List

Display Order
1
5
4
3
2

8.4.5. Update User Roles

PECS Administrators can add PECS users and modify the roles of existing users. By default, PECS users are assigned Requestor privileges. Once added, the user privileges can be elevated to Approver, Release Manager, and Administrator by an Administrator through the User Roles page. Privileges can also be removed from a user at any time.

Note: Release Manager or Approvers should immediately be assigned the appropriate roles to avoid giving them access to inappropriate privileges (creating customizations).

Figure 79: Update User Roles Panel

The screenshot shows the PECS User Roles panel. At the top, there is a navigation bar with links: Home, Advanced Query/Customization, Easy Search, Drug Pair Lookup, Administration, and Reports. Below this is a table with the following columns: User Name, VALID, Approver, Administrator, and Release Manager. The table contains several rows of user data with checkboxes for each role. At the bottom of the panel, there are 'Save' and 'Cancel' buttons, and a footer with the text 'PECS Software Version: 6.1.00.0001'.

User Name	VALID	Approver	Administrator	Release Manager
ADMINISTRATOR	VALID	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
APPROVER	VALID	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
REQUESTOR	VALID	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
RELEASE MANAGER	VALID	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
ADMINISTRATOR	VALID	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
ADMINISTRATOR	VALID	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>


8.4.5.1. Update User Roles

Administrators can assign roles to PECS users. In order to successfully log in, the user must have a valid PIV card. See Identity Management for additional information.

To assign roles to PECS users

1. From the Administration tab, select Update User Roles.
2. Manage the user roles by selecting the appropriate role for the User Name.
3. Select Save.
4. Select OK to save the user, select Cancel to abandon the operation.

Figure 80: User Roles Save Message



8.4.5.2. Remove User Roles

To remove a role from a user


1. From the Administration tab, select Update User Roles.

Figure 81: Update User Roles Option




2. Clear one or more roles for one or more users from the User Name list.

Figure 82: List of User Roles



3. Select Save.
4. Select OK to accept changes to the user roles, select Cancel to abandon the operation.

Figure 83: User Roles Save Message




8.4.6. Null Drug Pair Removal Process

The Null Drug Pair Removal changes the status of any VA Drug Pair that contains a null Routed Generic to “Deleted”, and removes the null drug pairs from their associated VA Drug-Drug Interactions. VA Drug Pairs have null Routed Generics because one or both of the Routed Generics that make up the Drug Pair has been deleted by FDB. PECS applies the FDB Routed Generic deletions as part of the weekly FDB-DIF update, so it is recommended that the Null Drug Pair Removal process be run weekly, after the FDB-DIF update completes.

The Administrator may initiate this process at any time by clicking the “Null Drug Pair Removal” button on the following window:

Figure 84: Null Drug Pair Removal Button on Administration Tab



When the process is complete, a message will appear at the top of the page to indicate that the process has completed.

Figure 85: Null Drug Pair Removal Process Complete




Note: The [Null Drug Pairs Customization Report](#) can be used to identify *approved* VA Drug-Drug Interactions that contain null Drug Pairs. However, the Null Drug Pair Removal Process removes null drug pairs from *any* VA Drug-Drug Interaction, regardless of status. All VA Custom drug pairs that contain a null routed generic drug are updated as follows: the action status of the drug pair is changed to “Deleted” and the current action reason is “FDB Deleted,” with the value of the FDB issue date when the custom drug pair was deleted. The FDB issue date is the date associated with the FDB update file that includes the deletion.

8.4.7. Editing Contact Us

In addition to viewing, Administrator users can edit the content of the Contact Us page. To edit the Contact Us page:


1. Select the Contact Us tab.
2. Select the Edit Content link on the right side of the page. This will display a word processor-like editor.

Figure 86: Edit Content Option in the Contact Us Tab




3. Add or change the content on the page. To add or edit a link, see the appropriate sections below.

Figure 87: Contact Us Edit Page



4. When the edits are complete, select the Save button.

Figure 88: Save Button on the Contact Us Edit Page



8.4.8. Add a Contact Link

To add a link while editing the Contact Us page:

1. Select the Create Link button. This will display the Link Properties dialog box.

Figure 89: Create Link Button on the Contact Us page



2. Enter the mailto URL for the person whose contact information being added into the URL field. A mailto URL is the word "mailto" followed by a colon followed by the appropriate email address. VA email addresses are usually (but not always) firstname.lastname@va.gov. Verify the contact information in the Outlook Global Address List (GAL) for the correct email address. Example:
<mailto:firstname.lastname@va.gov>.

Figure 90: URL Field for an Email Address



3. Enter the contact name in the Description field. This is the text the user will actually see on the Contact Us page.

Figure 91: Description Field for an Email Address




4. On the Target list, select New Window.

Figure 92: Target List



5. Select the Set button.

Figure 93: Completed Link Properties



8.4.9. Edit a Contact Link

To modify an existing contact link while editing the Contact Us page:

1. Double-click the existing link.
2. Make the necessary adjustments in the Link Properties dialog box.
3. Select the Set button.

8.4.10. Additional Tools Available to Administrators

In addition to the Home tab and Administration, the Release Manager role sees the following tabs on their Home page:

- Advanced Query/Customization – See Using Advanced Query/Customization for additional information.
- Contact Us – see Contact Us for additional information.
- Help – see Online Help for additional information.

9. Easy Search

Easy Search provides a simple way to display commonly-requested PECS information. Easy Search differs from other methods for finding information in that the results are display-only. The records displayed as a result of an Easy Search query cannot be modified. However, in some cases, a link is provided to an editable version of the resulting records.

The Easy Search queries are handled slightly differently depending on which type of search performed. There are three types of Easy Search Query:

- Dose Range
- Drug-Drug Interaction with Professional Monograph and/or Duplicate Therapy
- Interactions for a Single Drug

9.1. Easy Search Drug-Drug Interaction with Professional Monograph and/or Duplicate Therapy Query

The Drug-Drug Interaction with Professional Monograph and/or Duplicate Therapy query allows the user to easily search for any Drug-Drug Interaction (and associated Professional Monographs) and/or Duplicate Therapy records that may exist within PECS for at least two and up to ten drugs that are selected by the user. This page also allows the user to search for Duplicate Therapy information for any drug they select.

Figure 94: Easy Search Results Page

The screenshot shows the 'Easy Search Results' page. At the top right is a 'Page Help' link. The main content is divided into sections: 'Drugs Checked:' listing 'Coumadin 7.5 mg tablet (GCN: 6563)' and 'ASPIRIN ORAL CAPSULE 500 MG (GCN: 4362)' with their respective therapeutic classes. Below this is a 'Drug - Drug Interaction' section titled 'Drug - Drug Interaction - FDB'. It lists the same two drugs and provides an 'Interaction Description: ANTICOAGULANTS/SALICYLATES', 'Severity: 2 - Severe Interaction', and 'Clinical Effects: The concurrent use of anticoagulants and salicylates may result in increased INR values and increase the risk of bleeding.' A 'Link to record in PECS' is also present. At the bottom, there is a 'Professional Monograph' checkbox which is currently unchecked.

To perform a Drug-Drug Interaction Easy Search Query

1. From the Select Search Type drop-down list, select 'Drug-Drug Interaction with Professional Monograph and/or Duplicate Therapy.' After selecting this value, the system will then display the 'Select Information Type', 'Search and Select Drugs', 'Search Results,' and 'Drugs to Check' panels.

Figure 95: Easy Search Query Selection Drop Down Menu

The screenshot shows the 'Easy Search' header and a 'Select Search Type' drop-down menu. The selected option is 'Drug-Drug Interaction with Professional Monograph and/or Duplicate Therapy'.

2. Choose the appropriate options from the Select Information Type panel:
 - Select Drug-Drug Interaction with Professional Monograph to find Drug-Drug Interactions with the associated Professional Monograph. If the selection is the Drug-Drug Interaction with Professional Monograph checkbox, then the system will display two options: Display Severity Levels 1 (contraindicated) and 2 (severe) and Display All Severity Levels. Select one of these options.
 - Select Duplicate Therapy checkbox to display Duplicate Therapy records (if any) for the selected drugs.

Figure 96: Select Information Type Panel

The screenshot shows the 'Select Information Type' panel. It contains three options, each with a checkbox: 'Drug-Drug Interaction with Professional Monograph' (checked), 'Display Severity Levels 1 (contraindicated) and 2 (severe)' (radio button selected), and 'Duplicate Therapy' (checked). Below these is an option for 'Display All Severity Levels' with an unselected radio button.

3. Enter a partial string or whole drug name into the Drug field and select Search. The system returns all drugs, that is, both routed generic drugs and dispensable drugs that contain the partial string/whole drug name entered.

Figure 97: Search and Select Drugs Panel

Search and Select Drugs

Drug

Search Results

- CHLORTHALIDONE ORAL TABLET 50 MG (GCN: 8214)
- CLONIDINE HCL/CHLORTHALIDONE ORAL TABLET 0.1 MG-15 MG (GCN: 340)
- CLONIDINE HCL/CHLORTHALIDONE ORAL TABLET 0.2 MG-15 MG (GCN: 341)
- CLONIDINE HCL/CHLORTHALIDONE ORAL TABLET 0.3 MG-15 MG (GCN: 342)
- RESERPINE/CHLORTHALIDONE ORAL TABLET 0.125 MG-25 MG (GCN: 322)
- RESERPINE/CHLORTHALIDONE ORAL TABLET 0.25 MG-50 MG (GCN: 323)
- THALIDOMIDE ORAL CAPSULE 100 MG (GCN: 40279)
- THALIDOMIDE ORAL CAPSULE 150 MG (GCN: 62444)
- THALIDOMIDE ORAL CAPSULE 200 MG (GCN: 51879)
- THALIDOMIDE ORAL CAPSULE 50 MG (GCN: 40296)

4. Select a drug from the Search Results window and select Add to Drugs to Check. The selected drug will appear in the Drugs to Check box.

Figure 98: Search Results

Drugs To Check

- thalidomide 200 mg Cap (GCN: 51879)
- Natural Fiber Laxative (aspartame) Oral Powder (GCN: 16668)

5. If necessary, repeat the Search/Select process to add more drugs to the check. For Drug-Drug Interaction queries, select at least two, but up to ten drugs. For Duplicate Therapy, a user can select multiple drugs to find duplicate therapies, or select a single drug to display the associated Therapeutic Class.
6. When all drugs have been added, select Submit. The query results will appear on a results page.

Results

The Drug-Drug Interaction with Professional Monograph and/or Duplicate Therapy query will produce the following results based on the selections made in the query.

Drugs Checked

All Drugs that were selected by the User are listed first on the page after 'Drugs Checked' and each drug name, the Therapeutic Class(es) that drug belongs to are listed for reference.

Figure 99: Easy Search Results for DDI with PM, Drugs Checked

Easy Search Results	
Drugs Checked:	
ASPIRIN ORAL PACKET 50 MG (GCN: 12000)	
Therapeutic Class:	Non-Steroidal Anti-Inflammatory (NSAID) & Salicylates
Therapeutic Class:	Antiplatelet Drug-excluding antiplatelet ASA 325 mg & below
Therapeutic Class:	Antiplatelet and Antithrombotic Drugs
Coumadin 10 mg tablet (GCN: 6559)	
Therapeutic Class:	Oral Anticoagulants
Therapeutic Class:	Antiplatelet and Antithrombotic Drugs

Drug-Drug Interaction

The Easy Search query Drug-Drug Interaction with Professional Monograph information will display any Drug-Drug Interactions that apply to any combination of the drugs searched. select the "Link to record in PECS" link to display the record in the standard PECS application where it can undertake additional processing.

Figure 100: DDIs Shown Applicable to Drugs Checked

Easy Search Results		Page Help
Drugs Checked:		
RIFAMPIN MISCELLANEOUS CRYSTALS (GCN: 14444)		
Therapeutic Class:	Rifamycins	
RIFAMPINISONIAZIDIPYRAZINAMIDE ORAL TABLET (GCN: 16502)		
Therapeutic Class:	Rifamycins	
Therapeutic Class:	Isoniazids	
Therapeutic Class:	Pyrazinamide	
Drug - Drug Interaction		
Drug - Drug Interaction - FDB		
RIFAMPINISONIAZIDIPYRAZINAMIDE ORAL TABLET (GCN: 16502)		
RIFAMPIN MISCELLANEOUS CRYSTALS (GCN: 14444)		
Interaction Description:	ISONIAZID/RIFAMPIN	
Severity:	2 - Severe interaction	
Clinical Effects:	May observe an increased incidence of hepatotoxicity.	
Link to record in PECS		
<input type="checkbox"/> Professional Monograph		

Professional Monograph

Any associated Professional Monographs to those Drug-Drug Interactions will be listed after the Drug-Drug Interaction information. Select the + symbol to expand the Professional Monograph (collapsed by default). If there is no Professional Monograph associated to the Drug-Drug Interaction returned by the Easy Search query, then this option will not expand.

Figure 101: The Professional Monograph Associated with the DDI/PM Easy Search

Professional Monograph

Monograph Title: Anticoagulants/Salicylates
Severity Level: 2-Severe interaction. Action is required to reduce the risk of severe adverse interaction.
Mechanism Of Action: Multiple processes are involved: 1) Salicylate doses greater than 3 gm daily decrease plasma prothrombin levels. 2) Salicylates may also displace anticoagulants from plasma protein binding sites. 3) Salicylates impair platelet function, resulting in prolonged bleeding time. 4) Salicylates may cause gastrointestinal bleeding due to irritation.
Clinical Effects: The concurrent use of anticoagulants and salicylates may result in increased INR values and increase the risk of bleeding.
Predisposing Factors: None determined.
Patient Management: Avoid concomitant administration of these drugs. If salicylate use is necessary, monitor prothrombin time, bleeding time, or INR values closely. When possible, the administration of a non-aspirin salicylate would be preferable.
Discussion: This interaction has been reported between aspirin and warfarin and between aspirin and dicumarol. Diflunisal, sodium salicylate, and topical methyl salicylate have been shown to interact with anticoagulants as well. Based on the proposed mechanisms, other salicylates would be expected to interact with anticoagulants as well. The time of highest risk for a coumarin-type drug interaction is when the precipitant drug is initiated, altered, or discontinued.
References:
1. Quick AJ, Clesceri L. Influence of acetylsalicylic acid and salicylamide on the coagulation of blood. *J Pharmacol Exp Ther* 1960;128:95-8.
2. Watson RM, Pierson RN Jr. Effect of anticoagulant therapy upon aspirin-induced gastrointestinal bleeding. *Circulation* 1961 Sep;24:613-6.
3. Barrow MV, Quick DT, Cunningham RW. Salicylate hypoprothrombinemia in rheumatoid arthritis with liver disease. Report of two cases. *Arch Intern Med* 1967 Nov;120(5):620-4.
4. Weiss HJ, Aledort LM, Kochwa S. The effect of salicylates on the hemostatic properties of platelets in man. *J Clin Invest* 1968 Sep; 47(9):2169-80.
5. Udall JA. Drug interference with warfarin therapy. *Clin Med* 1970 Aug; 77:20-5.
6. Fausa O. Salicylate-induced hypoprothrombinemia. A report of four cases. *Acta Med Scand* 1970 Nov;188(5):403-8.
7. Zucker MB, Peterson J. Effect of acetylsalicylic acid, other nonsteroidal anti-inflammatory agents, and dipyridamole on human blood platelets. *J Lab Clin Med* 1970 Jul;78(1):66-75.
8. O'Reilly RA, Sahud MA, Aggeler PM. Impact of aspirin and chlorothalidone on the pharmacodynamics of oral anticoagulant drugs in man. *Ann N Y Acad Sci* 1971 Jul 6;179:173-86.
9. Dale J, Myhre E, Loew D. Bleeding during acetylsalicylic acid and anticoagulant therapy in patients with reduced platelet reactivity after aortic valve replacement. *Am Heart J* 1980 Jun;99(6):746-52.
10. Donaldson DR, Sreeharan N, Crow MJ, Rajah SM. Assessment of the interaction of warfarin with aspirin and dipyridamole. *Thromb Haemost* 1982 Feb 26;47(1):77.
11. Chesebro JH, Fuster V, Elveback LR, McGoon DC, Pluth JR, Puga FJ, Wallace RB, Danielson GK, Orszulak TA, Piehler JM, Schaff HV. Trial of combined warfarin plus dipyridamole or aspirin therapy in prosthetic heart valve replacement: danger of aspirin compared with dipyridamole. *Am J Cardiol* 1983 May 15;51(9):1537-41.
12. Chow WH, Cheung KL, Ling HM, See T. Potentiation of warfarin anticoagulation by topical methylsalicylate ointment. *J R Soc Med* 1989 Aug;82(8):501-2.
13. Meade TW, Roderick PJ, Brennan PJ, Wilkes HC, Kelleher CC. Extra-cranial bleeding and other symptoms due to low dose aspirin and low intensity oral anticoagulation. *Thromb Haemost* 1992 Jul 6;68(1):1-6.
14. Dentali F, Douketis JD, Lim W, Crowther M. Combined aspirin-oral anticoagulant therapy compared with oral anticoagulant therapy alone among patients at risk for cardiovascular disease: a meta-analysis of randomized trials. *Arch Intern Med* 2007 Jan 22;167(2):117-24.

Disclaimer:

Duplicate Therapy

Duplicate Therapy results the Duplicate Therapy for the drugs selected in the Drugs to Check box. The record contains the Therapeutic Drug Class that the two drugs belong to and Duplicate Allowance numerical value (0,1, 2, 3, or 4) followed by a short message stating these two drugs may represent a duplication in therapy. To view the Duplicate Therapy record in PECS, select “Link to record in PECS.”

Figure 102: Duplicate Therapy Easy Search Results

Duplicate Therapy Results

Duplicate Therapy - FDB

ASPIRIN ORAL PACKET 650 MG (GCN: 12000)
Coumadin 10 mg tablet (GCN: 6559)

Therapeutic Class: Antiplatelet and Antithrombotic Drugs
Duplicate Allowance: 0 Use of ASPIRIN ORAL PACKET 650 MG and Coumadin 10 mg tablet may represent a duplication in therapy based on their association to the therapeutic drug class Antiplatelet and Antithrombotic Drugs.

[Link to record in PECS](#)


9.2. Easy Search Interactions for a Single Drug Query

Interactions for a Single Drug allows the user to generate a report for all the drug pairs that would be returned in VistA for the selected drug. The report displays FDB and Approved VA custom drug pairs with the specified severity level. FDB drug pairs will display only if there is not a corresponding Approved VA customized drug pair.

To perform an Interactions for a Single Drug Query:


1. Select "Interactions for a Single Drug" from the Select Search Type drop-down list.

Figure 103: Select Search Type Drop Down Menu



2. From the Select Information Type panel, choose the desired Severity Level with the appropriate radio button - Severity Level 1 (contraindicated), Severity Level 2 (severe), or Severity Levels 1 (contraindicated) and 2 (severe).

Figure 104: Select Information Types Radio Buttons



3. Enter a partial string or whole drug name into the Drug field and select Search. Items that match the search string are displayed in the Search Results box. The drug list displays the drug name, dose, route of delivery, and the drug's GCN sequence number. Note that if both a dispensable generic drug and dispensable drug are found that have the same GCN sequence number, only the dispensable drug are displayed on the list. Select an entry from the list.

Figure 105: Search and Select Drugs

Search and Select Drugs

Drug

Search Results

RIFAMPIN MISCELLANEOUS POWDER (GCN: 23701)

RIFAMPIN INTRAVENOUS VIAL (SDV,MDV OR ADDITIVE) 600 MG (GCN: 13645)
RIFAMPIN/ISONIAZID/PYRAZINAMIDE ORAL TABLET 120 MG-50 MG-300 MG (GCN: 48591)
RIFAMPIN/ISONIAZID ORAL CAPSULE 300 MG-150 MG (GCN: 9320)
RIFAMPIN/ISONIAZID/PYRAZINAMIDE ORAL TABLET (GCN: 16502)
RIFAMPIN/ISONIAZID ORAL COMBINATION PACKAGE 300 MG (GCN: 9321)
RIFAMPIN ORAL CAPSULE 150 MG (GCN: 9322)
RIFAMPIN ORAL CAPSULE 300 MG (GCN: 9323)
RIFAMPIN MISCELLANEOUS CRYSTALS (GCN: 14444)

4. Select the Generate Report button. The report generates in Excel. It contains the FDB and VA custom drug pairs whose severity level matches the selected severity level and contain a routed generic drug that corresponds to the selected generic dispensable drug or dispensable drug.

Figure 106: Excel Report for Drug Pair Interaction

	A	B	C	D	E
1	Source	Routed Generic #1	Routed Generic #2	Severity Level Code	Interaction Description
2	FDB	2-METHOXYESTRADIOL MISCELLANEOUS	RIFAMPIN MISCELLANEOUS	2-Severe Interaction	ESTROGENS; CONTRACEPTIVES/RIFAMYCINS
3	FDB	ABACAVIR SULFATE/DOLUTEGRAVIR SODIUM/LAMIVUDINE ORAL	RIFAMPIN MISCELLANEOUS	2-Severe Interaction	DOLUTEGRAVIR/POTENT UGT1 & CYP3A4 INDUCERS
4	FDB	ABIRATERONE ACETATE ORAL	RIFAMPIN MISCELLANEOUS	2-Severe Interaction	ABIRATERONE/STRONG CYP3A4 INDUCERS
5	VA	ADRENAL CORTEX (PORCINE) ORAL	RIFAMPIN MISCELLANEOUS	2-Severe Interaction	CORTICOSTEROIDS/SELECTED CYP3A4 INDUCERS
6	VA	ALDOSTERONE MISCELLANEOUS	RIFAMPIN MISCELLANEOUS	2-Severe Interaction	CORTICOSTEROIDS/SELECTED CYP3A4 INDUCERS
7	FDB	AMINOPHYLLINE HYDRATE ORAL	RIFAMPIN MISCELLANEOUS	2-Severe Interaction	THEOPHYLLINE/RIFAMYCINS
8	FDB	AMINOPHYLLINE IN 0.9% SODIUM CHLORIDE INTRAVENOUS	RIFAMPIN MISCELLANEOUS	2-Severe Interaction	THEOPHYLLINE/RIFAMYCINS
		AMINOPHYLLINE	RIFAMPIN		THEOPHYLLINE/RIFAMYCINS

Interactions for a Single Drug Report Details

Table 10: Interactions for a Single Drug Report Fields

Field	Description
Source	Source of the record; either VA or FDB
Routed Generic #1	A generic drug name, e.g. "Rifampin Oral"
Routed Generic #2	A generic drug name, e.g. "Rifampin Oral"
Severity Level Code	The severity of the interaction.
Interaction Description	A brief description of the interaction.

Field	Description
Interaction ID	A numerical identifier assigned to the interaction.
Corresponding FDB Interaction ID	VA records only: the interaction as described by First Databank. If there is no corresponding interaction, this field will contain '0'.
Action Date	The date and time of the most recent update to the record.


9.3. Easy Search Dose Range Query

The Dose Range query allows the user to easily find the appropriate dosage information for a specific drug based on the patient and dose particulars entered for a selected drug. The results of this query allow the user to ensure the amount being prescribed is an acceptable amount. An Easy Search Dose Range query allows the user to find the acceptable dose range for a drug quickly and easily, and presents the results in an easy to understand format.

To perform an Easy Search Dose Range query:

1. From the Select Search Type drop-down list on the Easy Search page, select 'Dose Range.'

Figure 107: Select Search Type Drop Down Menu



2. Enter a partial string or whole drug name into the 'Drug' field. Note that the user can enter multiple partial strings, and the system returns drugs that match on both strings -- the order of the strings and case are ignored.
3. Select the Search button. The system returns all drugs, that is, both routed generic drugs and dispensable drugs that contain the partial string/whole drug name entered.
4. Select the appropriate drug from the Search Results list. Note that if the drug does not have a defined dose route and/or a defined dose unit, the query cannot be performed and an error message is displayed.

Figure 108: Drug Information Search Results

Drug Information

Drug

Search Results

- Dilaudid (PF) 1 mg/mL Injection (GCN: 4098)
- Dilaudid (PF) 2 mg/mL Injection (GCN: 4100)
- Dilaudid (PF) 4 mg/mL Injection (GCN: 4101)
- Dilaudid 2 mg Tab (GCN: 4110)
- Dilaudid 4 mg Tab (GCN: 4112)
- Dilaudid 8 mg Tab (GCN: 15190)
- Dilaudid-5 1 mg/mL Oral Liquid (GCN: 16156)
- Dilaudid-HP 10 mg/mL Injection (GCN: 16847)
- Dilaudid-HP 250 mg Solution for Injection (GCN: 23786)**

5. In the Selected Drug section, select the Dose Type and Dose Route. The available selections will be limited to those appropriate for the selected drug; in some cases, the default values may be the only options available.

Figure 109: Dose Route Selection for a Selected Drug

Selected Drug

Dilaudid-HP 250 mg Solution for Injection (GCN: 23786)

Dose Type Dose Route

Demographic Information

- INTRAMUSCULAR
- INTRAVENOUS**
- SUBCUTANEOUS

6. The Demographic Information section will automatically be populated with standard values. If more appropriate patient information is available, the default values can be replaced. Factors included are:
 - Age (years)
 - Weight (kg or lbs.)
 - Height (cm or in)

Figure 110: Demographic Information

Demographic Information

Age(years) Weight Height BSA(M2) = 2

In the Dosing Information section, enter information about the proposed dose. Factors include:

- Single Dose
- Dose Unit
- Dose Rate Unit
- Frequency

Figure 111: Dosing Information

Dosing Information	
Single Dose	<input type="text" value="1"/>
Dose Unit	<input type="text" value="EA"/>
Dose Rate Unit	<input type="text"/>
Frequency	<input type="text" value="1"/>

Dose Range Query Results

If available, the Dose Range Results section displays the appropriate dose range for the selected drug. The Dose Range record can be viewed in PECS by clicking “Link to record in PECS”

Note: Due to a limitation in the FDB database, not all PECS Dose Range records can be linked directly from Easy Search Results. If the record cannot be linked, “Link to record in PECS Not Available” will appear at the bottom of Dose Range Results. Use Advanced Query/Customization to find and view the record in PECS.

Figure 112: Results for a Dose Range Easy Search

Easy Search Results	
Drug Checked:	Dilaudid 8 mg tablet (GCN: 15190)
Dosing Information Submitted	
Single Dose Amount:	1
Dose Unit:	EACH
Dose Rate Unit:	
Frequency:	1
Dose Range Results	
Dose Range - FDB	
Max Single Dose:	16
Max Single Dose Message:	
Max Single Dose Status:	Passed
High Daily Dose:	64
High Daily Dose Message:	
Daily Dose Status:	Passed
Frequency Message:	
Frequency Status:	Passed
Dose Type Description:	MAINTENANCE
Dose Route Description:	ORAL
Max Daily Dose Message:	
Frequency Low:	1.0
Frequency High:	8.0
Link to record in PECS	

Drug Information

The Easy Search Results section displays the information that was entered into the query.

- Drug Checked
- Drug Information Submitted
 - Single Dose Amount
 - Dose Unit
 - Dose Rate Unit
 - Frequency


Dose Range Information

The Dose Range Results section displays (if available) the appropriate dose range for the selected drug.

- Max Single Dose
- Max Single Dose Message
- Max Single Dose Status
- High Daily Dose
- High Daily Dose Message
- Daily Dose Status
- Frequency Message
- Frequency Status
- Dose Type Description
- Dose Route Description
- Max Daily Dose Message
- Frequency Low
- Frequency High

Note: When PECS can't retrieve the selected dose type, dose unit, and dose route for a drug, it displays a message in a popup:

Figure 113: PECS Unable to Retrieve Dose Information Message



9.4. Potential Easy Search Result and PECS Record Discrepancy

The custom detail pages in PECS show the custom record as it exists in PECS. These detail pages are accessed through either the Advanced Query/Customization tab, or by following the “Link to record in PECS” link found on the Easy Search Results screens.

When you use Easy Search to look up Drug-Drug Interactions or Duplicate Therapy, Easy Search uses a different database table than the one used to store the actual PECS record. The Easy Search results page shows only data from custom records in an Approved state that have been exported in a custom update and processed by an external process named DATUP. If a custom record has not gone through this process, you will see the FDB record and there will be a discrepancy.

If a previously approved/exported custom record is updated, then Easy Search will not show the updated data in the results page until the record is approved, exported, and processed by DATUP. Instead, Easy Search will show the custom record results that were last uploaded to DATUP.

Below are examples of discrepancies. Remember that these discrepancies cannot be duplicated and re-displayed after a custom update has been approved and run through DATUP, so do not try to re-create them. They are for informational purposes only, and even shown as an older screen capture of PECS (no Contact Us tab). Example one, is from Easy Search.

Figure 114: Easy Search DDI Record

The screenshot displays the PECS (Pharmacy Enterprise Customization System) interface. At the top, it shows the United States Department of Veterans Affairs logo and the PECS title. The user is logged in as FIVE_APPROVER. The navigation menu includes Home, Advanced Query/Customization, Easy Search, Drug Pair Lookup, Reports, and Help. The main content area is titled "Easy Search Results" and contains two "Drug - Drug Interaction - VA" records. The first record lists fluticasone furoate and lopinavir-ritonavir. The interaction description is "SELECTED INHALED CORTICOSTEROIDS/PROTEASE INHIBITORS" with a severity of 3 - Moderate Interaction. The second record lists the same drugs but with a different interaction description: "FLUTICASONE/RITONAVIR" with a severity of 1 - Contraindicated Drug Combination. Red circles and arrows highlight the differences in the interaction descriptions between the two records. A "Link to record in PECS" is provided for each record. The bottom of the page has a "Professional Monograph" button and a navigation menu.

Example two, is shown by clicking the “Link to record in PECS” link as is shown above. This discrepancy means the custom record has not been approved and/or not processed through DATUP. This potential discrepancy applies to Drug-Drug Interaction, Professional Monograph, Duplicate Therapy, and Dose Range concepts.

Figure 115: Referenced PECS Record with Name Discrepancy

The screenshot displays the PECS interface for a Drug-Drug Interaction record. The record details are as follows:

Field	Value
Interaction Description (Required)	SELECTED CORTICOSTEROIDS/RITONAVIR
Monograph ID	Selected Corticosteroids/Ritonavir - 1333
Action Status	Approved
Corresponding FDB Interaction ID	1333
Interaction ID (Required)	2013331
Severity Level Code (Required)	1 - Contraindicated Drug Combination

10. Drug Pair Lookup

A Drug Pair is a combination of drugs known to cause a drug interaction. A drug interaction is a situation in which a substance (usually another drug) affects the activity of a drug when both are administered together. Drug Pair Lookup provides a quick and easy way to search both the FDB and VA databases for these drug pairs.

When performing a Drug Pair Lookup query, enter query criteria in any or all of the four entry fields. The results are displayed under the VA Table Results and FDB Table Results panels. These consist of active customized Drug Pair records from the VA custom database that are available for modification, as well as their related Drug Pair records from the FDB database from which they were customized.

Field names are as follows:

- Drug A (Generic) - The name (or partial name) of one generic drug associated with an interaction.
- Drug B (Generic) - The name (or partial name) of a second generic drug associated with an interaction.
- Interaction - An assigned drug interaction number and description associated with the drug pair. This can be entered in conjunction with the Drug A and Drug B entries or can be used on its own. Enter either *all* of the Interaction ID, or all or part of the interaction description.
- Severity Level Code - A drop-down list of available severity codes that are allowed for an interaction. This can be used on its own, but is most useful to limit the results produced by the other criteria.

10.1. Performing a Drug Pair Lookup Query

To perform a Drug Pair Lookup query:

1. Fill the query form with the search criteria; greater detail will yield more relevant results.

Figure 116: Drug Pair Descriptions and Severity Level Codes

The screenshot shows the 'Drug Pair Lookup' interface. At the top, there is a 'Page Help' link. Below it, a paragraph explains the search capabilities. A note states: 'To begin your search for drug pairs, complete any of the fields below. Note that at least one field must be specified.' The form contains the following fields:

- Drug A (Generic): asp
- Drug B (Generic): codone
- Interaction: (empty)
- Severity Level Code: 2 - Severe Interaction (selected from a dropdown menu)

 A 'Query' button is located at the bottom left of the form.

2. Select Query.
3. Drug Pairs matching the query criteria (both VA and FDB) will display in their respective panels. If the results are unsatisfactory, then the user can adjust the query criteria and select Query again.

Figure 117: Drug Pairs Matching the Query Display

The screenshot displays two result panels. The top panel, 'VA Tables Results', includes an 'Export' button and a table with the following data:

Select	Action Status	Routed Generic #1 Description	Routed Generic #1 ID	Routed Generic #2 Description	Routed Generic #2 ID
Active	Approved	IBUPROFENIOXYCODONE HCL ORAL	1075333	LITHIUM ASPARTATE ORAL	1083709
Active	Approved	HYDROCODONE/IBUPROFEN ORAL	1062872	LITHIUM ASPARTATE ORAL	1083709
Active	Approved	ASPIRIN/ACETAMINOPHEN/CALCIUM CARBONATE/CAFFEINE/THIAMINE ORAL	1057236	IBUPROFENIOXYCODONE HCL ORAL	1075333
Active	Approved	ASPIRIN (CALCIUM CARB & MAGNESIUM BUFFERS)/PRAVASTATIN ORAL	1073977	HYDROCODONE/IBUPROFEN ORAL	1062872
Active	Approved	ASPIRIN/CALCIUM CARBONATE ORAL	1056696	HYDROCODONE/IBUPROFEN ORAL	1062872
Active	Approved	ASPIRIN/CALCIUM CARBONATE ORAL	1056696	IBUPROFENIOXYCODONE HCL ORAL	1075333
Active	Approved	ASPIRIN/ACETAMINOPHEN/CALCIUM CARBONATE ORAL	1083428	IBUPROFENIOXYCODONE HCL ORAL	1075333

The bottom panel, 'FDB Tables Results', also has an 'Export' button and a table with the following structure:

Select	Routed Generic #1 Description	Routed Generic #1 ID	Routed Generic #2 Description	Routed Generic #2 ID	Severity Level Code
Your Query Returned No results					

- Select the link in the Select column to view the drug pair record. VA records will display and Active link; FDB records display an Open link.

Figure 118: Drug Pair Selection List

Select	Action Status	Routed Generic #1 Description	Routed Generic #1 ID
Active	Approved	IBUPROFEN/OXYCODONE HCL ORAL	1075333
Active	Approved	HYDROCODONE/IBUPROFEN ORAL	1062872
Active	Approved	ASPIRIN/ACETAMINOPHEN/CALCIUM CARBONATE/CAFFEINE/THIAMINE ORAL	1057236

- To further customize the record, select the Interaction ID link to display the Drug-Drug Interaction (and the associated Drug Pairs).

Figure 119: Interaction ID Link

Severity Level Description	Severe Interaction
Interaction ID (Required)	2001192 - NSAIDS/LITHIUM
Corresponding FDB Interaction ID	119
Reverse FDB DDI ID	31881
Action Date	2010-05-05 10:50:47

10.2. Export Query Results

The user can export the results of a Drug Pair Lookup query to an Excel spreadsheet.

- Perform a Drug Pair Lookup Query.
- Select the Export button associated with the Results list. The Export option is available for both VA and FDB results.

Figure 120: VA and FDB Results to Export

VA Tables Results		
Export		
Select	Action Status	Routed Gene
Active	Approved	IBUPROFEN ORAL
Active	Approved	HYDROCOD ORAL

3. Select Open to display the Drug Pair Report; select Save to save a copy of the report to your system.

Figure 121: Internet Explorer Download Screen



The spreadsheet contains two tabs:

- a. The Drug Pair tab (either VA or FDB) displays the results of the query.

Figure 122: Drug Pair Tab of the Excel Exported Report

Record Type	Action Status	Routed Generic #1 Description	Routed Generic #1 ID	Routed
2	Active	Approved	IBUPROFEN/OXYCODONE HCL ORAL	1075333 LITHIUM
3	Active	Approved	HYDROCODONE/IBUPROFEN ORAL	1062872 LITHIUM
4	Active	Approved	ASPIRIN/ACETAMINOPHEN/CALCIUM CARBONATE/CAFFEINE/THIAMINE ORAL	1057236 IBUPRO
5	Active	Approved	ASPIRIN (CALCIUM CARB & MAGNESIUM BUFFERS)/PRAVASTATIN ORAL	1073977 HYDRO
6	Active	Approved	ASPIRIN/CALCIUM CARBONATE ORAL	1056696 HYDRO
7	Active	Approved	ASPIRIN/CALCIUM CARBONATE ORAL	1056696 IBUPRO
8	Active	Approved	ASPIRIN/ACETAMINOPHEN/CALCIUM CARBONATE ORAL	1083428 IBUPRO
9	Active	Approved	ASPIRIN/DIPYRIDAMOLE ORAL	1061050 IBUPRO
10	Active	Approved	ASPIRIN/ACETAMINOPHEN/MAGNESIUM/ALUMINUM HYDROXIDE ORAL	1050385 HYDRO
11	Active	Approved	ASPIRIN ORAL	1050396 HYDRO
12	Active	Approved	ASPIRIN/DIPHENHYDRAMINE/SODIUM BICARBONATE/CITRIC ACID ORAL	1066937 HYDRO
13	Active	Approved	CODEINE PHOS/ASPIRIN/ACETAMINOPHEN/MAGNESIUM/AL HYDROX ORAL	1050281 IBUPRO
14	Active	Approved	ASPIRIN MISCELLANEOUS	23070492 IBUPRO

- b. The Criteria tab displays the criteria used in the query.

Figure 123: Criteria Tab of Excel Spreadsheet

Query Criteria
1
2 from Drug Pair where Routed Generic #1 Description like asp AND Routed Generic #2 Description like codone
3

Export Query Line Limit

There is a 1,000,000 line limit for exporting to the spreadsheet. If the query returned more than 1,000,000 records and the records were submitted for export anyway, the Criteria tab on the report gives the following message: “The number of rows returned in the search (XXXXXX) is greater than the maximum number of rows that can be exported (1,000,000).”

Figure 124: Export Query Line Limit Message

A
Query Criteria
from Drug Pair where Routed Generic #1 Description like as
The number of rows returned in the search (1,939,142) is greater than the maximum number of rows that can be exported (1,000,000)

11. Detail Pages

Detail Pages are the display mechanism for PECS records. To display the information contained in the record, and in the case of FDB records, provide a means to customize that record. There are detail pages for each of the five concepts (Drug-Drug Interaction, Drug Pairs, Professional Monograph, Duplicate Therapy, and Dose Range).

11.1. Detail Page Overview

Detail Pages display the details of the record appropriate to the concept being viewed for both FDB and VA records. The sections below are taken from a Drug-Drug Interaction records, but the detail page behaviors are consistent among the different Concepts.

FDB Records

Figure 125: FDB DDI Record

Drug-Drug Interaction Page Help					
Informational Messages:					
<ul style="list-style-type: none"> Following VA custom record(s) already exist for this FDB Drug-Drug Interaction. To update this record click on the edit button below. 					
Edit			Print Page		
Interaction Type	Interaction ID	Interaction Description	Interaction Severity	Interaction Action Status	
VA Interaction	2021563	VA custom: HEPARIN/ALTEPLASE	3	Reviewed	
VA Interaction	2021562	ALTEPLASE/HEPARIN	1	Approved	
VA Interaction	2021565	HEPARIN/ALTEPLASE	9	Approved	
Interaction Description (Required)	ALTEPLASE/HEPARIN				
Severity Level Code (Required)	2 - Severe Interaction				
Monograph ID	Alteplase/Heparin - 1146				
Corresponding FDB Interaction ID	1146				
Clinical Effect Code 1 (Required)	Contraindicated in some patients				
Clinical Effect Code 2	Adverse reaction with both drugs				
EDI Number					
EDI Text					

With FDB records, the user can:

- View Record Details
- Customize the FDB Record
- View Associated Record Links

VA Records

Figure 126: VA Custom DDI

Drug-Drug Interaction

To update this record click on the edit button below.

[Edit](#) [Drug Pairs](#) [History](#) [Print Pa](#)

Interaction Type	Interaction ID	Interaction Description	Interaction Severity	Interaction Action Status
FDB Interaction	279	KETOROLAC/PROBENECID	1	N/A

Action Status: Approved

Interaction Description (Required): KETOROLAC/PROBENECID

Severity Level Code (Required): 1 - Contraindicated Drug Combination

Interaction ID: 2021668

Monograph ID: Ketorolac/Probenecid - 279

Corresponding FDB Interaction ID: 279

Reverse FDB ID: 31721

Clinical Effect Code 1 (Required): Mixed effects of the latter drug

Clinical Effect Code 2: Additive side effects from both drugs

EDI Number: No Hits

EDI Text:

DI Facts Number:

DI Facts Onset:

DI Facts Severity:

DI Facts Documentation:

DI Facts Text:

Micromedex Severity:


With VA records, the user can:

- View Record Details
- Edit a Record
- Print a Record
- Add Pre-Customization Comments
- View Associated Record Links
- View History Report
- View Field-Level History
- View Export Date

11.1.1. Informational and Warning Messages

Some records have informational and warning messages associated with them. These messages provide information about the record itself not necessarily the contents of the record.


Figure 127: Informational and Warning Messages



11.2. Using Detail Pages

Detail pages provide information about the PECS records. The information on the page is slightly different for each concept, but the basic functions are the same.

Figure 128: Example of a Detail Page



11.2.1. Viewing Record Details

The Home Page for Requestors and Approvers contains links to pre-defined queries that facilitate viewing records. Requestors can use these links to view details of records that they have created.

Approvers can use the links to view details of records they created, records currently assigned to them for some action, unassigned records, and All records.

All users can use Advanced Query/Customization to find and view record details.


11.2.2. Edit a Record

Editing a record is different depending on the type of record it is, and the current state of that record. For example, if viewing an FDB record, editing it produces a customization. If viewing a VA record, editing could mean:

- Changing the record details (modify)
- Reviewing an existing record as part of the approval process
- Approving an existing record
- Rejecting an existing record
- Deleting an existing record

In all cases, select Edit to begin the modification process. See *Working with Customization Requests* for additional information on the modifications that can be performed on a record.

Figure 129: Use the Edit button to Modify Record Details



Only Requestor and Approvers can modify a record. Requestors can only modify FDB records (customize) or VA records they have created. Approvers can also modify/customize FDB records and can also modify most VA records with the following exception: they cannot Review a record they created. See *Working with Customization Requests* for additional information.

Note: If the user is a Release Manager or Administrator but has not been assigned that role by a PECS Administrator, they will have Requestor privileges until their appropriate role is assigned.

In some cases, PECS will display the Edit button and allow the user to view the record in Edit mode. However, any changes made to the record cannot be saved. Use Cancel Edit to return to the detail page in read-only mode.

11.2.3. Print a Record

The Print Page button calls the browser Print function, allowing the user to print the page to any printer they have connected to their system.

Figure 130: Print Page Button



11.2.4. Add Pre-Customization Comments


Approver users can add comments to FDB records that do not have customized VA versions. The comments are visible on the FDB record and contain the text of the comment as well as the date and time it was entered and the PECS User ID of the person who entered it. Once entered, these comments cannot be edited or deleted.

If the FDB record is customized, then the pre-customization comments will become part of the customized record. Once customized, you cannot add additional pre-customization comments to an FDB record.

To add a pre-customization comment:

1. Select the Add Comment button:

Figure 131: Add Comment Button



2. Enter the comment in the Enter Comments dialog box:

Figure 132: Enter Comments Dialog Box



3. Select Save to save your changes, or select Cancel to abandon the enter comments process and return to the record. The comments appear in the Pre-Customization Comment History of the record.

Figure 133: Example of Pre-Customization Comment History

Pre-Customization Comment History	2013/06/10 09:47:13 THE_APPROVER: This interaction has been reviewed the NDF Support Group. After thorough review of drug interaction references, PBM documents and the medical literature it was determined that the interaction does not have sufficient evidence to be customized to a different level at this time.
--	---

11.2.5. View Associated Record Links

If an FDB record has been customized, then the links to the VA-customized records are provided.


Figure 134: VA Custom Record ID Links



Interaction Type	Interaction ID
VA Interaction	2021299
VA Interaction	2021312

VA records provide links to the original FDB record as well as any additional customizations created from the original FDB record.

Figure 135: VA Custom and FDB Record Links



Interaction Type	Interaction ID
FDB Interaction	1114
VA Interaction	2021312

11.2.6. History Report

History Reports detail all the changes made to the current record. Changes to most editable fields will appear in the report as red text with an asterisk (*). Changes to the Current Action Reason are not highlighted (red) in the History Report. It is presented as a Microsoft Excel spreadsheet.

To display a History Report:

4. From the Detail page, Select the History button.

Figure 136: History Button



5. Select Open to display the History Report. Select Save to save a copy of the report to your system:

Figure 137: Internet Explorer Download Dialog Box



6. If you chose to Open the report, then it will be displayed. If you chose Save, then the report can be opened at any time using Excel.

Figure 138: Example of an Excel Report with Changed Data

	A	B	C	D	E	
1	Action Status	Interaction Description	Interaction ID	Monograph ID	Severity Level Code	Clinical Eff
2	New	ZIPRASIDONE/SELECTED ANTIARRHYTHMICS	2021312	1114	9 - Undetermined Severity - Alternative Therapy Interaction *	MAR
3		ZIPRASIDONE/SELECTED ANTIARRHYTHMICS	1114	1114	1 - Contraindicated Drug Combination	MAR
4						

11.2.7. Field-Level History Table

A user can review a list of changes to an individual field by hovering over the History Table icon next to a field that has been changed. Field-level history is retained only while the record is in its current state. The field-level history is reset when the state changes to Approved or Deleted (Modified or Reviewed doesn't cause a reset). Field-level history is only displayed for Required Fields with the exception of Current Action Reason; field-level history is not retained for Current Action Reason, but it can be viewed on the History Report along with changes to non-required fields.

Figure 139: At-a-Glance History Icon



Figure 140: On-Screen History Table from Icon

Monograph ID	Topiramate/Carbonic Anhydrase Inhibitors - 1147				
Action Status	Reviewed				
Interaction ID					
Severity Level Code (Required)	<table border="1"><thead><tr><th>Old Value</th><th>New Value</th></tr></thead><tbody><tr><td>2 - Severe Interaction</td><td>1 - Contraindicated Drug Combination</td></tr></tbody></table>	Old Value	New Value	2 - Severe Interaction	1 - Contraindicated Drug Combination
Old Value	New Value				
2 - Severe Interaction	1 - Contraindicated Drug Combination				
Action Date	10-30 02:56:33				
Action Performed By	FOUR_APPROVER				

11.2.8. Export Date

The Export Date field appears on the VA Custom Detail Pages and in the Customization Reports. It contains the date and time an Approved or Deleted record was included in the Incremental Update File, so it is only populated on records with Action Status' equal to Approved or Deleted.

Note: If an Incremental Update File has not been created since the record Action Status was change to Approved or Deleted, then the Export Date will be blank until the next Incremental File is created.

Sometimes an Approved or Deleted record included on an Incremental Update File needs to be changed. Any change to that record will cause the Export Date field to be cleared (blank) in the active record. The only way to determine that the record has been exported is to view the History report or search for the record using Advanced Query/Customization and select Include Historical Records.

If the change to the record causes a change to the Action Status and that modification is later Rejected, then the following happens:

If a "Modified after Approved" (displays as Modified in PECS) record is Rejected:

The Action Status "rolls back" to Approved, and the record will be included in the next Incremental Update File and the Export Date will be updated.

If a "Modified after Delete" (displays as Modified in PECS) record is Rejected:

The Action Status “rolls back” to Deleted. However, records that roll back to a Deleted Action Status are NOT included in the next Incremental Update File, so the Export Date will NOT be updated and will remain blank on the active record.

11.3. Drug-Drug Interaction Detail

The Drug-Drug Interaction Detail page allows users to view the details of both FDB and VA Drug-Drug Interaction records. FDB Drug-Drug Interactions can be customized to become VA Drug-Drug Interactions. See Working with Customization Requests for additional information on creating a VA customization request.

Figure 141: Detail Page of VA Customized DDI Top

The screenshot shows the top portion of the PECS (Pharmacy Enterprise Customization System) interface. At the top, there is a header with the United States Department of Veterans Affairs logo and the text "PECS PHARMACY ENTERPRISE CUSTOMIZATION SYSTEM". A navigation menu includes links for Home, Advanced Query/Customization, Easy Search, Drug Pair Lookup, Reports, Contact Us, and Help. The page title is "Drug-Drug Interaction".

Below the header, there are "Informational Messages":

- The interaction does not have any associated drug pairs. Click on the Drug Pairs button to add drug pairs to the interaction.
- To update this record click on the edit button below.

Buttons for "Edit", "Drug Pairs", "History", and "Print Page" are visible. A table displays the following data:

Interaction Type	Interaction ID	Interaction Description	Interaction Severity	Interaction Action Status
FDB Interaction	184	BETA-BLOCKERS, ORAL/RIFAMYCINS	3	N/A

Below the table, the following details are listed:

- Action Status: Modified
- Interaction Description (Required): BETA-BLOCKERS, ORAL/RIFAMYCINS
- Severity Level Code (Required): 2 - Severe Interaction
- Interaction ID: 2021541
- Monograph ID: Beta-Blockers, Oral/Rifamycins - 184
- Corresponding FDB Interaction ID: 184
- Reverse FDB ID: 31816
- Clinical Effect Code 1 (Required): Increased effect of the latter drug
- Clinical Effect Code 2: [partially obscured]

Figure 142: Detail Page of VA Customized DDI Bottom

The screenshot shows the bottom portion of the PECS interface. It displays the following information:

- Action Date: 2015-03-25 11:43:03
- Export Date: [blank]
- Action Performed By: FIVE_REQUESTOR
- Request Assigned To: UNASSIGNED
- Request Submitted By: FIVE_REQUESTOR
- Action Reason History:
 - 2015-03-25 11:43:03 FIVE_REQUESTOR: modify fdb again
 - 2015-03-25 11:36:25 FIVE_REQUESTOR: create va
- Current Action Reason (Required): [blank]
- Pre-Customization Comment History: [blank]

Buttons for "Edit", "Drug Pairs", "History", and "Print Page" are visible. At the bottom, there is a navigation menu with links for Home, Advanced Query/Customization, Easy Search, Drug Pair Lookup, Reports, Contact Us, and Help. The footer text reads "PECS Software Version: 6.0.00.0279".

11.3.1. Multiple VA Customizations for One FDB Record

A user can create multiple VA Custom Drug-Drug Interactions (DDIs) from one corresponding FDB Record. If a user opens an FDB DDI record on the Advanced Query/Customization page, then the DDI Detail page will open. If there are any VA custom records for this FDB DDI, then a message is displayed stating that “The following VA custom record(s) already exist for this FDB Drug-Drug Interaction,” and a table and a link to any interactions displays.

Figure 143: Multiple VA Custom DDIs to One FDB Record

The screenshot shows the 'Drug-Drug Interaction' detail page. At the top, there is an 'Edit' button. Below it, an 'Informational Messages' section contains a bullet point: 'Following VA custom record(s) already exist for this FDB Drug-Drug Interaction.' Below this message is a table with four columns: 'Interaction Type', 'Interaction ID', 'Interaction Description', and 'Interaction Severity'. The table lists four VA Interactions, all with the description 'RASAGILINE/CYP1A2 INHIBITORS' and varying severity levels (1, 9, 2, 3). A red callout box points to the table with the text 'Custom Records Associated with 1 FDB Record'. Below the table, the 'Corresponding FDB Interaction ID' is shown as '2105', which is circled in red. Other fields include 'Interaction Description (Required)' as 'RASAGILINE/CYP1A2 INHIBITORS', 'Monograph ID' as 'Rasagiline/CYP1A2 Inhibitors - 2105', and 'Severity Level Code (Required)' as '3 - Moderate Interaction'.

Interaction Type	Interaction ID	Interaction Description	Interaction Severity
VA Interaction	2020334	RASAGILINE/CYP1A2 INHIBITORS	1
VA Interaction	2020957	RASAGILINE/CYP1A2 INHIBITORS	9
VA Interaction	2020660	RASAGILINE/CYP1A2 INHIBITORS	2
VA Interaction	2020958	RASAGILINE/CYP1A2 INHIBITORS	3

Corresponding FDB Interaction ID: 2105

Interaction Description (Required): RASAGILINE/CYP1A2 INHIBITORS

Monograph ID: Rasagiline/CYP1A2 Inhibitors - 2105

Severity Level Code (Required): 3 - Moderate Interaction

From here, a user can create another custom record. Checks exist in the system so that the same user cannot make duplicate DDIs or another user cannot come in and make the same DDI that another user just made.


11.3.2. Create Multiple Customizations from One FDB Record

Drug-Drug Interactions and Dose Range records can be customized multiple times from a single FDB record.

To create multiple customizations from one FDB record:

1. Find and display the FDB record to be customized using Advanced Query/Customization.
2. Select Edit.
3. Create the custom record by changing something and selecting Customize.
4. The new record is created. The record ID is displayed on the Interaction ID field. If there are any duplicates or other discrepancies, then a warning message will be displayed (such as an identical interaction severity):

Figure 144: FDB ID Record



Warning Messages:

- A VA Custom interaction already exists for 'RASAGILINE/CYP1A2 INHIBITORS' with severity '3'. See below for the duplicate VA custom record details.

Informational Messages:

- The associated drug pairs are not all reviewed yet. To submit this interaction as reviewed, you must review all associated drug pairs. First click on the Drug Pairs button then take appropriate action.
- Following additional VA custom record(s) exist for the corresponding FDB Drug-Drug Interaction.


Interaction Type	Interaction ID	Interaction Description	Interaction Severity	Interaction Action Status
VA Interaction	2020334	RASAGILINE/CYP1A2 INHIBITORS	1	Approved
VA Interaction	2020957	RASAGILINE/CYP1A2 INHIBITORS	9	New
FDB Interaction	2105	RASAGILINE/CYP1A2 INHIBITORS	3	N/A
VA Interaction	2020660	RASAGILINE/CYP1A2 INHIBITORS	2	Delete Reviewed

5. Repeat the process using the same FDB record as many times as necessary.

11.3.3. Cannot Add Identical Drug Pairs to Same DDI

After one user has created a new DDI or added new drug pairs to an existing DDI, a second user can come in and attempt to add the same drug pairs. A users cannot add a drug pair that currently exists for the selected DDI:

Figure 145: Error for Duplicate Drug Pairs for One DDI




Error Messages:

- This Drug Pair combination already exists for the Interaction ID: 2020740. The Drug Pair must first be deleted from Interaction ID: 2020740 to be added to this new VA custom DDI with Interaction ID: 2020738.

The user will also receive an error if they attempt to customize a drug pair for a DDI in Reverse Order:

Figure 146: Error for Duplicate Drug Pairs in Reverse Order for One DDI



Drug Pair Customization

Cancel Edit

Error Messages:

- Another Drug Pair exists with the drugs in reverse order.
- Unable to perform the save operation on the customization. (Attempt to create duplicate drug pair: METHICILLIN SODIUM MISCELLANEOUS/GENTAMICIN SULFATE INJECTION)

Attempt to add same drugs in Reverse Order message

Attempt to create duplicate drug pair message. Does not save Drug Pair Customization

11.3.4. Reverse Drug-Drug Interactions

Multiple Drug-Drug Interaction records may exist for the same drugs listed in reverse order. For example, FDB Interaction ID 1234 is Drug A/Drug B and FDB Interaction ID 30766 is Drug B/Drug A. Information about reverse DDIs is displayed in the table at the top of the detail page. The screen shot below displays FDB record 1637, which has a DDI customization and a reverse DDI customization.

Figure 147: FDB DDI with a Customization and a Reverse Customization

Drug-Drug Interaction Page Help

Informational Messages:

- Following VA custom record(s) already exist for this FDB Drug-Drug Interaction.
- To update this record click on the edit button below.

[Edit](#) [Print Page](#)

Interaction Type	Interaction ID	Interaction Description	Interaction Severity	Interaction Action Status
VA Interaction	2021182	SORAFENIB/DOCETAXEL	9	New
VA Interaction	2021181	DOCETAXEL/SORAFENIB	2	New

Interaction Description (Required) DOCETAXEL/SORAFENIB

Severity Level Code (Required) 3 - Moderate Interaction

[Monograph ID](#) Docetaxel/Sorafenib - 1637

Corresponding FDB Interaction ID 1637

Clinical Effect Code 1 (Required) Increased effect of the former drug

Clinical Effect Code 2

EDI Number

EDI Text

If a user selects the link associated with the reverse DDI, then they will see its detail page (next screen shot):

Figure 148: Choosing the Reverse VA DDI Customization

Drug-Drug Interaction Page Help

Informational Messages:

- Following VA custom record(s) already exist for this FDB Drug-Drug Interaction.
- To update this record click on the edit button below.

[Edit](#) [Print Page](#)

Interaction Type	Interaction ID	Interaction Description	Interaction Severity	Interaction Action Status
VA Interaction	2021182	SORAFENIB/DOCETAXEL	9	New
VA Interaction	2021181	DOCETAXEL/SORAFENIB	2	New

Interaction Description (Required) DOCETAXEL/SORAFENIB

Severity Level Code (Required) 3 - Moderate Interaction

[Monograph ID](#) Docetaxel/Sorafenib - 1637

Corresponding FDB Interaction ID 1637

Clinical Effect Code 1 (Required) Increased effect of the former drug

Clinical Effect Code 2

The detail page of the Reverse VA Customization is displayed:

Figure 149: Reverse FDB Interaction ID

The screenshot shows a web interface for a Drug-Drug Interaction. At the top, there are buttons for 'Edit', 'Drug Pairs', 'History', and 'Print'. Below these is a table with the following data:

Interaction Type	Interaction ID	Interaction Description	Interaction Severity	Interaction Action Status
VA Interaction	2021181	DOCETAXEL/SORAFENIB	2	New
FDB Interaction	30363	SORAFENIB/DOCETAXEL	3	N/A

Below the table, there are several fields with labels and values:

- Action Status: New
- Interaction Description (Required): SORAFENIB/DOCETAXEL
- Severity Level Code (Required): 9 - Undetermined Severity - Alternative Therapy Interaction
- Interaction ID: 2021182
- Monograph ID: Docetaxel/Sorafenib - 1637
- Corresponding FDB Interaction ID: 30363 (circled in red)
- Reverse FDB ID: 1637
- Clinical Effect Code 1 (Required): Increased effect of the latter drug
- Clinical Effect Code 2
- EDI Number

A red callout box with a pointer to the 'Corresponding FDB Interaction ID' field contains the text: "Note different FDB Interaction ID -- it's the reverse of the Monograph ID".

Displaying the Reverse FDB DDI Interaction ID

The Reverse FDB DDI Interaction ID is displayed in the VA custom DDI and DP Detail pages, in the results of DDI and Drug Pair queries and on the FDB Custom DDI Report. The Reverse FDB DDI Interaction ID is defined as the reverse of the FDB DDI ID and is obtained by executing this equation:

$$32,000 - (\text{minus}) \text{ FDB Monograph ID.}$$

For example:

- If FDB monograph ID is 2246, then the reverse FDB DDI ID is 29745 ($32,000 - 2246 = 29745$)
- If FDB monograph ID is 29754, then the reverse FDB DDI ID is 2246 ($32,000 - 29754 = 2246$)
- If FDB monograph ID is 0, then the reverse FDB Interaction ID is 0 (i.e., DDI was created from scratch using the Open Blank Form option)

Displaying the reverse FDB DDI Interaction ID in the DDI and DP detail pages, query results, and reports enables the user to find information about reverse DDIs easily.

11.3.5. Working with Drug Pairs within the DDI

Note that a user can work with a drug pair only by starting from the Drug-Drug interaction page, and selecting the Drug Pairs button.

See the Drug Pair Detail for additional information.

11.3.6. Fields

Table 11: DDI Fields

Table Heading Name	Table Heading Description
Monograph ID	The Professional Monograph ID associated with the drug interaction pair.
Action Status	Applicable to VA record only. The point this customization is at, within the VA Approval Workflow.
Corresponding FDB Interaction ID	The system ID of the FDB record from which the VA customization was created.
Interaction ID	The system ID of this VA customization.
Reverse FDB ID	The FDB ID associated with a customized reverse interaction ID.
Severity Level Code	The level of severity for this Drug-Drug Interaction.
Action Date	Applicable to VA record only. The date of the last action taken on the record.
Action Performed By	Applicable to VA record only. The name of the user that performed the last action.
Request Submitted By	Applicable to VA record only. The name of the user that submitted this VA request.
Action Effective Date	Applicable to VA record only. The date of the last action taken on the record.
Request Assigned To	Applicable to VA record only. A drop down list to assign an approver.
Clinical Effect Code 1	Clinical effect code.
Clinical Effect Code 2	Clinical effect code
EDI Number	The severity level from the Evaluations of Drug Interactions (EDI) system.
EDI Text	The interaction text found in EDI.
DI Facts Number	Severity number of interaction found in DI Facts.
DI Facts Onset	The onset of the interaction as found in DI facts.
DI Facts Severity	The severity level of the interaction found in DI facts.
DI Facts Documentation	Documentation of the interaction found in the DI Facts.
DI Facts Text	The text of the interaction from DI facts.
Micromedex Severity	The severity found in Micromedex.
Micromedex Onset	The onset of the interaction as found in Micromedex.
Micromedex Substantiation	Level of documentation of the interaction found in the Micromedex.
Micromedex Text	The interaction text found in Micromedex.

Table Heading Name	Table Heading Description
Medline Hits	A dropdown list to select whether or not this reference was checked.
Medline Text	Brief description of literature results.
Package Insert	A dropdown list to select whether or not this reference was checked.
Package Insert Text	The interaction text found in the package insert.
PBM Criteria	A dropdown list to select whether or not this reference was checked.
PBM Criteria Text	Text information found in PBM criteria.
AIDS Guidelines	A dropdown list to select whether or not this reference was checked.
AIDS Guidelines Text	Text information from the AIDS guidelines.
Interaction Source	A drop-down list to select source.
Interaction Type	A drop-down list to select type.
Highest Level of Evidence	A drop-down list to select the source of the evidence to support the described drug-drug interaction.
Group Discussion	General comment from meeting.
Action Reason History	Applicable to VA record only. All historical current action reason comments for this record, in one viewable field.
Current Action Reason (optional)	Applicable to VA record only. Free form text that can be used to specify the reason for taking the specific action of creating new, modifying, assigning, rejecting, reviewing, approving, or deleting the customization.
Export Date	For Approved or Deleted records. Indicates the date of the last Custom Update. See Export Date for additional information.
Pre-Customization Comment	Approvers can add comments to un-customized FDB records in this field and select the add comment button to save the comment
Pre-Customization Comment History	Displays all comments that have been added to this record prior to customization

11.4. Drug Pair Detail

Drug Pairs are sets of drugs that are associated with a drug-drug interaction. The Drug Pair detail page allows a user to view the details of a drug pair associated with a Drug-Drug Interaction. Unlike other detail pages, there is no way to directly edit a drug pair from a drug pair detail page. Instead, the user must make the modifications through the associated Drug-Drug Interaction. See Drug Pair Customization (Non 508-Compliant) Detail or Section 508 Compliant Drug Pair Customization Detail for additional information.

Figure 150: The Drug Pair Detail Page – VA

UNITED STATES DEPARTMENT OF VETERANS AFFAIRS
PECS PHARMACY ENTERPRISE CUSTOMIZATION SYSTEM
 Welcome, SIX_APPROVER | [Logout](#)

Home | [Advanced Query/Customization](#) | [Easy Search](#) | [Drug Pair Lookup](#) | [Reports](#) | [Contact Us](#) | [Help](#)

Drug Pairs (Active read-only) [Page Help](#) [Print Page](#)

Informational Messages:

- The selected drug pair is also associated with VA Custom Interaction [2021078 - DOLUTEGRAVIR/SELECTED ORAL CATIONS](#) with severity level 2 and in the Approved action status.
- Further customization or deletion of this drug pair can only be done through the VA custom Drug-Drug Interaction detail page.

Routed Generic #1 Description	DOLUTEGRAVIR SODIUM ORAL
Routed Generic #1 (Required)	1089109
Routed Generic #2 Description	CALCIUM SULFATE/ASCORBIC ACID/ZINC/ORANGE JUICE ORAL
Routed Generic #2 (Required)	1069104
Severity Level Code	3
Severity Level Description	Moderate Interaction
Interaction Description	DOLUTEGRAVIR/SELECTED ORAL CATIONS
Interaction ID (Required)	2384

[Print Page](#)

Home | [Advanced Query/Customization](#) | [Easy Search](#) | [Drug Pair Lookup](#) | [Reports](#) | [Contact Us](#) | [Help](#)

PECS Software Version: 6.0.00.0279

Figure 151: Drug Pair Detail Page - FDB

UNITED STATES DEPARTMENT OF VETERANS AFFAIRS
PECS PHARMACY ENTERPRISE CUSTOMIZATION SYSTEM
 Welcome, SIX_APPROVER | [Logout](#)

Home | [Advanced Query/Customization](#) | [Easy Search](#) | [Drug Pair Lookup](#) | [Reports](#) | [Contact Us](#) | [Help](#)

Drug Pairs (Active read-only) [Page Help](#) [Print Page](#)

Informational Messages:

- The selected drug pair is also associated with VA Custom Interaction [2021078 - DOLUTEGRAVIR/SELECTED ORAL CATIONS](#) with severity level 2 and in the Approved action status.
- Further customization or deletion of this drug pair can only be done through the VA custom Drug-Drug Interaction detail page.

Routed Generic #1 Description	CALCIUM SULFATE/ASCORBIC ACID/ZINC/ORANGE JUICE ORAL
Routed Generic #1 (Required)	1069104
Routed Generic #2 Description	DOLUTEGRAVIR SODIUM ORAL
Routed Generic #2 (Required)	1089109
Severity Level Code	3
Severity Level Description	Moderate Interaction
Interaction Description	SELECTED ORAL CATIONS/DOLUTEGRAVIR
Interaction ID (Required)	29616

[Print Page](#)

Home | [Advanced Query/Customization](#) | [Easy Search](#) | [Drug Pair Lookup](#) | [Reports](#) | [Contact Us](#) | [Help](#)

PECS Software Version: 6.0.00.0279

11.4.1. Fields and Other Information

The information presented on a drug pair detail page is also different from other record types.

Informational Messages

Informational messages are critical with drug pairs. They associate the displayed drug pair with any associated Drug-Drug Interaction.

Figure 152: Example of Informational Messages for Drug Pair Detail

<p>Informational Messages:</p> <ul style="list-style-type: none"> The selected drug pair is also associated with VA Custom Interaction 2021078 - DOLUTEGRAVIR/SELECTED ORAL CATIONS with severity level 2 and in the Approved action status. Further customization or deletion of this drug pair can only be done through the VA custom Drug-Drug Interaction detail page.

Table 12 describes the fields for a Drug Pair record. Not all fields are applicable to all record types (FDB or VA).

Table 12: Field Descriptions for Drug Pair Detail

Field Name	Field Description
Action Status	Applicable to VA record only. It is the status of this customization within the VA Approval Workflow.
Routed Generic #1	The ID of the first drug in this Drug Pair.
Routed Generic #1 Description	Applicable to FDB record only. The description of the first drug in this Drug Pair.
Routed Generic #2 (required)	The ID of the second drug in this Drug Pair.
Routed Generic #2 Description	The description of the second drug in this Drug Pair.
Severity Level Code	Applicable to FDB record only. The severity level code for this Drug-Drug Interaction.
Severity Level Description	The description of the severity level code for this Drug-Drug Interaction.
Interaction ID	The ID number of the FDB or VA Custom Drug-Drug Interaction associated with the drug pair.
Interaction Description	Applicable to FDB record only. The description of the Interaction ID that the drug pair is associated with.
Corresponding FDB Interaction ID	Applicable to VA records only. It is the Interaction ID of the FDB record from which the VA Drug interaction customization was created.
Reverse FDB ID	Applicable to VA records only. It is the Reverse FDB Drug-Drug Interaction ID, or the Reverse Interaction ID of the DDI FDB record from which the DDI custom record was created. For more information about the Reverse FDB DDI ID, see “Displaying the Reverse FDB DDI Interaction ID” .
Action Performed By	Applicable to VA records only. The name of the user who performed the action.

Field Name	Field Description
Request Assigned To	Applicable to VA records only. The name of the PECS user assigned to process the customization request.
Request Submitted by	Applicable to VA records only. The name of the user that submitted this VA request.
Reference Text	Applicable to VA records only. Field for the user to enter any reference text needed to support customization of the drug pair.
Action Reason History	Applicable to VA records only. All historical 'current action reason' comments for this record, in one viewable field.
Current Action Reason	Applicable to VA records only. Free form text that can be used to specify the reason for taking the specific action of creating new, modifying, assigning, rejecting, reviewing, approving, or deleting the customization.
Export Date	Applicable to VA records only. Date that the approved or deleted drug pair record was exported to the incremental update file
Action Date	Applicable to VA records only. The date of the last action taken on the record.

11.4.2. Finding Drug Pairs

Drug pairs are usually found and processed directly from the Drug-Drug Interaction they are associated with. However, a user can search for them directly using either Advanced Query/Customization or Drug Pair Lookup. When searching for drug pairs directly, what is displayed is dependent the record type (VA or FDB) and whether the associated Drug-Drug Interaction has been customized. In all cases, drug pair records cannot be edited directly; the user must work through an associated Drug-Drug Interaction.

- If the results locate a customized VA Drug Pair, then the VA Drug Pair detail page for that Drug Pair is displayed. The detail page contains a link to the associated Drug-Drug Interaction(s).
- If the results locate an FDB drug pair record that has been customized by VA, then the FDB Drug Pair Detail page is displayed. The detail page contains a link to the FDB Drug-Drug Interaction and the customized VA Drug-Drug Interaction created from the FDB Drug-Drug Interaction.
- If the results locate an FDB drug pair record that has NOT been customized by VA, then the associated FDB Drug-Drug Interaction detail page is displayed.

Using Advanced Query/Customization

To find a drug pair using Advanced Query/Customization:

1. Select the Advanced Query/Customization tab.
2. Select Drug Pair from the Select Concept List and select the appropriate drug pair type from the Select VA, FDB, or Both list.
3. Build the query to find the appropriate drug pair and select Query.
4. Select the link in the Select column to open the record. The record that is displayed depends on the record type.

See Using Advanced Query/Customization for additional information.

Using Drug Pair Lookup

To find a drug pair using Drug Pair Lookup:

1. Select the Drug Pair Lookup tab.
2. Build the query to find the appropriate drug pair and select Query.
3. Select the link in the Select column to open the record. The record that is displayed depends on the record type.

See Drug Pair Lookup for additional information.

11.4.3. FDB Drug Pair Detail Page

When a user opens an FDB Drug Pair that is not customized, but the associated FDB Drug-Drug Interaction is customized, the FDB Drug Pair Detail Page is displayed. The informational message will contain all VA Custom Drug-Drug Interactions associated with the FDB Drug-Drug Interaction(s) associated with the drug pair. To customize the drug pair, select the appropriate linked interaction in the informational message.

Figure 153: Un-Customized FDB Drug Pair

The screenshot displays the PECS (Pharmacy Enterprise Customization System) interface. At the top, there is a navigation bar with the following tabs: Home, Advanced Query/Customization, Easy Search, Drug Pair Lookup, Reports, Contact Us, and Help. The current page is titled "Drug Pairs (Active read-only)" and includes a "Page Help" link and a "Print Page" button.

Informational Messages:

- The selected Drug Pair has not been customized.
- The FDB Drug-Drug Interaction is associated with the following VA Custom Drug-Drug Interaction(s):
 - Interaction: [2011302 - SELECTED XANTHINE DERIVATIVES/FLUVOXAMINE](#) - Severity code: 2
- Customization of this Drug Pair can only be done through the VA custom Drug-Drug Interaction detail page.

Drug Pair Details:

Routed Generic #1 Description	CAFFEINE/DEXTRROSE ORAL
Routed Generic #1 (Required)	1048583
Routed Generic #2 Description	FLUVOXAMINE MALEATE ORAL
Routed Generic #2 (Required)	1054914
Severity Level Code	3
Severity Level Description	Moderate Interaction
Interaction Description	SELECTED XANTHINE DERIVATIVES/FLUVOXAMINE
Interaction ID (Required)	1130

At the bottom of the page, there is another "Print Page" button and a navigation bar with the same tabs as the top: Home, Advanced Query/Customization, Easy Search, Drug Pair Lookup, Reports, Contact Us, and Help.

FDB Drug Pair Not Customized, Not Associated with Customized Drug-Drug Interaction

When a user opens an FDB drug pair that has not been customized and is not associated with a customized Drug-Drug Interaction the FDB Drug-Drug Interaction associated with the drug pair is displayed. To customize the FDB Drug-Drug Interaction and the associated drug pairs, select the Interaction ID link.

Figure 154: FDB Drug-Drug Interaction without Customized Drug Pairs

The screenshot displays the PECS (Pharmacy Enterprise Customization System) interface. At the top, it shows the United States Department of Veterans Affairs logo and the user's name, FIVE_APPROVER. The main navigation bar includes links for Home, Advanced Query/Customization, Easy Search, Drug Pair Lookup, Reports, Contact Us, and Help. The page title is "Drug-Drug Interaction (Active read-only)".

Informational Messages:

- The Drug-Drug interaction '31842 - GUANETHIDINE/SYPATHOMIMETICS (DIRECT, MIXED-ACTING)' has not been customized.
- You must customize the Drug-Drug interaction prior to customizing the Drug-Drug pair.
- To customize this Drug-Drug Interaction click the Open Button below.

Routed Generic #1 Description	GUANADREL SULFATE ORAL
Routed Generic #1 (Required)	1048883
Routed Generic #2 Description	AMMONIUM CHLORIDE/D-METHORPHAN HB/PHENYLPROP/CHLORPHENIR ORAL
Routed Generic #2 (Required)	1048884
Severity Level Code	3
Severity Level Description	Moderate Interaction
Interaction Description	GUANETHIDINE/SYPATHOMIMETICS (DIRECT, MIXED-ACTING)
Interaction ID (Required)	31842

Buttons for "Open" and "Print Page" are visible at the bottom of the main content area.

FDB Drug Pair Customized Once

When a user opens an FDB Drug pair that has been customized once they will be presented with the VA customized drug pair and a link to the associated VA Drug-Drug Interaction ID.

Figure 155: Drug Pair Detail Page (Read Only)

The screenshot displays the PECS (Pharmacy Enterprise Customization System) interface. At the top, it shows the United States Department of Veterans Affairs logo and the user's name, FIVE_APPROVER. The main navigation bar includes links for Home, Advanced Query/Customization, Easy Search, Drug Pair Lookup, Reports, Contact Us, and Help. The page title is "Drug Pairs (Active read-only)".

Informational Messages:

- The selected drug pair is also associated with VA Custom Interaction [2021190 - TRAMADOL/NEFAZODONE, TRAZODONE \(> 50 MG\)](#) with severity level 3 and in the Approved action status.
- Further customization or deletion of this drug pair can only be done through the VA custom Drug-Drug Interaction detail page.

Routed Generic #1 Description	TRAMADOL HCL ORAL
Routed Generic #1 (Required)	1056893
Routed Generic #2 Description	TRAZODONE HCL ORAL
Routed Generic #2 (Required)	1050228
Severity Level Code	3
Severity Level Description	Moderate Interaction
Interaction Description	TRAMADOL/NEFAZODONE, TRAZODONE (> 50 MG)
Interaction ID (Required)	29645

Buttons for "Print Page" are visible at the bottom of the main content area.

FDB Drug Pair Customized More Than Once

An FDB Drug Pair can be customized more than once. For example, a Drug Pair can be customized for a VA Drug-Drug Interaction and subsequently rejected or deleted. It can then be customized a second time for a different VA DDI. In this case, when the user opens the FDB Drug Pair record, they will not only get information about the FDB drug pair and its associated FDB DDI, but they will see two messages about the drug pair and the custom VA DDIs it is associated with. One message says that the drug pair is rejected, and the other message says that it is in the New Action Status. Two examples follow:

1. The following example shows what will display if the user opens an FDB Drug Pair that was customized for and subsequently rejected from DDI 2021210, and then customized a second time for DDI 2021211. Note the informational messages and the links to the FDB and custom VA DDIs:

Figure 156: FDB Drug Pair Message One

The screenshot displays the PECS (Pharmacy Enterprise Customization System) interface. At the top, the header includes the United States Department of Veterans Affairs logo and the text "PECS PHARMACY ENTERPRISE CUSTOMIZATION SYSTEM". A navigation bar contains links for Home, Advanced Query/Customization, Easy Search, Drug Pair Lookup, Reports, Contact Us, and Help. The main content area is titled "Drug Pairs (Active read-only)" and includes a "Print Page" button. Below this, there are "Informational Messages" and a table of drug pair details.

Informational Messages:

- The selected drug pair is also associated with VA Custom Interaction [2021210 - ILOPERIDONE/QUINIDINE](#) with severity level 3 and in the Rejected action status.
- The selected drug pair is also associated with VA Custom Interaction [2021211 - ILOPERIDONE/QUINIDINE](#) with severity level 9 and in the New action status.
- Further customization or deletion of this drug pair can only be done through the VA custom Drug-Drug Interaction detail page.

Routed Generic #1 Description	ILOPERIDONE ORAL
Routed Generic #1 (Required)	1085354
Routed Generic #2 Description	QUINIDINE SULFATE ORAL
Routed Generic #2 (Required)	1048651
Severity Level Code	2
Severity Level Description	Severe Interaction
Interaction Description	ILOPERIDONE/QUINIDINE
Interaction ID (Required)	1970

At the bottom of the page, there is another navigation bar with links for Home, Advanced Query/Customization, Easy Search, Drug Pair Lookup, Reports, Contact Us, and Help, and a second "Print Page" button.

- The following example shows what will display if the user opens an FDB Drug Pair that was customized and subsequently rejected from DDI 2021212, customized a second time and subsequently deleted from DDI 2021213, and customized for DDI 2021214. Note the informational messages and links to all customizations:

Figure 157: FDB Drug Pair Message Two

The screenshot shows the PECS (Pharmacy Enterprise Customization System) interface. At the top, there is a navigation bar with the following links: Home, Advanced Query/Customization, Easy Search, Drug Pair Lookup, Reports, Contact Us, and Help. The user is logged in as FIVE_APPROVER. The main content area is titled "Drug Pairs (Active read-only)" and includes a "Print Page" button. Below this, there are "Informational Messages" regarding the selected drug pair's association with various VA Custom Interactions (DDI 2021212, 2021213, and 2021214) and their statuses (Rejected, Deleted, and Approved). A table provides details for the drug pair:


Routed Generic #1 Description	MEBENDAZOLE ORAL
Routed Generic #1 (Required)	1052743
Routed Generic #2 Description	METRONIDAZOLE ORAL
Routed Generic #2 (Required)	1052733
Severity Level Code	2
Severity Level Description	Severe Interaction
Interaction Description	MEBENDAZOLE/METRONIDAZOLE
Interaction ID (Required)	2055

At the bottom of the page, there is another "Print Page" button and a secondary navigation bar with the same links as the top bar.

11.4.4. VA Customized Drug Pair Detail Page

When a user opens a VA Customized drug pair, they will be presented with the customized Drug Pair Detail page.

Figure 158: VA Customized Drug Pair



11.5. Drug Pair Customization (Non 508-Compliant) Detail

The Drug Pair Customization (Non 508 Compliant) page allows users to create or delete drug pairs associated with the VA Customized Drug-Drug Interaction as well as perform mass VA Workflow updates to all associated Drug Pairs. To reach this page, select the “Drug Pairs” button on a VA customized Drug-Drug Interaction detail page.

Figure 159: Drug Pair Customization Window




Table 13 displays information related to the drug pair.

Table 13: Drug Pair-related Information

Field Name	Field Description
Interaction Type	The type of interaction displayed, either VA or FDB.
Interaction ID	The numerical reference number assigned to the interaction by the agency referenced in the Interaction Type field.

Field Name	Field Description
Interaction Description	The name of the drug pair associated with the interaction.
Interaction Severity	A numerical indicator of the severity of the interaction.
Interaction Action Status	The status of the interaction in the VA Approval Workflow. The Action Status for FDB Records will always be 'N/A,' as it does not go through the VA Approval Workflow

There are two methods to add drug pairs to a drug-drug interaction customization: from existing FDB Drug Pairs (see page) and from Routed Generics (see page).

Table 14: Drug Pair Fields

Field Name	Field Description
Reference Text	Field for the user to enter any drug pair reference text needed to support the addition of this/these drug pair(s).
Current Action Reason	Applicable to VA record only. Free form text that can be used to specify the reason for taking the specific action of creating new, modifying, assigning, rejecting, reviewing, approving, or deleting the customization.

Table 15: Drug Pair Buttons

Button Name	Button Description
Customize	Creates the Drug Pair record and associates it to the VA Customized Drug-Drug Interaction.
Cancel Edit	Disregards chosen Drug Pair and any text entered into fields and collapses this panel.

11.5.1. Drug Pairs Panel

The Drug Pairs panel contains all the VA Customized Drug Pairs already associated to the VA Customized Drug-Drug Interaction (noted at the top of the page). The panel contains

- Interaction Description - VA Customized Drug-Drug Interaction Description
- Routed Generic #1 Description - First drug in the drug pair
- Routed Generic #2 Description - Second drug in the drug pair
- Action Status - current status of the Drug Pair
- Request Submitted By - User ID of the PECS user who made the initial customization request
- Action Date - The date of the most recent action
- Action Performed By - User ID of the PECS user who performed the most recent action
- Request Assigned To - User ID of the PECS user who is responsible for reviewing the drug pair information
- Interaction ID - The numerical identifier for the Drug-Drug Interaction
- Severity Level Description - A text description of the interaction severity

- Reference Text - Contents of the Reference Text field
- Severity Level Code - A numerical identifier for the severity of the Drug-Drug Interaction

The checkboxes at the top allow the user to filter what is displayed in the interaction table by Action Status (Historical records are not displayed). They can only process records that are in the same Action Status.

Figure 160: Drug Pair List Filters

The screenshot shows a table with a header row and a filter bar above it. The filter bar contains five checkboxes, each followed by a label: NEW, MODIFIED, REVIEWED, APPROVED, and DELETE REVIEWED. The table header row includes the following columns: Select, Interaction Description, Routed Generic #1 (with a sub-label Prescription), Routed Generic #2 (with a sub-label Prescription), Action Status, Request Submitted By, Action Date, Action Performed By, Request Assigned To, Interaction ID (with a sub-label Prescription), Severity Level (with a sub-label Prescription), Reference Text, and a partially visible column labeled 'Se L'.

The “Get Record Counts” button displays count of all VA customized drug pairs associated with the Drug-Drug Interaction. This helps the user to determine how many drug pairs to select to perform an action against at one time. It is recommended that quantities be limited to 200 drug pairs at a time to prevent negative impacts to system performance.

For more information, see the following:

- Customizing Drug Pairs from the Selection List
- Drug-Drug Interaction Detail

11.5.2. Notification of Drug Pairs Needing Action for an Approved Drug-Drug Interaction

The drug pairs that are associated with a Drug-Drug Interaction (DDI) need to go through the approval/status change process themselves (be approved, rejected, modified, or deleted), separately from the DDI. If the drug pairs are acted upon at the same time as the DDI is acted upon, then there is no problem in an Approver knowing that the drug pair needs to be acted upon. However, drug pairs may be added or modified even after a DDI has been acted upon. The way an Approver will know if they need to act on a drug pair associated with an already-approved DDI is by the row on the home page tables that displays the row “Approved Drug-Drug Interaction with Pending Drug Pairs.”

Figure 161: Approved DDIs with Pending Drug Pairs on Home Page

Dose Range	4
Approved Drug Drug Interactions With Pending Drug Pairs	1

My Assigned Requests for Approval	
Concept	Awaiting Approval
Drug-Drug Interaction	0
Professional Monograph	0
Duplicate Therapy	0
Dose Range	0
Approved Drug Drug Interactions With Pending Drug Pairs	1

My Assigned Requests for Deletion	
Concept	Awaiting Deletion
Drug-Drug Interaction	0
Professional Monograph	0
Duplicate Therapy	0
Dose Range	0
Approved Drug Drug Interactions With Pending Drug Pairs	1

Unassigned Requests	
Concept	Unassigned
Drug-Drug Interaction	140
Professional Monograph	47
Duplicate Therapy	59
Dose Range	99
Approved Drug Drug Interactions With Pending Drug Pairs	8

From the screen above, if a user selects the link "My Assigned Drug Pairs Associated with Approved Drug-Drug Interactions" for one of the states listed that has actual counts (not zero), then they are taken to the Advanced Query/Customization page that displays the results for all Drug-Drug Interactions with associated Drug Pairs assigned to the user in that state. Here the user can act on the drug pairs.

Figure 162: My Assigned DDIs with Pending Drug Pairs List

VA Tables Results			
Export			
Select	Corresponding FDB Interaction ID	Interaction Description	Monograph ID
Active	2177	CITALOPRAM/CYP2C19 INHIBITORS	2177

Here is the Interaction window shown after the link is selected from the Advanced Query Page. On the Interaction window the user can act on the drug pairs -- to do so, select the Drug Pairs button:

Figure 163: DDIs with Needed Drug Pairs – Add with Drug Pairs Button

The screenshot shows the PECS interface with the following elements:

- Header:** UNITED STATES DEPARTMENT OF VETERANS AFFAIRS, PECS PHARMACY ENTERPRISE CUSTOMIZATION SYSTEM, Welcome, ONE_APPROVER | Logout
- Navigation:** Home, Advanced Query/Customization, Easy Search, Drug Pair Lookup, Reports, Contact Us, Help
- Page Title:** Drug-Drug Interaction
- Informational Messages:**
 - The associated drug pairs are not all approved as yet. To approve the interaction, you must approve all the associated drug pairs first. Click on the Drug Pairs button to view and approve the associated drug pairs.
 - Following additional VA custom record(s) exist for the corresponding FDB Drug-Drug Interaction.
 - To update this record click on the edit button below.
- Buttons:** Edit, Drug Pairs (highlighted with a red arrow), History, Print Page
- Table:**

Interaction Type	Interaction ID	Interaction Description	Interaction Severity	Interaction Action Status
FDB Interaction	180	KETAMINE/TUBOCURARINE	3	N/A
VA Interaction	2021025	KETAMINE/TUBOCURARINE	3	Rejected
VA Interaction	2021021	KETAMINE/TUBOCURARINExx	2	Approved
- Details Section:**
 - Action Status: Modified
 - Interaction Description (Required): KETAMINE/TUBOCURARINE
 - Severity Level Code (Required): 1 - Contraindicated Drug Combination
 - Interaction ID: 2021142
 - Monograph ID: Ketamine/Tubocurarine - 180
 - Corresponding FDB Interaction ID: 180
 - Reverse FDB ID: 31820
 - Clinical Effect Code 1 (Required): Increased effect of the latter drug
 - Clinical Effect Code 2: Adverse reaction with both drugs
 - EDI Number
 - EDI Text

After the user selects the Drug Pairs button, they can go through the process described in Customizing Drug Pairs from the Selection List (after the user clicks the Edit button).

The paragraphs below describe in detail the process for assigning the request to other Approvers for action.

When a user is working with the Drug Pair customization window, there is a drop-down where they can assign the request to a user ID. The default is the Approver who is assigned to the DDI, but that can be changed.

Figure 164: Assigned To: Drop-Down

The screenshot shows the 'Assigned To (Required)' field with a drop-down arrow. The selected value is 'FOUR_APPROVER'. Below the field are the following buttons: Submit As Reviewed, Approve, Reject, Submit For Delete, and Delete. A 'Cancel Edit' button is located below these buttons. A red arrow points to the drop-down arrow.

If a user changes the status of the drug pairs to Submit as Reviewed or Submit for Delete, then the drug pairs are automatically reassigned to the "Unassigned" User ID if the user who is assigned to the DDI is the same user who is making the status change. The reassignment happens because the person who submits can't also do the approval or delete the drug pairs.

Notes: If a user changes the status of the drug pairs to Submit as Reviewed or Submit for Delete, then the drug pairs are automatically reassigned to the “Unassigned” category.

If a user puts a Drug-Drug Interaction (DDI) into the Delete Reviewed status, then the Drug Pairs associated with the DDI must be in either a “Delete Reviewed,” “Rejected” or “Deleted” status.

A routed generic Drug Pair that was deleted and then customized in the reverse order will be listed with those in the New Action Status and displayed in reverse order in the Drug Pairs table on the Drug Pairs Customization page.

11.5.3. Customizing Drug Pairs from the Selection List

PECS allows a user to create multiple drug pairs for an interaction at one time. This same multi-select method allows them to batch process drug pairs for other operations such as Review, Reject, and Delete. The process differs slightly between drug pairs created from a corresponding FDB interaction or using routed generic drugs.

Adding Drug Pairs from Corresponding FDB Interaction

When adding FDB Drug Pairs to an interaction on the Batch Customization page, the user may select single drug pairs, groups of consecutive drug pairs, or a combination of both.

Note: The following instructions are written for the screen that is non-compliant for Section 508. See Section 508 Compliant Drug Pair Customization Detail for instructions on how to use the compliant screen.


To select single drug pairs, simply select the corresponding checkboxes of the drug pairs to be selected.

Figure 165: Drug Pair Selection List

Routed Generic #1 Description	Routed Generic #2 Description
<input type="checkbox"/> BISACODYL/SODIUM PHOS,M-BASIC-D-BASIC MISCELLANEOUS	TRANDOLAPRIL/VERAPAMIL HCL ORAL
<input type="checkbox"/> BISACODYL/SODIUM PHOS,M-BASIC-D-BASIC MISCELLANEOUS	ENALAPRIL MALEATE/FELODIPINE ORAL
<input checked="" type="checkbox"/> BISACODYL/SODIUM PHOS,M-BASIC-D-BASIC MISCELLANEOUS	PERINDOPRIL ERBUMINE ORAL
<input type="checkbox"/> BISACODYL/SODIUM PHOS,M-BASIC-D-BASIC MISCELLANEOUS	MOEXIPRIL HCL/HYDROCHLOROTHIAZIDE ORAL
<input checked="" type="checkbox"/> BISACODYL/SODIUM PHOS,M-BASIC-D-BASIC MISCELLANEOUS	TELMISARTAN ORAL
<input type="checkbox"/> BISACODYL/SODIUM PHOS,M-BASIC-D-BASIC MISCELLANEOUS	IRBESARTAN/HYDROCHLOROTHIAZIDE ORAL
<input type="checkbox"/> BISACODYL/SODIUM PHOS,M-BASIC-D-BASIC MISCELLANEOUS	QUINAPRIL HCL/HYDROCHLOROTHIAZIDE/MAGNESIUM CARBONATE ORAL

To select groups of consecutive drug pairs, select the first checkbox in the group and then Shift + click (click while holding down the shift key) the last checkbox in the group. All drug pairs between the first and last checkboxes will be selected. If the user wants to add another group to their selection, then select the first checkbox in the second group and Shift + click the last checkbox in the group. Two groups of drug pairs will now be selected. To add other non-consecutive drug pairs, select the corresponding checkbox.

Figure 166: Large Group of Selected Drug Pair for Batch Update




Drug Pairs from Routed Generic Drugs

To select multiple drug pairs from Routed Generic drugs:

1. On the Drug Pair Customization window, select Drug pair from Routed Generic Drug lists from the Select Drug Pair(s) Source list.

Figure 167: Select Drug Pairs Source List



2. Select Edit.
3. Enter all or part of a routed generic drug name in the Routed Generic 1 field. To display all routed generic drugs, enter *. The list will populate automatically, but the process may take some time based on server load and the specificity of the search term.
4. Enter all or part of a routed generic drug name in the Routed Generic 2 field. To display all routed generic drugs, enter *. The list will populate automatically, but the process may take some time based on server load and the specificity of the search term.
5. To select a range of routed generic drugs from the results list, select the first item in the range, then Shift + click the last item in the range. Use the scroll bar on the results list if the last item in the range is not immediately visible.

Figure 168: Range Selection of Routed Generic Drugs

- To select non-consecutive items in the results list, select the first item, then Ctrl + click (click while holding down the Ctrl key) any additional items. Use the scroll bar on the results list if the last item in the range is not immediately visible. This technique can also be used to de-select items within a previously selected range of items.

Figure 169: Individual Selection of Routed Generic Drugs

- Select the Customize button. After processing, the new drug pairs will appear in the Drug Pairs list. In this example, six new drug pairs were created: each of the three selected Routed Generic 1 drugs is now paired with the two selected Routed Generic 2 drugs.

Figure 170: Drug Pairs List Selection List

Figure 171: Drug Pairs List

<input checked="" type="checkbox"/> NEW	<input checked="" type="checkbox"/> MODIFIED	<input checked="" type="checkbox"/> REVIEWED	<input checked="" type="checkbox"/> APPROVED	<input checked="" type="checkbox"/> DELETE REVIEWED	Interaction Description	Routed Generic #1 Description	Routed Generic #2 Description	Action Status	Severity Level Code	Int
<input type="checkbox"/>					ASPIRINIBUPROFEN	ASPIRIN MISCELLANEOUS	ORANGE (FOOD COLOR) MISCELLANEOUS	New	3	20
<input type="checkbox"/>					ASPIRINIBUPROFEN	ASPIRIN MISCELLANEOUS	ORANGE FLAVOR MISCELLANEOUS	New	3	20
<input type="checkbox"/>					ASPIRINIBUPROFEN	ASPIRIN ORAL	ORANGE (FOOD COLOR) MISCELLANEOUS	New	3	20
<input type="checkbox"/>					ASPIRINIBUPROFEN	ASPIRIN ORAL	ORANGE FLAVOR MISCELLANEOUS	New	3	20
<input type="checkbox"/>					ASPIRINIBUPROFEN	ASPIRIN RECTAL	ORANGE (FOOD COLOR) MISCELLANEOUS	New	3	20
<input type="checkbox"/>					ASPIRINIBUPROFEN	ASPIRIN RECTAL	ORANGE FLAVOR MISCELLANEOUS	New	3	20

Select/Deselect Drug Pairs Displayed from VA Custom Interaction
 500 Max
 1000 Max
 All

Batch Update Drug Pairs

A user can use the quick selection processes described above to change the actions status of multiple drug pairs at the same time. The Action buttons available are dependent upon the action status of the selected drug pairs. Only mutually appropriate actions will be available.

11.5.4. Review a Drug Pair

An Approver may be assigned to review drug pairs associated with a drug-drug interaction. The options are to either Submit as Reviewed, indicating that the Drug Pair associated with the drug-drug interaction is appropriate, or Reject the Drug Pair as inappropriately associated with the Drug-Drug interaction.

To review a drug pair associated with an interaction customization:

1. From the Drug-Drug Interaction record, select Drug Pairs.

Figure 172: Drug Pairs Button



2. When the Drug Pair Customization page appears, select Edit.

Figure 173: Edit Button on the Drug Pair Customization Page




3. In the Drug Pairs panel, select one or more drug pairs currently associated with the drug-drug interaction. For information on selecting multiple items within a list, see Customizing Drug Pairs from the Selection List.

Figure 174: Drug Panel for Selecting Drug Pairs



- Using the Assigned To list, select the person to Approve the drug pair association with the selected drug-drug interaction. If unsure who this should be, then select Unassigned.

Figure 175: Assigned To List



- Select Submit as Reviewed to indicate that the drug pair has been reviewed and confirm that it is correctly associated with the selected drug-drug interaction. Select Reject to indicate that the drug pair is not correctly associated with the selected drug-drug interaction -- this will remove the drug pair from the record. Select Cancel Edit to abandon the current editing session and leave the record unchanged.

Figure 176: Buttons Available to Choose From



Note: Drug Pair records can be modified after they have been Reviewed.

11.6. Section 508 Compliant Drug Pair Customization Detail

Note: These are the instructions for the Section 508 compliant version of the Drug Pair Customization page. For Non-compliant Drug Pair customization, see Drug Pair Customization (Non 508-Compliant) Detail.

To reach the Section 508-Compliant version of the Drug Pair Customization page:

- Select the "Drug Pairs" button on a VA customized Drug-Drug interaction detail page.
- Select the 508-Compliant Page link in the Drug Pair Customization banner.

Figure 177: Link to Access 508-Compliant Drug Pair Selection Page



11.6.1. Select Drug Pairs to Add to the Above VA Custom Interaction Panel

These are instructions on how to select drug pairs on the Section 508 Compliant Drug Pair Customization page.

Add Routed Generic to VA Custom Interaction

If the interaction is customized from a blank form, then there are no FDB drug pairs to choose from. The user will choose drug pairs from Routed Generic drug lists. The user will select the first drug “Routed Generic #1 Description” and then select the second drug “Routed Generic #2 Description” for the Drug Pair they are associating to this VA customized Drug-Drug Interaction. Note that a drug pair must be chosen before selecting the “Customize button”. “Routed Generic #1” and “Routed Generic #2” fields cannot contain the same chosen value. “Routed Generic #1” and “Routed Generic #2” must follow the same order as the Interaction Description. The user must be careful to select all routed generics that contain the desired drug as an ingredient. Combination products may not fall alphabetically close to single ingredient products. The Routed Generic drug lists can also be used to add drug pairs to a drug-drug interaction customized from an FDB record if the drug pairs to be added do not exist in the FDB database.

Figure 178: Routed Generic Drug List on 508-Compliant Page

Select Generic Drug Pairs to add to the above VA Custom Interaction

Routed Generic #1 Description: 0.25 NORMAL SALINE INJECTION

Routed Generic #2 Description: 0.25 NORMAL SALINE INJECTION

Enter values in text boxes below and click 'Customize' to add drug pairs to interaction.

Reference Text (drug pair reference text):

Current Action Reason (for drug pair creation): (Required)

Assigned To (Required): UNASSIGNED

Customize

To add a Routed Generic drug pair:

1. Select the Edit button.
2. In the "Select Generic Drug Pairs to add to the above VA Custom Interaction" panel, select the first drug from the Routed Generic #1 Description list.
3. Select the second drug from the Routed Generic #2 Description list.
4. Add any available reference text to the Reference Text field. This is not required.
5. Add a reason for the current action in the Action Reason field. This is required.
6. Select a PECS user to review the action in the Action Reason field.
7. Select the Customize button.

Add FDB Drug Pairs to VA Custom Interaction

If the interaction is customized from an FDB record, the user can select any or all of the corresponding FDB drug pairs. Each FDB drug pair consists of Routed Generic #1 and Routed Generic #2. Select the checkbox adjacent to the drug pair or pairs to select it to add to the custom interaction.

Figure 179: Corresponding FDB Drug Pairs, 508-Compliant Page Top

Select	Routed Generic 1	Routed Generic 2
<input type="checkbox"/>	WARFARIN SODIUM ORAL	PROPOXYPHENE HCL/ASPIRIN/CAFFEINE ORAL
<input type="checkbox"/>	WARFARIN SODIUM ORAL	PROPOXYPHENE HCL/ASPIRIN/PHENACETIN/CAFFEINE ORAL
<input type="checkbox"/>	WARFARIN SODIUM ORAL	PROPOXYPHENE HCL/ASPIRIN ORAL
<input type="checkbox"/>	WARFARIN SODIUM ORAL	PROPOXYPHENE NAPSYL/ASPIRIN ORAL
<input type="checkbox"/>	WARFARIN SODIUM ORAL	PROPOXYPHENE HCL/ACETAMINOPHEN ORAL
<input type="checkbox"/>	WARFARIN SODIUM ORAL	PROPOXYPHENE NAPSYL/ACETAMINOPHEN ORAL
<input type="checkbox"/>	WARFARIN SODIUM ORAL	PROPOXYPHENE HCL ORAL
<input type="checkbox"/>	WARFARIN SODIUM ORAL	PROPOXYPHENE NAPSYL ORAL
<input type="checkbox"/>	WARFARIN SODIUM ORAL	LEVOPROPOXYPHENE NAPSYLATE ORAL
<input type="checkbox"/>	WARFARIN SODIUM ORAL	TRAMADOL HCL ORAL
<input type="checkbox"/>	WARFARIN SODIUM ORAL	TRAMADOL HCL/ACETAMINOPHEN ORAL
<input type="checkbox"/>	WARFARIN SODIUM ORAL	TRAMADOL HCL/DIETARY SUPPLEMENT,MISC. CB.11 ORAL
<input type="checkbox"/>	WARFARIN SODIUM ORAL	TRAMADOL HCL/GLUCOSAMINE SULFATE ORAL
<input type="checkbox"/>	WARFARIN SODIUM ORAL	PROPOXYPHENE NAPSYL MISC (NON-DRUG; COMBO ROUTE)
<input type="checkbox"/>	WARFARIN SODIUM ORAL	TRAMADOL HCL MISC (NON-DRUG; COMBO ROUTE)

Figure 180: Corresponding FDB Drug Pairs, 508-Compliant Page Bottom

<input type="checkbox"/>	WARFARIN SODIUM MISC (NON-DRUG; COMBO ROUTE)	PROPOXYPHENE NAPSYL/ASPIRIN ORAL
<input type="checkbox"/>	WARFARIN SODIUM MISC (NON-DRUG; COMBO ROUTE)	PROPOXYPHENE HCL ORAL
<input type="checkbox"/>	WARFARIN SODIUM MISC (NON-DRUG; COMBO ROUTE)	PROPOXYPHENE NAPSYL ORAL
<input type="checkbox"/>	WARFARIN SODIUM MISC (NON-DRUG; COMBO ROUTE)	TRAMADOL HCL ORAL
<input type="checkbox"/>	WARFARIN SODIUM MISC (NON-DRUG; COMBO ROUTE)	TRAMADOL HCL/ACETAMINOPHEN ORAL
<input type="checkbox"/>	WARFARIN SODIUM MISC (NON-DRUG; COMBO ROUTE)	TRAMADOL HCL/DIETARY SUPPLEMENT,MISC. CB.11 ORAL
<input type="checkbox"/>	WARFARIN SODIUM MISC (NON-DRUG; COMBO ROUTE)	TRAMADOL HCL/GLUCOSAMINE SULFATE ORAL
<input type="checkbox"/>	WARFARIN SODIUM MISC (NON-DRUG; COMBO ROUTE)	PROPOXYPHENE NAPSYL MISC (NON-DRUG; COMBO ROUTE)
<input type="checkbox"/>	WARFARIN SODIUM MISC (NON-DRUG; COMBO ROUTE)	TRAMADOL HCL MISC (NON-DRUG; COMBO ROUTE)
<input type="checkbox"/>	Select/Deselect Drug Pairs from Corresponding FDB Interaction	<input type="radio"/> 100 Max <input type="radio"/> 200 Max <input type="radio"/> 1000 Max <input checked="" type="radio"/> All <input type="button" value="Get Record Counts"/>

To add a FDB drug pair:

1. Select the Edit button.
2. In the "Select FDB Drug Pairs to add to the above VA Custom Interaction" panel, select the check box adjacent to the drug pair to be added to the customization. Users can select more than one drug pair. To select all the drug pairs, select the 'Select/Deselect All Drug Pairs Displayed from Corresponding FDB Interaction' check box, and to limit the number selected, select one of the number-specific radio buttons.
3. Add any available reference text to the Reference Text field. This is not required.
4. Add a reason for the current action in the Action Reason field. This is required.
5. Select a PECS user to review the action in the Action Reason field.
6. Select the Customize button.

Drug Pairs Panel

The Drug Pairs panel contains all the VA Customized Drug Pairs already associated to the VA Customized Drug-Drug Interaction (noted at the top of the page). The panel contains:

- Interaction Description - VA Customized Drug-Drug Interaction Description
- Routed Generic #1 Description - First drug in the drug pair
- Routed Generic #2 Description - Second drug in the drug pair
- Action Status - current status of the Drug Pair
- Request Submitted By - User ID of the PECS user who made the initial customization request
- Action Date - The date of the most recent action
- Action Performed By - User ID of the PECS user who performed the most recent action
- Request Assigned To - User ID of the PECS user who is responsible for reviewing the drug pair information
- Interaction ID - The numerical identifier for the Drug-Drug Interaction
- Severity Level Description - A text description of the interaction severity
- Reference Text - Contents of the Reference Text field
- Severity Level Code - A numerical identifier for the severity of the Drug-Drug Interaction

The checkboxes at the top allow the user to see what is displayed in the interaction table by Action Status (Historical records are not displayed). The drug pairs must be in the same state before an action can be performed on them.

Figure 181: Drug Pair List Filters



<input checked="" type="checkbox"/>	NEW	<input checked="" type="checkbox"/>	MODIFIED	<input checked="" type="checkbox"/>	REVIEWED	<input checked="" type="checkbox"/>	APPROVED	<input checked="" type="checkbox"/>	DELETE REVIEWED			
Select	Interaction Description	Routed Generic #1 Description	Routed Generic #2 Description	Action Status	Request Submitted By	Action Date	Action Performed By	Request Assigned To	Interaction ID	Severity Level Description	Reference Text	Se L c

The 'Get Record Counts' button will display the count of all VA customized drug pairs associated with the Drug-Drug Interaction. This helps to determine how many drug pairs require processing. It is recommended that no more than 200 drug pairs are processed at a time to prevent negative impacts to system performance.

To perform a batch update on the drug pairs:

1. Use the Action Status checkbox filters to make sure all drug pairs selected are in the same Action Statuses
2. Select the amount that will be updated in this one action
3. Select all or the individual drug pairs
4. Select the allowed Approval Workflow action to be performed (Submit as Reviewed, Approve, Reject, etc.)

Repeat this process for all of the drug pairs until the entire set of drug pairs is in the desired point in the Approval Workflow.

11.7. Professional Monograph Detail

A Professional Monograph is a document containing drug interaction information written for healthcare professionals. The Professional Monograph Detail Page allows the user to view the details of a Professional Monograph and customize it for VA use.

FDB monographs are not generally customized, however some Professional Monographs have been created from blank documents at the national level for drug interactions that do not appear in the FDB database.

Figure 182: Professional Monograph Detail Top

Figure 183: Professional Monograph Detail Bottom

11.7.1. Fields

Fields that cannot be modified are shaded within PECS.

Table 16: Professional Monograph Fields

Field Name	Field Description
Monograph Title	The title Monograph is usually the two drugs that have the interaction.
Monograph ID	The VA-assigned numerical identifier for the Monograph.
Action Status	Applicable to VA record only. The point this customization is at, within the VA Approval Workflow.
Action Date	Applicable to VA record only. The date of the last action taken on the record.
Action Performed by	Applicable to VA record only. The name of the user that performed the last action.
Action Effective Date	Applicable to VA record only. The date of the last action taken on the record.
Corresponding FDB Monograph ID	The First Databank (FDB)-assigned numerical identifier for the Monograph.
Request Assigned To	Applicable to VA record only. Approver the request is assigned to.
Request Submitted By	Applicable to VA record only. The name of the user that submitted this VA request.
Severity Level	The severity level associated with the interaction.
Mechanism Of Action	<p>The specific biochemical interaction through which a drug interaction occurs. For instance, pharmacokinetic drug interactions may include:</p> <ul style="list-style-type: none"> ○ Inhibition of absorption ○ Enzyme inhibition increasing the risk of toxicity ○ Enzyme inhibitors resulting in reduced drug effect ○ Enzyme induction resulting in reduced effect ○ Enzyme induction resulting in toxic metabolites ○ Altered renal elimination <p>Pharmacodynamic drug interactions include:</p> <ul style="list-style-type: none"> ○ Additive effects ○ Antagonistic pharmacodynamic effects
Clinical Effects (required)	The Clinical effects associated with the interaction.
Predisposing Factors (optional)	The factors or conditions that render an individual vulnerable to a drug interaction?
Patient Management (optional)	Describe the management options available to the provider, for example, Discontinuation of the medication, increased monitoring, laboratory tests, and scheduling the medication at different times

Field Name	Field Description
Discussion	Usually case reports or discussion.
Reference	Cited reference information.
Disclaimer	Textual reminder that the information provided is not intended to replace the user's clinical judgment.
Reference Text	Applicable to VA record only. Field for the user to enter any reference text needed to support customization of the Professional Monograph.
Action Reason History	Applicable to VA record only. All historical current action reason comments for this record, in one viewable field.
Current Action Reason	Free form text that can be used to specify the reason for taking the specific action of creating new, modifying, assigning, rejecting, reviewing, approving, or deleting the customization.
Export Date	For Approved or Deleted records. Indicates the date of the last Custom Update. See Export Date for additional information.

11.7.2. Buttons

Table 17: Professional Monograph Buttons

Button Name	Field Description
Print Page	Allows the user to print the page being viewed.
History	Allows the user to open the history of changes report.
Comment	Add a pre-customization comment (FDB Only)

11.7.3. Forward and Reverse Professional Monograph

A single VA Custom Drug-Drug Interaction could be associated with a separate custom Professional Monograph for the forward and reverse interactions. An interaction described as Drug A and Drug B would have a different Custom Monograph from an interaction described as Drug B and Drug A. These different monographs may be necessary because there could be a different Clinical Effect Code between forward and reverse interactions (DrugA+DrugB: Clinical Effect Code = Adverse effects of the former drug; DrugB+DrugA: Clinical Effect Code = Adverse effects of the latter drug).

11.8. Duplicate Therapy Detail

The Duplicate Therapy Detail page allows the user to view and edit the details of a Duplicate Therapy record. If an FDB record is edited, then the result is a VA Customization Request. For FDB records that have not been customized, the user has the option of adding a comment that will be retained with the record. If the record is later customized, then these pre-customization comments will be displayed with the customized record. Once the FDB record has been customized, a link to the VA customized record will be provided. FDB Duplicate Therapy records can be customized only once. If the record has already been customized, then it displays in Read-only mode, and it will not be customizable again (the Edit button will not display).

Figure 185: Duplicate Therapy Detail

The screenshot shows the PECS (Pharmacy Enterprise Customization System) interface. At the top, there is a header for the United States Department of Veterans Affairs with the PECS logo and a navigation menu including Home, Advanced Query/Customization, Easy Search, Drug Pair Lookup, Reports, Contact Us, and Help. The page title is "Duplicate Therapy (read-only)". Below the title, there is an "Informational Messages" section with a message: "Following VA Custom record already exists for this FDB Duplicate Therapy: 307". The main content area displays the following details:

Description (Required)	Oxytocics
Dtcid	307
Duplication Allowance (Required)	0
Request Assigned To	
Reference Text	
Current Action Reason (Required)	
Pre-Customization Comment History	

There are two "Print Page" buttons on the right side of the page. At the bottom, there is a footer with the same navigation menu and the text "PECS Software Version: [redacted]".

11.8.1. Fields

Table 19: Duplicate Therapy Detail Fields

Field Name	Field Description
DTCID	Duplicate therapy ID assigned by First Databank (FDB).
Custom Dup Allowance	The number of drugs a patient can be prescribed, within a Therapeutic Drug Class, before an alert is generated. A 0 duplicate allowance means only 1 medication from that Therapeutic class can be on the patient profile without getting an order check (zero duplication). If a second drug from that class is added the provider gets the order check. If the allowance is 1, two drugs can be on the patient profile at once, the 3rd drug added would get the check (one duplication), etc.
Description	The name of this Therapeutic Drug Class.
Action Status	Applicable to VA record only. The point this customization is at, within the VA Approval Workflow.
Action Date	Applicable to VA record only. The date of the last action taken on the record.
Export Date	For Approved or Deleted records. Indicates the date of the last Custom Update. See Export Date for additional information.
Action Effective Date	Applicable to VA record only. The date of the last action taken on the record.
Action Performed By	Applicable to VA record only. The name of the user that performed the last action.
Request Assigned To	Applicable to VA record only. A drop down list to assign an approver.
Request Submitted By	Applicable to VA record only. The name of the user that submitted this VA request.
Action Reason History	Applicable to VA record only. All historical current action reason comments for this record, in one viewable field.
Reference text	Field for the user to enter any reference text needed to support customization of the Duplicate Allowance.
Current Action Reason	Applicable to VA record only. Free form text that can be used to specify the reason for taking the specific action of creating new, modifying, assigning, rejecting, reviewing, approving, or deleting the customization.

11.8.2. Buttons


Table 20: Duplicate Therapy Detail Buttons

Button Name	Field Description
Print Page	Allows the user to print the page being viewed.
History	Allows the user to open the history of changes report.
Comment	Un-customized FDB Records Only: Add a Pre-Customization comment to the FDB record.

11.9. Dose Range Detail

A Dose Range is the allowable dosage of a drug based on a number of factors such as patient age, weight, and Dose Route. The Dose Range Detail page allows the user to view the details of a Dose Range record. If the FDB record is Concept Type 6 (Generic Dispensable Drug), then it can be customized. For FDB records of concept type other than 6, the only action that can be taken is to add a comment. Once the FDB record has been customized, a link to the VA customized record (or records) will be provided. For VA records, a link to the original FDB record (if one exists) is provided as well as any additional customizations to the same FDB record.

Figure 186: Dose Range Detail Top



UNITED STATES DEPARTMENT OF VETERANS AFFAIRS
PECS PHARMACY ENTERPRISE CUSTOMIZATION SYSTEM
Welcome, SIX_APPROVER | [Logout](#)

[Home](#) [Advanced Query/Customization](#) [Easy Search](#) [Drug Pair Lookup](#) [Reports](#) [Contact Us](#) [Help](#)

Dose Range [Page Help](#)

Informational Messages:

- [Corresponding FDB Record](#)
- To update this record click on the edit button below.

[Edit](#) [History](#) [Print Page](#)

Action Status: New
Concept Type: 6
Concept ID Number (Required): 3981
Concept ID Description: LOXAPINE SUCCINATE ORAL CAPSULE 10 MG
Age Low In Days (Required): 23725
Age High In Days (Required): 40150
Dose Route (Required): 086 - INTRA-URETHRAL

Figure 187: Dose Range Detail Bottom

BSA Required Indicator	0
BSA Required Indicator	0
Action Date	2015-03-30 11:33:50
Export Date	
Action Performed By	SIX_APPROVER
Request Assigned To	UNASSIGNED
Request Submitted By	SIX_APPROVER
Reference Text	
Action Reason History	2015-03-30 11:33:50 SIX_APPROVER: New DR. TW002
Current Action Reason (Required)	
Pre-Customization Comment History	

[Edit](#) [History](#) [Print Page](#)

[Home](#) [Advanced Query/Customization](#) [Easy Search](#) [Drug Pair Lookup](#) [Reports](#) [Contact Us](#) [Help](#)

PECS Software Version: 6.0.0.0280

11.9.1. Dose Range Concept Types

FDB Dose Range records can be associated to different drug Concept Types (a type associated in the FDB drug database that PECS uses). However, only Concept Type 6 - Generic Dispensable Drug can be customized. The Concept Types are:

- 1 -- Drug Name
- 2 -- Routed Drug
- 3 -- Dispensable Drug
- 4 -- Generic Drug Name
- 5 -- Generic Routed Drug
- 6 -- Generic Dispensable Drug
- 7 -- Routed Dosage Form Drug
- 8 -- Generic Routed Dosage Form Drug
- 100 -- Packaged Drug
- 101 -- Manufactured Drug
- 102 -- Reference Only Item
- 103 -- Compound
- 104 -- Ingredient
- 105 -- Regional Packaged Drug
- 106 -- Total Parenteral Nutrition Solution

11.9.2. Fields

Table 21: Dose Range Detail Fields

Field	Description
Concept Type	Number identifying the drug's concept type (FDB dose range category)
Concept ID Number	Number identifying the drug (For Concept Type = 6, Concept ID number = GCNSEQ code - an FDB product code)
Concept ID Description	The name of the drug being described.

Field	Description
Action Status	Applicable to VA record only. The point this customization is at, within the VA Approval Workflow.
Age Low in Days	Lowest patient age in days to which dosing information applies
Age High in Days	Highest patient age in days to which dosing information applies
Action Effective Date	Applicable to VA record only. The date of the last action taken on the record.
Dose Route	Dose route
Dose Type	Dose type
FDBDX	A nine-character alphanumeric coding system developed by First DataBank that identifies specific disease states or side effects.
DXID	DXID type code to identify a Medical Condition
Dose Low	Minimum amount to be administered per day
Dose Low Units	Unit of measure for low dose per day
Dose High	Highest amount to be administered per day
Dose High Units	Unit of measure for high dose per day
Dose Form Low	Low dose for a given dose form
Dose Form Low Units	Unit of measure for the dose form
Dose Form High	High dose for a given dose form
Dose Form High Units	Unit of measure for the dose form
Frequency Low	Indicates the low end of a drug's frequency of administration per day
Frequency High	Indicates the high end of a drug's frequency of administration per day
Duration Low	Indicates the lowest recommended duration of therapy (in days)
Duration High	Indicates the highest recommended duration of therapy (in days)
Max Duration	Indicates the maximum recommended duration of therapy (in days)
Max Single Dose	Maximum amount to be administered in a single dose
Max Single Dose Units	Unit of measure for the maximum single dose
Max Single Dose Form	Maximum single dose for a given form
Max Single Dose Form Units	Unit of measure for the dose form
Max Daily Dose	Maximum amount to be administered per day
Max Daily Dose Units	Unit of measure for the maximum daily dose
Max Daily Dose Form	Maximum daily dose for a dose form

Field	Description
Max Daily Dose Form Units	Unit of measure for the dose form
Max Lifetime Dose	Maximum amount to be administered over a patient's lifetime, if available
Max Life Time Dose Units	Unit of measure for maximum lifetime dose
Max LifeTime Dose Form	Maximum lifetime dose for a given dose form
Max LifeTime Dose Form Units	Unit of measure for the dose form
Dose Rate Low	Minimum amount to be administered per dose rate (hours or minutes)
Dose Rate Low Units	Unit of measure for low dose rate (hours or minutes)
Dose Rate High	Highest amount to be administered per dose rate (hours or minutes)
Dose Rate High Units	Unit of measure for high dose rate (hours or minutes)
Dose Form Rate Low	Low dose for a given dose form rate (hours or minutes)
Dose Form Rate Low Units	Unit of measure for the dose form rate (hours or minutes)
Dose Form Rate High	High dose for a given dose form rate (hours or minutes)
Dose Form Rate High Units	Unit of measure for the dose form rate (hours or minutes)
Max Single Dose Rate	Maximum amount to be administered in a single dose rate (hours or minutes)
Max Single Dose Rate Units	Unit of measure for the maximum single dose rate (hours or minutes)
Max Single Dose Form Rate	Maximum single dose for a given dose form rate (hours or minutes)
Max Single Dose Form Rate Units	Unit of measure for the dose form rate (hours or minutes)
Max Daily Dose Rate	Maximum amount to be administered per dose rate (hours or minutes)
Max Daily Dose Rate Units	Unit of measure for the maximum daily dose rate (hours or minutes)
Max Daily Dose Form Rate	Maximum daily dose for a dose form rate (hours or minutes)
Max Daily Dose Form Rate Units	Unit of measure for the dose form rate (hours or minutes)
Hepatic Impairment IND	Boolean (0/1) indicating whether dosing needs to be adjusted for hepatic impairment

Field	Description
Renal Impairment IND	Boolean (0/1) indicating whether dosing needs to be adjusted for renal impairment
CRCL Threshold	Number indicating lowest creatinine clearance to which dosing applies
CRCL Threshold Units	Unit of measure for the creatinine clearance threshold
Low Elimination Half Life	Indicates the low end of the drug's half-life range
High Elimination Half Life	Indicates the high end of the drug's half-life range
Half Life Units	Unit of time for the half-life range of a drug
Weight Required IND	Boolean (0/1) indicating whether weight is required for dosing
BSA Required IND	Boolean (0/1) indicating whether body surface area is required for dosing
Request Submitted By	Applicable to VA record only. The name of the user that submitted this VA request.
Request Assigned To	Applicable to VA record only. A drop down list to assign an approver.
Action Performed By	Applicable to VA record only. The name of the user that performed the last action.
Action Date	Applicable to VA record only. The date of the last action taken on the record.
Export Date	For Approved or Deleted records. Indicates the date of the last Custom Update. See Export Date for additional information.
Reference Text	Applicable to VA record only. Field for the user to enter any reference text needed to support customization of this Dose Range.
Action Reason History	Applicable to VA record only. All historical 'current action reason' comments for this record, in one viewable field.
Current Action Reason	Applicable to VA record only Free form text that can be used to specify the reason for taking the specific action of creating new, modifying, assigning, rejecting, reviewing, approving, or deleting the customization.

11.9.3. Buttons

Table 22: Dose Range Detail Buttons

Button Name	Field Description
Print Page	Allows the user to print the page being viewed.
History	Allows the user to open the history of changes report.
Comment	Add a Pre-Customization comment (FDB Only).

12. Sample Modification Scenarios

The following scenarios are examples of the types of modifications a typical user may perform. It is not a step-by-step guide in instructing users how to perform actual modifications. Sample steps are given, but these could differ based on the customizations being modified.

12.1. Duplicate Therapy Modification

Sample case: Making a Duplicate Therapy customization for Topical Pine Tar.

12.1.1. Process Steps

Edit duplicate therapy allowance:

1. From the Home Page, select the Advanced Query/Customization tab.
2. Select “Duplicate Therapy” from the *Select a Concept* drop-down and select ‘FDB’ from the *Select VA, FDB, or Both* drop-down
3. Build the query as follows: Fields=Description; Filter=contains; Value=Tar.
4. Select the Query button.
5. Look at the query results at the bottom of the page.
6. Select the Open link for the desired class of drug.
7. The following is displayed:

Figure 188: Duplicate Therapy Modification

The screenshot shows a web application interface for editing a 'Duplicate Therapy' record. At the top, there is a blue header bar with the text 'Duplicate Therapy' on the left and 'Page Help' on the right. Below the header, a message states: 'To update this record click on the edit button below.' There are two sets of buttons: 'Edit' and 'Add Comment' on the left, and 'Print Page' on the right. The form fields are as follows:

Description (Required)	Coal Tar Products
DTCID	1026
Duplication Allowance (Required)	0
Request Assigned To	
Reference Text	
Current Action Reason (Required)	
Pre-Customization Comment History	

At the bottom of the form, there is another set of 'Edit' and 'Add Comment' buttons on the left, and a 'Print Page' button on the right. Below the form is a navigation bar with links: Home, Advanced Query/Customization, Easy Search, Drug Pair Lookup, Reports, Contact Us, and Help.

8. Select the Edit button to edit the record.
9. Select the drop down arrow on Custom Dup Allowance (required) and select another number.
10. Enter a Description (required).
11. Enter the Current Action Reason (required).
12. Add any reference text needed (optional).
13. Select the Customize button.

12.2. Duplicate Therapy Approval

Sample Case: After the duplication allowance has been edited for the above situation, the user needs to submit the request for approval. Assign this request to FOUR_APPROVER.

12.2.1. Process Steps

1. From the Home page, look at My Request History.
2. Select the link to the NEW Duplicate Therapy requests.
3. Look at the query results at the bottom of the page.
4. Select the link for the desired class of drug (Topical Pine Tar).
5. Review the information.
6. Select the Edit button to edit the record.
7. Select the next business reviewer's name in Request Assigned To (optional) field.
8. Indicate the action reason in Current Action Reason (optional) field.
9. Select the Submit As Reviewed button.

12.3. Drug Interaction Research

Sample Case: The chief of urology has been told by the Pfizer sales rep that the VA has no drug-drug interaction between Sildenafil and Tamsulosin. The chief insists that a significant (severity level 2) interaction be added to the system.

12.3.1. Process Steps for Severity Check, Case 1

Check severity of an existing drug-drug interaction.

1. From the Home page, Select the Drug Pair Lookup tab.
2. Fill in known information (Drug A: Sildenafil; Drug B: Tamsulosin).
3. Select the Query button.
4. Review the VA custom records and FDB record.
5. Note existing VA custom interaction between Sildenafil and Tamsulosin with severity level 2 and FDB interaction with severity level 3.
6. No action needed.

12.4. Drug Interaction Severity Change

Sample Case: The FDA recently issued a black box warning stating that Cyclosporine and Tolterodine should never be used together due to risk of renal toxicity. This interaction is considered severity level 3 (moderate) by First Data Bank. Based on the issuance of this black box warning, the NDF support group is recommending the severity level be changed to 1 (critical). Create custom drug-drug pairs for this new VA custom drug-drug interaction.

12.4.1. Process Steps for Editing Case 1

Edit the severity of an existing FDB drug interaction

1. From Home page, choose the Advanced Query/Customization tab.
2. Select “Drug-Drug Interaction” from the *Select a Concept* drop-down and select ‘FDB’ from the *Select VA, FDB, or Both* drop-down.
3. Build the Query: Fields=Interaction Description; Filter=contains; Value=Cyclosporine; And/Or=Or.
4. Build Query: Column=Interaction Description; Constraints=contains; Value=Tolterodine.
5. Select the Query button.
6. Look at the query results at the bottom of the page.
7. Select the Open link for desired Interaction Description.
8. Select the Edit button to edit the record.
9. Select the drop down arrow on Severity Level Code (required).
10. Select the new desired severity level code (1).
11. Indicate the action reason in the free text Current Action Reason (required) field.
12. Select the Customize button.
13. Select Drug Pairs button.
14. Select the Edit button to edit the Drug Pairs.
15. If the section is not expanded, select the plus sign on Select Drug Pairs to add to the above VA Custom interaction bar.
16. If the radio button is not selected, select the radio button for “Drug Pairs from Corresponding FDB Interaction.”
17. Select desired drug pairs to add to the custom interaction.
18. Indicate the action reason in the free text Current Action Reason (required) field.
19. Select the Customize button.

To Submit as Reviewed:

1. From the home page, look at My Request History.
2. Select the NEW Drug-Drug Interactions link.
3. Look at the query results at the bottom of the page.
4. Select the link for the desired interaction description (Tolterodine/Cyclosporine).
5. Select the Drug Pairs button.
6. Select the Edit button.
7. Scroll down to Drug Pairs section, and select the newly added Drug Pair
8. Select the Submit as Reviewed button.
9. Select the link at the top of the page for the VA interaction
10. Select the Edit button.
11. Review the information.
12. Indicate the Action Reason in the free text Current Action Reason (required) field.

13. Select the Submit as Reviewed button.

12.5. Drug Interaction Severity Change

Sample Case: Over the past six months, several local VA facilities have reported adverse reactions (ADRs) involving the use of Digoxin and Metoclopramide resulting in Digoxin toxicity requiring hospital admissions for management. This interaction is classified as severity level 3 (moderate) by FDB and therefore does not create an alert in the physician order entry process. The NDF support group has approved the change of the severity level from 3 to 2 (severe) to provide for order alerts and has assigned the task to be completed. Create custom drug-drug pairs for this new VA custom drug-drug interaction. Then submit the new interaction and drug pairs as reviewed.

12.5.1. Process Steps for Editing Case 2

Edit the severity of an existing FDB drug interaction

1. From the Home page, choose the Advanced Query/Customization tab.
2. Select “Drug-Drug Interaction” from the Select a Concept drop-down and select ‘FDB’ from the Select VA, FDB, or Both drop-down.
3. Build the Query: Fields=Interaction Description; Filter=contains; Value=Digoxin; And/Or=And.
4. Build the Query: Fields=Interaction Description; Filter=contains; Value=Metoclopramide.
5. Select the Query button.
6. Look at the query results at the bottom of the page.
7. Select the Active link for the desired Interaction Description.
8. Select the Edit button.
9. Select the drop down arrow on Severity Level Code (required).
10. Select the desired new severity level code (2).
11. Indicate the action reason in the free text Current Action Reason (required) field.
12. Select the Customize button.
13. Select Drug Pairs button.
14. Select the Edit button.
15. If the section is not expanded, select the plus sign on Select Drug Pairs to add to the above VA Custom interaction bar.
16. If the radio button is not selected, select the radio button for ‘drug pairs from corresponding FDB interaction.’
17. Select the checkbox for ‘Select/Deselect all drug Pairs from corresponding FDB interaction.’
18. Indicate the action reason in the free text Current Action Reason (required) box
19. Select the Customize button.
20. From the Home page, look at My Request History.
21. Select the NEW Drug-Drug Interactions link.

22. Look at the query results at the bottom of the page.
23. Select on the Active link for the desired interaction description (digoxin/metoclopramide).
24. Select Drug Pairs button (Drug pairs should be submitted as reviewed prior to submitting the interaction for review)
25. Scroll to the Drug Pairs Bar
26. Select the Edit button
27. Select the checkbox for ‘Select/Deselect All Drug Pairs Displayed from VA Custom Interaction’
28. Select the Submit as Reviewed button.
29. Select on the VA Interaction ID at top of page to navigate to Drug Interaction Detail page
30. Select the Submit as Reviewed button.

12.6. Remove Drug Pair from Interaction

Sample Case: The user has been asked to remove the drug pair Sumatriptan Nasal/Tranlycypromine Sulfate Oral from the existing VA custom drug-drug interaction Selected 5HT-1D Agonists/MAO Inhibitors.

12.6.1. Process Steps

Remove or add a drug pair from an existing VA custom drug-drug interaction.

1. Choose the Advanced Query/Customization tab.
2. Select “Drug-Drug Interaction” from the Select a Concept drop-down and select ‘VA’ from the Select VA, FDB, or Both drop-down.
3. Build the Query: Column=Interaction Description; Filter=contains; Value=Selected 5HT.
4. Select the Query button.
5. Look at the query results at the bottom of the page.
6. Select the Active link for the desired Interaction Description.
7. Select the Edit button.
8. Select the Drug Pairs button.
9. Select the Edit button to edit the drug pairs.
10. Select the plus sign on ‘Drug Pairs’ bar.
11. Select on the checkbox associated with Sumatriptan Nasal and Tranlycypromine Sulfate Oral.
12. Select the Submit for Delete button.
13. Alert another Approver that the drug pair needs to be deleted.

12.7. Create Professional Monograph

Sample Case: Create a new VA custom monograph using the current FDB interaction monograph created for Cyclosporine and Tolterodine as the guide. Modify the FDB monograph severity level from level 3 to level 1 – contraindication.

12.7.1. Process Steps

1. Choose the Advanced Query/Customization tab.
2. Select “Professional Monograph” from the Select a Concept drop-down and select ‘FDB’ from the Select VA, FDB, or Both drop-down.
3. Build the Query: Column=Monograph Title; Filter=contains; Value=cyclosporine.
4. Select OR from the And/Or drop-down.
5. Build the Query: Column=Monograph Title; Filter=contains; Value=tolterodine.
6. Select the Query button.
7. Look at the results at the bottom of the page.
8. Select the link for the desired monograph title in the FDB table results. The Monograph is displayed, as shown.

Figure 189: Creating a Professional Monograph

Monograph Title (Required)	Tolterodine/Selected Macrolide Antibiotics (mono deleted 01/12/2012)
Severity Level (Required)	3-Moderate Interaction: Assess the risk to the patient and take action as needed.
Mechanism Of Action	Macrolide antibiotics may inhibit the metabolism of tolterodine by CYP P-450-3A4. (1,2)
Clinical Effects (Required)	The concurrent administration of tolterodine with a macrolide antibiotic may result in elevated levels of tolterodine and signs of toxicity. (1,2)
Predisposing Factors	None determined.
Patient Management	The manufacturer of tolterodine recommends that a maximum tolterodine dosage of 1 mg twice daily of the non extended release dosage form(1) or 2 mg once daily of the extended release dosage form(2) be used in patients receiving concurrent therapy with macrolide antibiotics that inhibit CYP P-450-3A4, such as clarithromycin and erythromycin.
Discussion	In a study in eight subjects who were deficient in CYP P-450-2D6, the concurrent administration of tolterodine (2 mg) with ketoconazole (200 mg once daily for four days), another inhibitor of CYP P-450-3A4, resulted in a 60% decrease in tolterodine clearance.(3) Tolterodine AUC and Cmax increased 2.5-fold and 2-fold, respectively.(2)
Reference	1.Detrol (tolterodine tartrate) US prescribing information. Pharmacia & Upjohn Company April, 2009. 2.Detrol LA (tolterodine tartrate) US prescribing information. Pharmacia & Upjohn Company September, 2008. 3.Bryenne N, Forslund C, Hallen B, Gustafsson LL, Bertilsson L. Ketoconazole inhibits the metabolism of tolterodine in subjects with deficient CYP2D6 activity. Br J Clin Pharmacol 1999 Oct;48(4):564-72.
Request Assigned To	
Reference Text	
Current Action Reason (Required)	
Pre-Customization Comment History	


9. Select the Edit button to edit the record.
10. Change the Severity level to 1 – Critical.
11. Indicate the action reason in the free text Current Action Reason (required) field.
12. Select the Customize button.

13. Contact Us

The Contact Us page contains a list of PECS Project Contacts should the user need additional information about the PECS product. The content of the Contact Us page is created and maintained by users with the Administrator role. In many cases, a linked email address will be included. Select the link associated with the name to send that person (or group) an email.

Note: Selecting the link opens the mail application and a new email message to the person specified in the properties of the link. This may produce a warning message. This is normal.

Figure 190: Contact Us Example



PECS Administrators can edit the content of the Contact Us page. See [Editing Contact Us](#) for additional information.

14. Reports


The Reports page displays a list of available reports in PECS. PECS Reports are essentially exported Excel spreadsheets that can be manipulated and formatted as the user sees fit.

Note: The Reports tab is not visible to Requestor or Release Manager users.

Note to Assistive Technology Users: Please refer the documentation included with the screen reader for commands related to reading column and row headers.

To run a report, select the link associated with it. The user will be provided the option of opening the file directly or saving a copy of the file to a location on their workstation (or accessible network location).

Figure 191: List of Reports



There are two types of Reports:

1. Active Customization Reports
2. FDB Comparison Reports

14.1. Active Customization Reports

The Active Customization Reports are:

- FDB Custom Dose Range Report
- FDB Custom Drug-Drug Interaction Report
- FDB Custom Duplicate Therapy Report
- FDB Custom Professional Monograph Report
- Deleted Monograph Customization Report
- Null Drug Pairs Customization Report

The first four Active Customization Reports, FDB Custom Dose Range, FDB Custom Drug-Drug Interaction, FDB Custom Duplicate Therapy, and FDB Custom Professional Monograph, display concept records in an Approved status along with their corresponding FDB record data. See the sample below.

Figure 192: Sample Active Customization Report

1	Concept ID Number	Concept ID Description	Action Status	Age Low In Days	Age High In Days
2	19	DIGOXIN ORAL TABLET 250 MCG	Approved	5	
3	19	DIGOXIN ORAL TABLET 250 MCG	Approved	123	
4	35	THEOPHYLLINE/IODINATED GLYCEROL ORAL ELIXIR	Approved	23725	41
5	1234	POTASSIUM BICARBONATE/POTASSIUM CITRATE/CITRIC ACID ORAL TABLET, EFFERVESCENT 50 MEQ	Approved	4745	41
6	3046	PSYLLIUM SEED ORAL POWDER	Approved	4380	41
7	3726	HYDROXYZINE HCL ORAL TABLET 10 MG	Approved	4745	41
8	3726	HYDROXYZINE HCL ORAL TABLET 10 MG	Approved	4745	41
9	3757	LORAZEPAM ORAL TABLET 0.5 MG	Approved	4745	21
10	3757	LORAZEPAM ORAL TABLET 0.5 MG	Approved	4746	21
11	3758	LORAZEPAM ORAL TABLET 1 MG	Approved	4745	21
12	3758	LORAZEPAM ORAL TABLET 1 MG	Approved	4745	21
13	4338	ASPIRIN/CALCIUM CARBONATE/MAGNESIUM/ALUMINUM HYDROXIDE ORAL TABLET 500 MG	Approved	4380	41
14	4338	ASPIRIN/CALCIUM CARBONATE/MAGNESIUM/ALUMINUM HYDROXIDE ORAL TABLET 500 MG	Approved	4380	41

The last two reports on the list, Deleted Monograph Customization Report and Null Drug Pairs Customization Report, look for problems. The Deleted Monograph Customization Report displays DDIs with an associated PM that has been deleted (e.g., the FDB update deleted an FDB PM, and that FDB PM is associated to a custom DDI). The Null Drug Pairs Customization Report displays custom DDIs that have an associated DP in which one or both routed generics is null because an FDB update deleted the routed generic(s).

14.1.1. FDB Custom Dose Range Report

The FDB Custom Dose Range Report contains active VA custom Dose Range records in an Approved status. The default file name is Dosing_Total_Customization_Report.xlsx.

To Run the FDB Custom Dose Range Report:

1. Select the Reports tab on the PECS Application Window.
2. Select the FDB Custom Dose Range Report link.
3. Select Open to view the exported file in Excel; select Save to save a copy of the file to a location on the workstation (or accessible network location). The file name is Dosing_Total_Customization_Report.xlsx.
4. If the user selected Open, then the report will automatically appear in the Excel application.

Figure 193: Sample Custom Dose Range Report

1	Concept ID Number	Concept ID Description	Action Status	Age Low In Days	Age High In Days
2	19	DIGOXIN ORAL TABLET 250 MCG	Approved	5	
3	19	DIGOXIN ORAL TABLET 250 MCG	Approved	123	
4	35	THEOPHYLLINE/IODINATED GLYCEROL ORAL ELIXIR	Approved	23725	41
5	1234	POTASSIUM BICARBONATE/POTASSIUM CITRATE/CITRIC ACID ORAL TABLET, EFFERVESCENT 50 MEQ	Approved	4745	41
6	3046	PSYLLIUM SEED ORAL POWDER	Approved	4380	41
7	3726	HYDROXYZINE HCL ORAL TABLET 10 MG	Approved	4745	41
8	3726	HYDROXYZINE HCL ORAL TABLET 10 MG	Approved	4745	41
9	3757	LORAZEPAM ORAL TABLET 0.5 MG	Approved	4745	21
10	3757	LORAZEPAM ORAL TABLET 0.5 MG	Approved	4746	21
11	3758	LORAZEPAM ORAL TABLET 1 MG	Approved	4745	21
12	3758	LORAZEPAM ORAL TABLET 1 MG	Approved	4745	21
13	4338	ASPIRIN/CALCIUM CARBONATE/MAGNESIUM/ALUMINUM HYDROXIDE ORAL TABLET 500 MG	Approved	4380	41
14	4338	ASPIRIN/CALCIUM CARBONATE/MAGNESIUM/ALUMINUM HYDROXIDE ORAL TABLET 500 MG	Approved	4380	41

14.1.2. FDB Custom Drug-Drug Interaction Report

The FDB Custom Drug-Drug Interaction Report contains active VA custom Drug-Drug interaction records in an Approved status along with their corresponding FDB record data.

To Run the FDB Custom Drug-Drug Interaction Report:

1. Select the Reports tab on the PECS Application Window.
2. Select the FDB Custom Drug-Drug Interaction Report link.
3. Select Open to view the exported file in Excel; select Save to save a copy of the file to a location on the workstation (or accessible network location). The file name is Ddiminteraction_Total_Customization_Report.xlsx.
4. If the user selected Open, the report will automatically appear in the Excel application.

Figure 194: Sample Custom DDI Report

Corresponding FDB Interaction ID	Interaction Description	Monograph ID	Action Status	Interaction ID	Severity
4	ANTICOAGULANTS/BARBITURATES	4	Approved	2000041	1
7	ANTICOAGULANTS/CIMETIDINE	7	Approved	2000071	1
10	ANTICOAGULANTS/CHOLESTYRAMINE	10	Approved	2000102	2
15	ANTICOAGULANTS/ANTITHYROID DRUGS	15	Approved	2000152	2
18	HYDANTOINS/SELECTED ANTICOAGULANTS	18	Approved	2000182	2
23	CORTICOSTEROIDS/CARBAMAZEPINE; HYDANTOINS	23	Approved	2000232	2
24	HYDANTOINS/ISONIAZID	24	Approved	2000242	2
32	SELECTED ANTICOAGULANTS/SELECTED MACROLIDE ANTIBIOTICS	32	Approved	2000321	1
40	ANTICOAGULANTS/GRISEOFULVIN	40	Approved	2000402	2
47	CYCLOSPORINE/AZOLE ANTIFUNGAL AGENTS	47	Approved	2000471	1
49	THIORIDAZINE/PINDOLOL; PROPRANOLOL	49	Approved	2000492	2
56	CYCLOSPORINE/RIFAMYCINS	56	Approved	2000561	1
59	CARMUSTINE/CIMETIDINE	59	Approved	2000591	1
62	THEOPHYLLINE DERIVATIVES/CIMETIDINE	62	Approved	2000621	1
65	CORTICOSTEROIDS/RIFAMYCINS	65	Approved	2000652	2
68	QUINIDINE/CIMETIDINE	68	Approved	2000682	2
71	XANTHINE DERIVATIVES/SELECTED MACROLIDE ANTIBIOTICS	71	Approved	2000711	1
72	THIOPURINES/ALLOPURINOL; OXYPURINOL	72	Approved	2000721	1
74	METHOTREXATE/SALICYLATES	74	Approved	2000741	1
76	DIGITALIS GLYCOSIDES, ORAL/CHOLESTYRAMINE; COLESTIPOL	76	Approved	2000762	2
77	LITHIUM/THIAZIDE DIURETICS	78	Approved	2000771	1
84	CYCLOSPORINE/HYDANTOINS	84	Approved	2000841	1
110	ANTI-DIABETICS, ORAL/SULFONAMIDES	110	Approved	2001102	2

14.1.3. FDB Custom Duplicate Therapy Report

The FDB Custom Duplicate Therapy Report contains active VA custom Duplicate Therapy records in an Approved status along with their corresponding FDB record data.

To run the FDB Custom Duplicate Therapy Report:

1. Select the Reports tab on the PECS Application Window.
2. Select the FDB Custom Duplicate Therapy Report link.
3. Select Open to view the exported file in Excel; select Save to save a copy of the file to a location on the workstation (or accessible network location). By default, the file name is Dtcac_Total_Customization_Report.xlsx.
4. If the user selected Open, the report will automatically appear in the Excel application.

Figure 195: Sample Custom Duplicate Therapy Report

DTCID	Custom Dup Allowance	Description	Action Status	Action Date	Action Performed By	Req
376	1	Stimulant Laxatives	Approved	2012-04-16 23:07:32	FOUR_APPROVER	FOU
379	0	Hypoglycemics, Sulfonylureas & Related Non-Sulfonylureas	Approved	2011-10-20 10:42:13	TWO_APPROVER	UNA
446	1	Zinc, Systemic	Approved	2011-11-08 13:55:20	FOUR_APPROVER	FOU
458	0	VA custom: Phenothiazines	Approved	2012-02-06 09:00:04	ONE_APPROVER	FIVE
1132	0	Thrombin Inhibitors (Non-Heparinoid)	Approved	2012-06-01 15:33:52	THREE_APPROVER	THRI
1238	0	Spectinomycin HCl	Approved	2012-02-02 10:16:19	ONE_APPROVER	UNA
1338	1	Antidiarrheal Formulations with Gut Flora Microorganisms	Approved	2012-05-07 10:15:54	ONE_APPROVER	ONE
1344	1	Glucagon	Approved	2011-11-15 14:56:45	SIX_APPROVER	UNA
1519	1	Saw Palmetto	Approved	2011-11-07 08:29:10	FOUR_APPROVER	FOU
1522	1	Agents to Treat Erectile Dysfunction,Adrenergic Blocking-Typ	Approved	2011-10-18 14:16:30	TWO_APPROVER	UNA
220	0	Lead Poisoning Agents	Approved	2012-05-03 15:30:02	TWO_APPROVER	TWC


14.1.4. FDB Custom Professional Monograph Report

The FDB Custom Professional Monograph Report contains active VA custom Professional Monograph records in an Approved status along with their corresponding FDB record data.

To run the FDB Custom Professional Monograph Report:

1. Click the Reports tab on the PECS Application Window.
2. Click the FDB Custom Professional Monograph Report link.
3. Select Open to view the exported file in Excel; select Save to save a copy of the file to a location on your workstation (or accessible network location). By default, the file name is Monograph_Total_Customization_Report.xlsx.
4. If you selected Open, the report will automatically appear in the Excel application.

Figure 196: Sample Custom Professional Monograph Report



Monograph Title	Monograph ID	Action Status	Action Date	Action Performed By
VA custom - Disopyramide/QT Prolonging Agents	151220	Approved	2012-04-04 13:27:16	FOUR_APPROVER
VA customized - Solid Oral Potassium Tablets/Anticholinergics	151164	Approved	2012-03-26 09:30:55	THREE_APPROVER
Cyclosporine/Selected Androgens	151129	Approved	2012-05-03 15:03:27	TWO_APPROVER
Live Vaccines/Belatacept	151082	Approved	2012-05-03 08:20:01	ONE_APPROVER
Rubella Vaccine/Rho Immunoglobulin	151081	Approved	2012-02-02 10:09:53	SIX_APPROVER
Sulfonylureas/Diazoxide	151004	Approved	2011-10-20 20:26:58	TWO_APPROVER
VA custom: Ergotamine Derivatives/Selected Macrolide Antibiotics	151001	Approved	2012-02-02 10:02:34	FOUR_APPROVER
aaaaaaaaaaaaaaaa	151101	Approved	2012-02-02 08:57:30	TWO_APPROVER
VA Customized: Avoid concurrent use when possible (Significant) (AVD2)	150043	Approved	2010-12-03 09:14:56	TODD_SCHIPPERS
VA Customized: Mixed Effects of the Former Drug (Significant) (MXF2)	150041	Approved	2011-11-05 21:36:46	DEBORAH_COULTER
VA Customized: Labeling Conflicts Between Countries or Products (Significant) (LBL2)	150039	Approved	2010-12-03 09:26:14	TODD_SCHIPPERS
VA Customized: Labeling Conflicts between Countries or Products (Critical) (LBL1)	150038	Approved	2010-12-03 09:26:40	TODD_SCHIPPERS
VA Customized: Increased Effects (Significant) (INL2)	150037	Approved	2010-12-03 09:23:28	TODD_SCHIPPERS
VA Customized: Increased Effects (Critical) (INL1)	150036	Approved	2010-12-03 09:21:54	TODD_SCHIPPERS


14.1.5. Deleted Monograph Customization Report

The Deleted Monograph Customization Report contains active VA custom Drug-Drug interaction records in an Approved status that are associated with a deleted FDB Professional Monograph.

To run the Deleted Monograph Customization Report:

1. Click the Reports tab on the PECS Application Window.
2. Click the Deleted Monograph Customization Report link.
3. Select Open to view the exported file in Excel; select Save to save a copy of the file to a location on your workstation (or accessible network location). By default, the file name is Deleted_Monograph_Report.xlsx.
4. If you selected Open, the report will automatically appear in the Excel application.

Figure 197: Sample Deleted Monograph Report



INTERACTION ID	DESCRIPTION	MONOGRAPH ID
2000771	LITHIUM/THIAZIDE DIURETICS	78

14.1.6. Null Drug Pairs Customization Report


The Null Drug Pairs Customization Report contains approved VA custom Drug-Drug Interactions that contain Drug Pairs with null Routed Generic #1 or Routed Generic #2 fields. The report will not display drug pairs with Deleted status.

If this report contains any entries, then a user in the Administrator role should initiate the Null Drug Pair Removal Process, which deletes Null Drug Pairs listed on the report. After the Null Drug Pair Removal process is complete, the Administrator may want to run the report to verify that these drug pairs have been removed. The null Drug Pairs listed on this report are the ones that will be deleted during the Null Drug Pair Removal process.

To run the Null Drug Pairs Customization Report:

1. Select the Reports tab on the PECS Application Window.
2. Select the Null Drug Pairs Customization Report link.
3. Select Open to view the exported file in Excel; select Save to save a copy of the file to a location on the workstation (or accessible network location). By default, the file name is Deleted_Monograph_Report.xlsx.
4. If the user selected Open, the report will automatically appear in the Excel application.

Figure 198: Sample Drug Pairs Customization Report



	A	B	C	D	E
1	INTERACTION ID	RTGENID1	RTGENID2	DRUGMISSING	
2	2011952	1052699	1069042	2	
3	2011952	1052700	1069042	2	
4	2011952	1054611	1069042	2	
5	2011952	1054983	1069042	2	
6	2011952	1060960	1069042	2	
7	2011952	1062022	1069042	2	
8	2011952	1081458	1069042	2	
9	2011952	23072796	1069042	2	
10	2011952	23081056	1069042	2	
11	2018222	1084565	1069042	2	
12	2020315	1054617	1069042	2	
13	2020315	1054617	1083895	2	
14	2020315	10489662	1069042	2	
15	2020315	10489662	1083895	2	
16					

Note: This report can be used to identify approved VA Drug-Drug Interactions that contain null Drug Pairs.

For more information, see the section Null Drug Pair Removal Process under Administrator.

14.2. FDB Comparison Reports

The FDB Comparison Reports display the changes to existing data included in the Incremental FDB updates. The reports inform an Approver or Administrator of the latest FDB changes for the Duplicate Therapy, Drug-Drug Interaction, Drug Pair, and Dose Range concepts and provide data that helps these users decide whether or not to change a custom record. The FDB Comparison Reports help an Approver or Administrator keep PECS customizations in sync with FDB changes.

FDB Comparison Reports display:

- Customized records in all action statuses that have differences between the PECS FDB data and the data in the Incremental FDB Update file.
- Un-customized records that have differences between the PECS FDB data and the data in the Incremental FDB Update file.
- Indications that an FDB record is scheduled to be deleted by DATUP.
- Lists of the drug pairs that will be added or deleted by DATUP.
- A "no data found" message if the Incremental FDB Update file has no changes to the FDB data.

Changed data is marked with an asterisk (*) and colored red. The reports are organized by type and the date of the FDB Incremental Update.

Figure 199: Changed Data in Report

1086	1	Neuromuscular Blockers	
1086	1	Neuromuscular Beta Blockers*	
1086	1	Neuromuscular Blockers*	
1344	1	Glucagon	
1344	0*	Glucagon	
1344	2*	Glucagon	
1678	2*	ampicillin	
1678	1*	ampicillin	
1555	2	Devil's Claw (Harpagophytum procumbens)	

To run an FDB Comparison report, select the appropriate date of an FDB Incremental Update under the appropriate Report Heading:

Figure 200: FDB Incremental Update Date Samples

FDB Comparison Reports			
Duplicate Therapy			
2013-11-30	2013-11-29	2013-11-28	2013-11-27
2013-11-26	2013-11-25	2013-11-24	2013-11-23
2013-11-22	2013-11-20	2013-11-13	2013-11-08
2013-11-07	2013-11-06	2013-10-31	2013-10-30
2013-10-29	2013-10-28	2013-10-27	2013-10-26
2013-10-25	2013-10-08	2013-10-07	2013-10-06
2013-10-05			
Dose Range			
2013-11-30	2013-11-29	2013-11-28	2013-11-27
2013-11-26	2013-11-25	2013-11-24	2013-11-23
2013-11-22	2013-11-20	2013-11-13	2013-11-08
2013-11-07	2013-11-06	2013-10-31	2013-10-30
2013-10-29	2013-10-28	2013-10-27	2013-10-26
2013-10-25	2013-10-08	2013-10-07	2013-10-06
2013-10-05			
Drug-Drug Interaction/Drug Pairs			
2013-11-30	2013-11-29	2013-11-28	2013-11-27
2013-11-26	2013-11-25	2013-11-24	2013-11-23
2013-11-22	2013-11-20	2013-11-13	2013-11-08
2013-11-07	2013-11-06	2013-10-31	2013-10-30
2013-10-29	2013-10-28	2013-10-27	2013-10-26
2013-10-25	2013-10-08	2013-10-07	2013-10-06
2013-10-05			

14.2.1. FDB Comparison Drug-Drug Interaction/Drug Pair Report

The FDB Comparison Drug-Drug Interaction/Drug Pairs Report displays the changes to existing Drug-Drug Interactions included in the Incremental FDB updates. All Action Statuses are compared and are included in the report. The following data points are compared between the FDB update and the VA Drug-Drug Interaction records:

- Corresponding FDB Interaction ID
- Interaction Description
- Monograph ID
- Severity Level Code
- Clinical Effect 1
- Clinical Effect 2
- Deleted Drug Pairs
- Added Drug Pairs

The DDI-DP FDB Comparison Report contains two types of spreadsheets:

- The DDI-DP FDB Comparison Report – gives information about the FDB comparisons and the associated VA custom records.
- FDB Interaction ID-DP – gives information about the added or deleted drug pairs for a specific FDB record. Each FDB update record that has added or deleted drug pairs has its own FDB Interaction ID-DP spreadsheet.

The following DDI-specific fields are included in the DDI-FDB Comparison Report spreadsheet:

Table 23: FDB Comparison Drug-Drug Interaction/Drug Pair Report Fields

Field	Description
VA Interaction ID	A VA-assigned numerical identifier for the interaction.
FDB Interaction ID	An FDB-assigned numerical identifier for the interaction.
Interaction Description	A text description of the interaction.
Monograph ID	A numerical identifier for the Professional Monograph associated with the interaction.
Severity Level	A coded severity indicator.
Clinical Effect 1	A three letter code describing the clinical effect.
Clinical Effect 2	A three letter code describing the clinical effect.
Drug Pairs	If a DDI has drug pairs scheduled to be added or deleted by DATUP, then there will be a message, "See FDB Interaction ID <FDB Interaction ID number>-DP." If a DDI record in the incremental FDB update file does not have added or drug pairs, then this column will remain blank.

If the latest FDB update contains added or deleted drug pairs, then these will be displayed on separate tabs titled "FDB Interaction ID <FDB Interaction ID number>-DP".

Each record consists of at least three lines and individual records are by a blank row (blue). There will be more than three lines if there is more than one VA Customization for the described interaction.

Figure 201: DDI-DP FDB Comparison Report

	A	B	C	D	E	F	G
1	FDB Update Received:	20111202					Note: * indicates changed FDB data
2		Action Status	Action Date	DATUP will delete	VA Interaction ID	FDB Interaction ID	Interaction Description
28	VA Custom	Rejected	2010-05-11		2002371	237	ERGOT ALKALOIDS/NITRATES
29	FDB After Update			Yes		237	
30	FDB Before Update					237	ERGOT ALKALOIDS/NITRATES
32	VA Custom	Deleted	2010-05-05		2012742	1274	STEROIDAL CONTRACEPTIVES/APREPITANT
33	FDB After Update			Yes		1274	
34	FDB Before Update					1274	STEROIDAL CONTRACEPTIVES/APREPITANT
36	VA Custom	Not customized					
37	FDB After Update			Yes		451	
38	FDB Before Update					451	THEOPHYLLINES/TACRINE
40	VA Custom	Not customized					
41	FDB After Update			Yes		452	
42	FDB Before Update					452	CYCLOSPORINE/BARBITURATES
44	VA Custom	Not customized					
45	FDB After Update					1623	POSACONAZOLE/CIMETIDINE-HI *
46	FDB Before Update					1623	POSACONAZOLE/CIMETIDINE *
48	VA Custom	Rejected	2010-05-17		2015651	1565	RANOLAZINE/QT PROLONGING AGENTS
49	VA Custom	Rejected	2010-05-17		2015652	1565	RANOLAZINE/QT PROLONGING AGENTS

- VA Custom - Custom VA information about the Drug-Drug Interaction record(s). If the DDI has not been customized, the record will state "Not customized".
- Latest FDB - Indicates changes to the Drug-Drug Interaction record that appeared on the incremental FDB update the user selected.
- Previous FDB - Displays the value for the Drug-Drug Interaction record in the incremental FDB update immediately prior to the incremental FDB update the user selected.

The following fields are included in the report:

Table 24: FDB Comparison Drug-Drug Interaction/Drug Pair Report Fields

Field	Description
Action Status	The current state of the record based on the most recent action performed on the associated record.
Action Date	The date the current action (Action Status) was performed.
DATUP will delete	YES in this column Indicates the associated record will be deleted by DATUP.
VA Interaction ID	A VA-assigned numerical identifier for the interaction.
FDB Interaction ID	An FDB-assigned numerical identifier for the interaction.
Interaction Description	A text description of the interaction.
Monograph ID	A numerical identifier for the Professional Monograph associated with the interaction.
Severity Level	A coded severity indicator.
Clinical Effect 1	A three letter code describing the clinical effect.
Clinical Effect 2	A three letter code describing the clinical effect.

If the latest FDB update contains added or deleted drug pairs, then these will be displayed on separate tabs titled "FDB Interaction ID <FDB Interaction ID number>-DP".

Figure 202: FDB Interaction ID-Drug Pairs Tab

	A	B	C	D	E	F
1		Note: * Indicates new Routed Generic 1 or 2 Description				
2	Routed Generic 1 Description	Routed Generic 2 Description	DATUP action			
3	HYDRALAZINE HCL/RESERPINE/HYDROCHLOROTHIAZIDE ORAL	CHOLESTYRAMINE (WITH SUGAR) ORAL	Delete			
4	POSACONAZOLE ORAL	CIMETIDINE HCL INJECTION	Add			
5	POSACONAZOLE ORAL	CIMETIDINE HCL INTRAVENOUS	Add			
6	POSACONAZOLE ORAL	WHEY PROTEIN ISOLATE MISCELLANEOUS	Add			
7						
8						
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						
21						

The following fields are included in the report:

Table 25: FDB Interaction ID-Drug Pairs Fields

Field	Description
Routed Generic 1 Description	The Routed Generic Description of Drug 1 in the Drug Pair.
Routed Generic 2 Description	The Routed Generic Description of Drug 2 in the Drug Pair.
DATUP Action	The action that DATUP will perform. Either DATUP will add the drug pair to the PECS database or delete it from PECS.

Note: A DDI record that is not listed on the DDI-DT FDB Comparison Report spreadsheet can still have added or deleted drug pairs listed in the latest incremental FDB update file. In that case, the drug pair information is just listed on an FDB Interaction ID-DP spreadsheet.

14.2.2. Structure of the FDB Comparison Report

Figure 203: Sample FDB Comparison Report - Duplicate Therapy

	A	B	C	D	E	F	G	H	I
1	FDB Update Received:	20111202					Note: * indicates changed FDB data		
2		Action Status	Action Date	DATUP will delete	DTCID	Dup Allowance	Description		
23	VA Custom	Reviewed	2012-02-17		1210	0	Fat Absorption Decreasing Agents		
24	FDB After Update				1210	2 *	Fat Absorption Decreasing Agents		
25	FDB Before Update				1210	0 *	Fat Absorption Decreasing Agents		
27	VA Custom	Modified	2012-02-17		1211	1	Procarbazine		
28	FDB After Update				1211	0	Procarbazine test *		
29	FDB Before Update				1211	0	Procarbazine *		
31	VA Custom	New	2012-02-17		1206	0	Manganese		
32	FDB After Update				1206	2 *	Manganese *		
33	FDB Before Update				1206	0 *	Manganese *		
35	VA Custom	Delete	2012-02-17		1204	0	Agents to Treat Resistant Gram Positive Organisms		
36	FDB After Update	Reviewed			1204	1 *	Agents to Treat Resistant Gram Positive Organisms		
37	FDB Before Update				1204	0 *	Agents to Treat Resistant Gram Positive Organisms		
39	VA Custom	Deleted	2012-02-17		1202	0	Antiparkinsonian Ropinirole Formulations		
40	FDB After Update				1202	0	Antiparkinsonian Ropinirole Formulations test22 *		
41	FDB Before Update				1202	0	Antiparkinsonian Ropinirole Formulations *		
43									

Each FDB Comparison Report lists the "FDB Update Received" date, which is the date listed in the Incremental FDB Update file. Each report lists comparison sets of VA and FDB data. Each comparison set consists of at least three rows separated by a blue line. The three rows are:

Table 26: FDB Comparison Report Row Fields

Row Name	Row Description
VA Custom	Data in the Custom VA record. If the corresponding FDB record has not been customized, then a "Not customized" message will be in the Action Status column and the rest of the row will be blank.
FDB After Update	Data in the Incremental FDB Update File. This data will be in the PECS database shortly after the incremental FDB update is done via DATUP.
FDB Before Update	Data in the PECS FDB record. This data will be replaced by the 'FDB After Update' data. If the FDB After Update and FDB Before Update data of the same type are different, then they are marked with an asterisk (*) and colored red. Records that do not have any differences between the FDB Before Update and FDB After Update data of the same type are not listed in the report.


Each FDB Comparison Report has the following columns:

Table 27: FDB Comparison Report Statuses

Column Name	Column Description
Action Status	The state of the associated VA record based on the most recent action performed. PECS compares FDB data with VA customizations in any Action Status, including Rejected or Deleted.
Action Date	The date the current action (Action Status) was taken.
DATUP will delete	YES in this column Indicates the associated FDB record will be deleted by DATUP. If the column is blank, then the associated FDB record will not be deleted by DATUP. If the FDB record will be deleted by DATUP, then only the FDB Interaction ID and DATUP will delete columns will be filled out in the FDB After Update row. All the other columns will be blank.


The reports are organized by type and the date of the FDB Incremental Update. Links to the reports are kept for eight weeks on the Reports page. To run an FDB Comparison report, select the appropriate FDB Incremental Update date under the appropriate Report Heading.

Figure 204: FDB Incremental Updates



If there are no differences between the FDB After Update and FDB Before Update data of the same type in any of the records, then a "No Data Found" message is printed on the FDB Comparison Report.

Figure 205: Report with No Differences



14.2.3. FDB Comparison Duplicate Therapy Report

The Duplicate Therapy FDB Comparison Report displays the differences between the PECS FDB data and the data in the Incremental FDB Update file for the Duplicate Therapy (DT) concept. This report displays the following DT-specific data:

Figure 206: FDB Comparison Duplicate Therapy Report

	A	B	C	D	E	F	G	H	I
1	FDB Update Received:	20111202					Note: * indicates changed FDB data		
2		Action Status	Action Date	DATUP will delete	DTCID	Dup Allowance	Description		
19	VA Custom	Reviewed	2012-02-23		1310		1 Lymphocyte Immune Globulin		
20	FDB After Update			Yes	1310				
21	FDB Before Update				1310		0 Lymphocyte Immune Globulin		
23	VA Custom	Reviewed	2012-02-17		1210		0 Fat Absorption Decreasing Agents		
24	FDB After Update				1210	2 *	Fat Absorption Decreasing Agents		
25	FDB Before Update				1210	0 *	Fat Absorption Decreasing Agents		
27	VA Custom	Modified	2012-02-17		1211		1 Procarbazine		
28	FDB After Update				1211	0	Procarbazine test *		
29	FDB Before Update				1211	0	Procarbazine *		
31	VA Custom	New	2012-02-17		1206		0 Manganese		
32	FDB After Update				1206	2 *	Manganese *		
33	FDB Before Update				1206	0 *	Manganese *		
35	VA Custom	Delete	2012-02-17						
36	FDB After Update	Reviewed	2012-02-17		1204		0 Agents to Treat Resistant Gram Positive Organisms		
37	FDB Before Update				1204	1 *	Agents to Treat Resistant Gram Positive Organisms		
39	VA Custom	Deleted	2012-02-17		1202		0 Antiparkinsonian Ropinirole Formulations		

The three lines display the following fields:

Table 28: FDB Comparison Duplicate Therapy Report Fields

Field Name	Field Description
DTCID	Duplicate Therapy Control ID. A numerical identifier for the DT FDB and VA records.
Dup Allowance	Duplicate Allowance. The number of drugs performing the same function before a warning is issued.
Description	A description (name) of the drug that is the basis of the DT record.

To run the Duplicate Therapy FDB Comparison report, click the desired date of an FDB Incremental Update under the appropriate Duplicate Therapy heading.

Figure 207: FDB Incremental Update Dates

The screenshot displays a web interface titled "FDB Comparison Reports". It features three sections, each with a bold heading and a list of dates: "Duplicate Therapy", "Dose Range", and "Drug-Drug Interaction/Drug Pairs". Each section contains a 4x7 grid of dates, with the first column of each grid being empty. The dates are arranged in descending order from top-left to bottom-right. At the bottom of the interface, there are two links: "Reports" and "Contact Us".

FDB Comparison Reports						
Duplicate Therapy						
	2013-11-30	2013-11-29	2013-11-28	2013-11-27		
	2013-11-26	2013-11-25	2013-11-24	2013-11-23		
	2013-11-22	2013-11-20	2013-11-13	2013-11-08		
	2013-11-07	2013-11-06	2013-10-31	2013-10-30		
	2013-10-29	2013-10-28	2013-10-27	2013-10-26		
	2013-10-25	2013-10-08	2013-10-07	2013-10-06		
	2013-10-05					
Dose Range						
	2013-11-30	2013-11-29	2013-11-28	2013-11-27		
	2013-11-26	2013-11-25	2013-11-24	2013-11-23		
	2013-11-22	2013-11-20	2013-11-13	2013-11-08		
	2013-11-07	2013-11-06	2013-10-31	2013-10-30		
	2013-10-29	2013-10-28	2013-10-27	2013-10-26		
	2013-10-25	2013-10-08	2013-10-07	2013-10-06		
	2013-10-05					
Drug-Drug Interaction/Drug Pairs						
	2013-11-30	2013-11-29	2013-11-28	2013-11-27		
	2013-11-26	2013-11-25	2013-11-24	2013-11-23		
	2013-11-22	2013-11-20	2013-11-13	2013-11-08		
	2013-11-07	2013-11-06	2013-10-31	2013-10-30		
	2013-10-29	2013-10-28	2013-10-27	2013-10-26		
	2013-10-25	2013-10-08	2013-10-07	2013-10-06		
	2013-10-05					
			Reports	Contact Us		

14.2.4. FDB Comparison Dose Range Report

The Dose Range FDB Comparison Report displays the differences between the PECS FDB data and the data in the Incremental FDB Update file for the Dose Range (DR) concept.

Figure 208: FDB Comparison Dose Range Report

	Action Status	Action Date	DATUP Will Delete	Concept ID Number	Concept ID Description
75	VA Custom	Not customized			
76	FDB After Update		Yes	2328	CYANOCOBALAMIN (VITAMIN B-12) INJECTION VIAL (SDV,MDV OR ADDITIVE) 100 MCG/A
77	FDB Before Update			2328	CYANOCOBALAMIN (VITAMIN B-12) INJECTION VIAL (SDV,MDV OR ADDITIVE) 100 MCG/A
79	VA Custom	Not customized			
80	FDB After Update		Yes	2328	CYANOCOBALAMIN (VITAMIN B-12) INJECTION VIAL (SDV,MDV OR ADDITIVE) 100 MCG/A
81	FDB Before Update			2328	CYANOCOBALAMIN (VITAMIN B-12) INJECTION VIAL (SDV,MDV OR ADDITIVE) 100 MCG/A
83	VA Custom	Not customized			
84	FDB After Update		Yes	2328	CYANOCOBALAMIN (VITAMIN B-12) INJECTION VIAL (SDV,MDV OR ADDITIVE) 100 MCG/A
85	FDB Before Update			2328	CYANOCOBALAMIN (VITAMIN B-12) INJECTION VIAL (SDV,MDV OR ADDITIVE) 100 MCG/A
87	VA Custom	Not customized			
88	FDB After Update		Yes	2328	CYANOCOBALAMIN (VITAMIN B-12) INJECTION VIAL (SDV,MDV OR ADDITIVE) 100 MCG/A
89	FDB Before Update			2328	CYANOCOBALAMIN (VITAMIN B-12) INJECTION VIAL (SDV,MDV OR ADDITIVE) 100 MCG/A
91	VA Custom	Not customized			
92	FDB After Update		Yes	2328	CYANOCOBALAMIN (VITAMIN B-12) INJECTION VIAL (SDV,MDV OR ADDITIVE) 100 MCG/A

Only records where the Concept Type = 6 will display on the report. If the DR FDB record has not been customized, then it will display on the report if the following conditions were met:

- Data in all of the first seven fields (Concept ID Number, Age Low in Days, Age High in Days, Dose Route ID, Dose Type ID, FDBDX, HITTYPE) is identical in the PECS FDB record and the latest incremental FDB update
- Data in at least one other field is different in the PECS FDB record and the latest incremental FDB update

If a DR FDB record has been customized, then it will display on the report if all the conditions mentioned above have been met and the active VA custom record and the PECS FDB record are cross-referenced. Thus indicating that the active VA custom record was created from the FDB record.

Fields

Table 29: FDB Comparison Dose Range Report

Field Name	Field Description
Concept ID Number	Number identifying the drug. Identifies a specific drug within a given concept type.
Age Low in Days	Lowest patient age in days to which dosing information applies

Field Name	Field Description
Age High in Days	Highest patient age in days to which dosing information applies
Dose Route ID	Dose Route Identifier. Refers to the route of administration, which is the site or method by which a drug is administered
Dose Type ID	Dose type identifier
FDBDX	FDBDX type code to identify a Medical Condition
HITTYPE	Signifies whether the dose record came from the Dosage Range Check module or the Minimum/Maximum dosing module. There are 3 possible values: 1 – Dose Range Check; 2 – Dosing Not Established For This Age Range; 3 – Minimum/maximum dosing. HITTYPE is used to determine how to structure the dose alerts.
Concept ID Description	Text description of the Concept ID. Also defined as the drug name. For example, the Concept ID Description is GUAIFENESIN/PHENYLPROPANOLAMINE HCL/ACETAMINOPHEN/CAFFEINE ORAL TABLET and the Concept ID is 713.
DXID	First Databank Medical Lexicon (FML) Disease Identifier
Dose Low	Minimum amount to be administered per day
Dose Low Units	Unit of measure for low dose per day
Dose High	Highest amount to be administered per day
Dose High Units	Unit of measure for high dose per day
Dose Form Low	Low dose for a given dose form
Dose Form Low Units	Unit of measure for the dose form (EA/KG/DAY)
Dose Form High	High dose for a given dose form
Dose Form High Units	Unit of measure for the dose form (EA/KG/DAY)
Frequency Low	Low end of a drug's frequency of administration per day
Frequency High	High end of a drug's frequency of administration per day
Duration Low	Lowest recommended duration of therapy (in days)
Duration High	Highest recommended duration of therapy (in days)
Maximum Duration	Maximum recommended duration of therapy (in days)
Maximum Single Dose	Maximum amount to be administered in a single dose
Maximum Single Dose Units	Unit of measure for the maximum single dose
Maximum Single Dose Form	Maximum single dose for a given form


Field Name	Field Description
Maximum Single Dose Form Units	Unit of measure for the dose form (EA/KG/DAY)
Maximum Daily Dose	Maximum amount to be administered per day
Maximum Daily Dose Units	Unit of measure for the maximum daily dose
Maximum Daily Dose Form	Maximum daily dose for a dose form
Maximum Daily Dose Form Units	Unit of measure for the dose form (EA/KG/DAY)
Maximum Lifetime Dose	Maximum amount to be administered over a patient's lifetime, if available
Maximum Lifetime Dose Units	Unit of measure for maximum lifetime dose
Maximum Lifetime Dose Form	Maximum lifetime dose for a given dose form
Maximum Lifetime Dose Form Units	Unit of measure for the dose form (EA/KG/DAY)
Dose Rate Low	Minimum amount to be administered per dose rate (hours or minutes)
Dose Rate Low Units	Unit of measure for low dose rate (hours or minutes)
Dose Rate High	Highest amount to be administered per dose rate (hours or minutes)
Dose Rate High Units	Unit of measure for high dose rate (hours or minutes)
Dose Form Rate Low	Low dose for a given dose form rate (hours or minutes)
Dose Form Rate Low Units	Unit of measure for the dose form rate (hours or minutes)
Dose Form Rate High	High dose for a given dose form rate (hours or minutes)
Dose Form Rate High Units	Unit of measure for the dose form rate (hours or minutes)
Maximum Single Dose Rate	Maximum amount to be administered in a single dose rate (hours or minutes)
Maximum Single Dose Rate Units	Unit of measure for the maximum single dose rate (hours or minutes)
Maximum Single Dose Form Rate	Maximum single dose for a given dose form rate (hours or minutes)

Field Name	Field Description
Maximum Single Dose Form Rate Units	Unit of measure for the dose form rate (hours or minutes)
Maximum Daily Dose Form Rate	Maximum daily dose for a dose form rate (hours or minutes)
Maximum Daily Dose Rate	Maximum amount to be administered per dose rate (hours or minutes)
Maximum Daily Dose Form Rate Units	Unit of measure for the dose form rate (hours or minutes)
Maximum Daily Dose Rate Units	Unit of measure for the maximum daily dose rate (hours or minutes)
Max Single NTE Dose	Maximum Not-to-Exceed (NTE) amount to be administered in a single dose
Max Single NTE Dose Unit	Unit of measure for the maximum single NTE dose
Max Single NTE Dose Form	Maximum Unit of measure for the NTE dose form (EA/KG/DAY)
Max Single NTE Dose Form Unit	Maximum Not-to-Exceed amount to be administered in a single dose for a given dose form
Hepatic Impairment Indicator	Indicates that the drug's dosing information needs to be adjusted for a patient with hepatic impairment. This flag does not differentiate between mild, moderate, and severe hepatic failure.
Renal Impairment Indicator	Indicates whether the dosing information needs to be modified for any degree of renal impairment in the patient.
CRCL Threshold	Lowest Creatinine Clearance (CRCL) to which dosing applies.
CRCL Threshold Units	Unit of measure for the Creatinine Clearance (CRCL) threshold.
Low Elimination Half Life	Low end of the drug's half-life range
High Elimination Half Life	High end of the drug's half-life range.
Half Life Units	Unit of time for the half-life range of a drug.
Weight Required Indicator	Indicates whether weight is required for dosing.
BSA	Required Indicator Indicates whether Body Surface Area (BSA) is required for dosing

15. Online Help

PECS provides an online help system that provides information on using the application.

Figure 209: PECS Online Help Window



15.1. Accessing Online Help

There are two ways to access online help: the Help tab and Page Help link.


1. Select the Help tab to open the main Online Help page

Figure 210: The Help Tab



2. Select the Page Help link to access help specific to the current page.

Figure 211: The Page Help Link



Using the Page Help link will display help page relevant to the current page. Click the Show link to display the Table of Contents.

Figure 212: The Show Link

